

380 AUTOMATIC (9mm KURZ)

HANDGUN: Beretta 84 F
BARREL: .3.88", 1 in 10" Twist
CASE: Hornady/Frontier
PRIMER: ... Winchester WSP

BULLET DIAMETER: ... 0.355"
MAXIMUM C.O.L.: ... 0.980"
MAX. CASE LENGTH: .0.680"
CASE TRIM LENGTH: ... 0.675"

urz is the German word for short and a logical part of the four different names by which this one cartridge is known. The 9 x 17mm and 380 Automatic round out more of the list. The 380 Automatic is a fine 9mm cartridge that has been in military and police use in many countries. It's a design of the legendary John Browning and was introduced in Belgium in 1912 as the 9mm Browning Short, yet another moniker.

The 380 Automatic is regarded in the U.S. as an adequate defense and back up cartridge. Much of its popularity derives from the many different firearms made for it, both European and American.

The 380 has sufficient power for hunting small game such as rabbits, but the firearm for which it is chambered are generally not accurate enough for such use. Most of these firearms are constructed for self defense, where a high degree of accuracy is not necessary. However some of the better models with adjustable sights are suitable for informal target shooting and hunting small game at limited distances.

All powders listed performed adequately, with WIN 231 giving the best overall results.

90 GRAIN BULLETS

SECTIONAL DENSITY: 0.102 DIAMETER: 0.355"



#35500 HP-XTP®

B.C.: 0.099 C.O.L.: 0.965"

POWDER	VELOCITY (FPS-feet per second)							
	850	900	950	1000	1050	1100		
TITEGROUP	2.2 gr.	2.4 gr.	2.6 gr.	2.9 gr.	3.1 gr.	3.4 gr.		
VIHT N-320	2.7 gr.	2.9 gr.	3.0 gr.					
700 X	2.8 gr.	3.0 gr.	3.1 gr.					
HP 38	2.9 gr.	3.1 gr.	3.2 gr.	3.4 gr.	3.5 gr.	The state of		
BULLSEYE	3.0 gr.	3.1 gr.	3.3 gr.	3.4 gr.	150			
WIN 231	3.2 gr.	3.4 gr.	3.6 gr.					
VIHT N-330	3.3 gr.	3.5 gr.	3.6 gr.	3.8 gr.				
CLAYS UNIV	3.4 gr.	3.6 gr.	3.7 gr.	3.8 gr.				
AUTOCOMP	3.9 gr.	4.0 gr.	4.2 gr.	FS.TYTT '				
POWER PIST	4.0 gr.	4.2 gr.	4.5 gr.	4.7 gr.		11.0		

Hornady Ballistics Tables are available at www.hornady.com/ballistics

100 GRAIN BULLETS

SECTIONAL DENSITY: 0.113 DIAMETER: 0.355"



#35527 FMJ-RN (Discontinued) B.C.: 0.115 C.O.L.: 0.980"

VELOCITY (FPS-feet per second)							
700	750	800	850	900	950		
2.3 gr.	2.4 gr.	2.6 gr.	2.8 gr.	3.0 gr.			
2.3 gr.	2.5 gr.	2.7 gr.	2.9 gr.	3.1 gr.			
2.4 gr.	2.6 gr.	2.7 gr.	2.9 gr.				
2.5 gr.	2.7 gr.	2.8 gr.	3.0 gr.	3.2 gr.			
2.5 gr.	2.7 gr.	2.9 gr.	3.1 gr.	3.3 gr.			
2.6 gr.	2.7 gr.	2.9 gr.	3.1 gr.	3.2 gr.			
2.6 gr.	2.9 gr.	3.1 gr.	3.3 gr.	3.5 gr.			
2.8 gr.	3.0 gr.	3.1 gr.	3.3 gr.	3.4 gr.			
2.9 gr.	3.1 gr.	3.2 gr.	3.4 gr.				
3.0 gr.	3.3 gr.	3.6 gr.	3.9 gr.	4.1 gr.	4.4 gr.		
3.3 gr.	3.4 gr.	3.6 gr.	3.8 gr.	4.0 gr.			
	2.3 gr. 2.3 gr. 2.4 gr. 2.5 gr. 2.5 gr. 2.6 gr. 2.6 gr. 2.8 gr. 2.9 gr. 3.0 gr.	700 750 2.3 gr. 2.4 gr. 2.3 gr. 2.5 gr. 2.4 gr. 2.6 gr. 2.5 gr. 2.7 gr. 2.5 gr. 2.7 gr. 2.6 gr. 2.7 gr. 2.6 gr. 2.9 gr. 2.8 gr. 3.0 gr. 2.9 gr. 3.1 gr. 3.0 gr. 3.3 gr.	700 750 800 2.3 gr. 2.4 gr. 2.6 gr. 2.3 gr. 2.5 gr. 2.7 gr. 2.4 gr. 2.6 gr. 2.7 gr. 2.5 gr. 2.7 gr. 2.8 gr. 2.5 gr. 2.7 gr. 2.9 gr. 2.6 gr. 2.7 gr. 2.9 gr. 2.6 gr. 2.9 gr. 3.1 gr. 2.8 gr. 3.0 gr. 3.1 gr. 2.9 gr. 3.2 gr. 3.0 gr. 3.3 gr. 3.6 gr.	700 750 800 850 2.3 gr. 2.4 gr. 2.6 gr. 2.8 gr. 2.3 gr. 2.5 gr. 2.7 gr. 2.9 gr. 2.4 gr. 2.6 gr. 2.7 gr. 2.9 gr. 2.5 gr. 2.7 gr. 2.8 gr. 3.0 gr. 2.5 gr. 2.7 gr. 2.9 gr. 3.1 gr. 2.6 gr. 2.7 gr. 2.9 gr. 3.1 gr. 2.6 gr. 2.9 gr. 3.1 gr. 3.3 gr. 2.8 gr. 3.0 gr. 3.1 gr. 3.2 gr. 3.4 gr. 3.0 gr. 3.3 gr. 3.6 gr. 3.9 gr.	700 750 800 850 900 2.3 gr. 2.4 gr. 2.6 gr. 2.8 gr. 3.0 gr. 2.3 gr. 2.5 gr. 2.7 gr. 2.9 gr. 3.1 gr. 2.4 gr. 2.6 gr. 2.7 gr. 2.9 gr. 2.5 gr. 2.7 gr. 2.8 gr. 3.0 gr. 3.2 gr. 2.5 gr. 2.7 gr. 2.9 gr. 3.1 gr. 3.2 gr. 2.6 gr. 2.7 gr. 2.9 gr. 3.1 gr. 3.2 gr. 2.6 gr. 2.9 gr. 3.1 gr. 3.3 gr. 3.5 gr. 2.8 gr. 3.0 gr. 3.1 gr. 3.3 gr. 3.4 gr. 2.9 gr. 3.1 gr. 3.2 gr. 3.4 gr. 3.0 gr. 3.3 gr. 3.6 gr. 3.9 gr. 4.1 gr.		

Hornady Ballistics Tables are available at www.hornady.com/ballistics

indicates maximum load • use with caution