



9MM LUGER (9 X 19MM, 9MM PARABELLUM)

HANDGUN:	S & W Model 39	BULLET DIAMETER:	0.355"
BARREL:	4", 1 in 10" Twist	MAXIMUM C.O.L.:	1.169"
CASE:	Hornady/Frontier	MAX. CASE LENGTH:	0.754"
PRIMER:	Winchester WSP	CASE TRIM LENGTH:	0.749"

Georg Luger's 9mm round is the most widely chambered military pistol cartridge in the world. It was introduced in 1902 in his Luger Pistole-08 and adopted by the German Armed Forces just six years later. It has become extremely popular in the U.S. in recent years and is used by a large number of law enforcement agencies.

The 9mm Luger is economical and relatively easy to reload (though there can be troublesome case variations among manufacturers.) With the ending of World War II, many military surplus semi-autos were sold in the U.S., adding to its popularity. Today every major U.S. manufacturer offers a firearm in this caliber. Foreign producers offer fine firearms in the 9mm Luger as well. The U.S. armed services have adopted the Beretta M9 pistol as their official sidearm. The large number of firearms in 9mm prompted the need for commercial ammunition and reloading supplies.

Powders that worked exceptionally well in our test weapon were A #7, and Alliant Power Pistol. Power Pistol produced excellent velocity and uniformity with all bullet weights and is our choice when loading for the 9mm Luger. Velocity differences between 4" and 5" barrels were negligible. Use little or no crimp when reloading the 9mm since it headspaces on the mouth of the case.

90 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:0.102
0.355"

90 gr. HP XTP®

B.C.: 0.099 C.O.L.: 1.070"

Item No. 35500

VELOCITY (FPS – feet per second)

POWDER	1150	1200	1250	1300	1350	1400
IMR 700 X	4.2 gr.	4.4 gr.	4.6 gr.			
BULLSEYE	4.4 gr.	4.7 gr.	4.9 gr.	5.2 gr.	5.5 gr.	
UNIVERSAL	4.5 gr.	4.8 gr.	5.0 gr.	5.3 gr.		
VIHT N-330	4.6 gr.	4.9 gr.	5.2 gr.	5.5 gr.	5.8 gr.	
VIHT N-340	4.7 gr.	5.0 gr.	5.3 gr.	5.5 gr.	5.8 gr.	6.1 gr.
WIN 231	4.7 gr.	5.0 gr.	5.3 gr.	5.6 gr.		
Accurate No. 2	5.0 gr.	5.3 gr.	5.5 gr.	5.8 gr.		
POWER PISTOL	5.6 gr.	5.9 gr.	6.2 gr.	6.5 gr.	6.8 gr.	7.2 gr.
WIN AutoComp	5.7 gr.	6.0 gr.	6.2 gr.	6.4 gr.	6.6 gr.	6.8 gr.
Accurate No. 5	6.5 gr.	6.7 gr.	7.0 gr.			
HS-6	6.5 gr.	6.9 gr.	7.2 gr.			

Hornady ballistics tables are available at hornady.com/ballistics

100 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:0.113
0.355"

100 gr. FMJ-RN

B.C.: 0.115 C.O.L.: 1.085"

Item No. 35527B

VELOCITY (FPS – feet per second)

POWDER	1050	1100	1150	1200	1250	1300
BULLSEYE	4.2 gr.	4.4 gr.	4.7 gr.	5.0 gr.	5.2 gr.	
UNIVERSAL	4.4 gr.	4.6 gr.	4.8 gr.	5.1 gr.		
WIN 231	4.5 gr.	4.8 gr.	5.0 gr.	5.3 gr.		
VIHT N-340	4.6 gr.	4.8 gr.	5.1 gr.	5.4 gr.	5.6 gr.	
UNIQUE	4.2 gr.	4.7 gr.	5.2 gr.	5.6 gr.		
WIN AutoComp	5.1 gr.	5.4 gr.	5.7 gr.	6.0 gr.	6.2 gr.	
POWER PISTOL	5.3 gr.	5.7 gr.	6.0 gr.	6.4 gr.	6.7 gr.	7.0 gr.
Accurate No. 5	6.1 gr.	6.4 gr.	6.6 gr.	6.8 gr.		
HS-6	6.2 gr.	6.5 gr.	6.8 gr.	7.0 gr.		

Hornady ballistics tables are available at hornady.com/ballistics

115 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:

0.130
0.355"



115 gr. FMJ RN

B.C.: 0.140 C.O.L.: 1.100"
Item No. 35557



115 gr. HP XTP®

B.C.: 0.129 C.O.L.: 1.075"
Item No. 35540

VELOCITY (FPS – feet per second)

POWDER	1000	1050	1100	1150	1200	1250
BULLSEYE	3.9 gr.	4.2 gr.	4.4 gr.	4.6 gr.		
UNIVERSAL	4.0 gr.	4.2 gr.	4.5 gr.			
WIN 231	4.1 gr.	4.4 gr.	4.7 gr.			
Accurate No. 2	4.3 gr.	4.7 gr.	5.1 gr.			
WIN AutoComp	4.7 gr.	5.0 gr.	5.2 gr.	5.5 gr.		
VIHT N-350	4.9 gr.	5.2 gr.	5.5 gr.	5.7 gr.		
POWER PISTOL	4.8 gr.	5.2 gr.	5.6 gr.	6.0 gr.	6.4 gr.	6.7 gr.
VIHT 3N37	5.0 gr.	5.3 gr.	5.6 gr.	5.9 gr.		
IMR SR-4756	5.2 gr.	5.5 gr.	5.8 gr.	6.1 gr.	6.4 gr.	
HS-6	5.7 gr.	5.9 gr.	6.2 gr.	6.4 gr.		
Accurate No. 7	7.0 gr.	7.4 gr.	7.8 gr.	8.2 gr.	8.6 gr.	

Hornady ballistics tables are available at hornady.com/ballistics

124 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:

0.141
0.355"



124 gr. FMJ-RN

B.C.: 0.145 C.O.L.: 1.150"
Item No. 355771



124 gr. HP XTP®

B.C.: 0.165 C.O.L.: 1.060"
Item No. 35571



124 gr. FMJ-FP

B.C.: 0.160 C.O.L.: 1.050"
Item No. 35567B

VELOCITY (FPS – feet per second)

POWDER	900	950	1000	1050	1100	1150
UNIQUE	4.0 gr.	4.2 gr.	4.5 gr.	4.7 gr.	5.0 gr.	
HERCO	4.0 gr.	4.3 gr.	4.6 gr.	4.8 gr.		
WIN AutoComp	4.2 gr.	4.4 gr.	4.7 gr.	4.9 gr.		
VIHT N-350	4.4 gr.	4.6 gr.	4.9 gr.	5.2 gr.		
POWER PISTOL	4.3 gr.	4.7 gr.	5.0 gr.	5.3 gr.	5.7 gr.	
IMR SR-4756	4.1 gr.	4.6 gr.	5.0 gr.	5.5 gr.		
HS-6	5.1 gr.	5.4 gr.	5.6 gr.	5.9 gr.		
BLUE DOT	4.8 gr.	5.2 gr.	5.7 gr.	6.1 gr.	6.6 gr.	
Accurate No. 7	6.2 gr.	6.6 gr.	6.9 gr.	7.2 gr.	7.6 gr.	7.9 gr.

Hornady ballistics tables are available at hornady.com/ballistics

147 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:0.167
0.355"**147 gr. FMJ-RN-BT**B.C.: 0.212 C.O.L.: 1.165"
Item No. 35597B**147 gr. HP XTP®**B.C.: 0.212 C.O.L.: 1.100"
Item No. 35580

VELOCITY (FPS – feet per second)

POWDER	750	800	850	900	950	1000
WIN AutoComp	3.5 gr.	3.7 gr.	4.0 gr.	4.1 gr.		
VIHT N-350	3.6 gr.	3.8 gr.	4.1 gr.	4.3 gr.	4.6 gr.	
IMR SR-4756	3.4 gr.	3.8 gr.	4.1 gr.	4.5 gr.	4.9 gr.	
POWER PISTOL	3.5 gr.	3.8 gr.	4.2 gr.	4.5 gr.	4.8 gr.	5.1 gr.
HS-6	4.1 gr.	4.4 gr.	4.7 gr.	5.0 gr.	5.3 gr.	
BLUE DOT	4.2 gr.	4.5 gr.	4.8 gr.	5.1 gr.	5.4 gr.	5.7 gr.
Accurate No. 7	5.0 gr.	5.3 gr.	5.7 gr.	6.0 gr.	6.3 gr.	6.7 gr.

Hornady ballistics tables are available at hornady.com/ballistics