

.30 - 06 Springfield - Published Manufacturer Loading Data

Shellholders:	Hornady #1	Lee #2	Lyman #2	RCBS #3
Recipe Type: ☒ Rifle ☐ Pistol ☐ M1 Garand Service Rifle ☐ Reduced Load Bullet Weight: ☒ ALL ☒ 57 gr ☒ 100 gr ☒ 110 gr ☒ 115 gr ☒ 123 gr ☒ 125 gr ☒ 130 gr ☒ 135 gr ☐ ... Powder: ☒ ALL ☒ Accurate 2015 ☒ Accurate 2230 ☒ Accurate 2460 ☒ Accurate 2495 ☒ Accurate 2520 ☒ Accurate 2700 ☒ Accurate 4064 ☒ Accurate 4350 ☐ ... Recipe Source: ☒ ALL ☒ Alliant Powder ☒ Barnes ☒ Campro ☒ Hodgdon ☒ Shooters World ☒ Speer ☒ VihtaVuori			 GR.: 57 gr Bullet Type: ALS (1 (Lapua) Diameter: Powder: N110 (VihtaVuori) Primer: Large Rifle Case: Lapua Trim Length: 2.484" C.O.L.: 3.110" Starting Powder: 31.1 gr Starting Velocity: 3,527 Starting Pressure: Max Powder: 38.4 gr Max Velocity: 3,994 Max Pressure: Source: VihtaVuori 	
			 GR.: 100 gr Bullet Type: RNSP (Speer) Diameter: Powder: Reloder 7 (Alliant Powder) Primer: CCI 200 Case: WIN Trim Length: C.O.L.: 2.935" Starting Powder: 42.3 gr Starting Velocity: Starting Pressure: Max Powder: 47.0 gr Max Velocity: 3,188 Max Pressure: Source: Alliant Powder 	
			 GR.: 100 gr Bullet Type: HP / OTCE (Lapua) Diameter: Powder: N130 (VihtaVuori) Primer: Large Rifle Case: Lapua Trim Length: 2.484" C.O.L.: 3.142" Starting Powder: 39.8 gr Starting Velocity: 2,851 Starting Pressure: Max Powder: 48.6 gr Max Velocity: 3,274 Max Pressure: Source: VihtaVuori 	
			 GR.: 100 gr Bullet Type: HP / OTCE (Lapua) Diameter: Powder: N133 (VihtaVuori) Primer: Large Rifle Case: Lapua Trim Length: 2.484" C.O.L.: 3.142" Starting Powder: 47.4 gr Starting Velocity: 2,989 Starting Pressure: Max Powder: 53.9 gr Max Velocity: 3,333 Max Pressure: Source: VihtaVuori 	
			 GR.: 100 gr Bullet Type: HP / OTCE (Lapua) Diameter: Powder: N135 (VihtaVuori) Primer: Large Rifle Case: Lapua Trim Length: 2.484" C.O.L.: 3.142" Starting Powder: 50.1 gr Starting Velocity: 3,041 Starting Pressure: Max Powder: 56.5 gr Max Velocity: 3,389 Max Pressure: Source: VihtaVuori 	



GR.: 100 gr
Bullet Type: HP / OTCE (Lapua) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.142"
Starting Powder: 54.0 gr
Starting Velocity: 3,038
Starting Pressure:
Max Powder: 61.1 gr
Max Velocity: 3,425
Max Pressure:
Source: [VihtaVuori](#)



GR.: 100 gr
Bullet Type: HP / OTCE (Lapua) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.142"
Starting Powder: 55.4 gr
Starting Velocity: 3,081
Starting Pressure:
Max Powder: 63.0 gr
Max Velocity: 3,471
Max Pressure:
Source: [VihtaVuori](#)



GR.: 110 gr
Bullet Type: TTSX FB (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 51.6 gr
Starting Velocity: 3,195
Starting Pressure: 53,300
Max Powder: 57.3 gr
Max Velocity: 3,484
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 59.5 gr
Starting Velocity: 3,397
Starting Pressure:
Max Powder: 64.5 gr
Max Velocity: 3,615
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 59.5 gr
Starting Velocity: 3,397
Starting Pressure:
Max Powder: 64.5 gr
Max Velocity: 3,615
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 59.5 gr
Starting Velocity: 3,397
Starting Pressure:
Max Powder: 64.5 gr
Max Velocity: 3,615
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 59.5 gr
Starting Velocity: 3,397
Starting Pressure:
Max Powder: 64.5 gr
Max Velocity: 3,615
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 50.0 gr
Starting Velocity: 3,197
Starting Pressure: 53,900
Max Powder: 55.6 gr
Max Velocity: 3,444
Max Pressure: 59,900
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: V-MAX (HDY) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 49.1 gr
Starting Velocity: 3,150
Starting Pressure: 53,500
Max Powder: 54.6 gr
Max Velocity: 3,387
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TT SX FB (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 56.5 gr
Starting Velocity: 2,916
Starting Pressure: 40,400
Max Powder: 62.8 gr
Max Velocity: 3,210
Max Pressure: 44,900
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 58.2 gr
Starting Velocity: 3,052
Starting Pressure: 45,100
Max Powder: 64.7 gr
Max Velocity: 3,348
Max Pressure: 50,100
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: V-MAX (HDY) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 57.7 gr
Starting Velocity: 3,038
Starting Pressure: 47,700
Max Powder: 64.1 gr
Max Velocity: 3,349
Max Pressure: 53,000
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TTSX FB (Barnes) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 54.5 gr
Starting Velocity: 3,140
Starting Pressure: 52,300
Max Powder: 60.6 gr
Max Velocity: 3,466
Max Pressure: 58,100
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 54.8 gr
Starting Velocity: 3,138
Starting Pressure: 53,400
Max Powder: 60.9 gr
Max Velocity: 3,472
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: V-MAX (HDY) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 53.9 gr
Starting Velocity: 3,080
Starting Pressure: 53,500
Max Powder: 59.9 gr
Max Velocity: 3,431
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TTSX FB (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 58.4 gr
Starting Velocity: 3,173
Starting Pressure: 46,000
Max Powder: 64.9 gr
Max Velocity: 3,409
Max Pressure: 51,100
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 60.1 gr
Starting Velocity: 3,279
Starting Pressure: 53,100
Max Powder: 66.8 gr
Max Velocity: 3,567
Max Pressure: 59,000
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: V-MAX (HDV) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 59.0 gr
Starting Velocity: 3,236
Starting Pressure: 53,800
Max Powder: 65.5 gr
Max Velocity: 3,522
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TTSX FB (Barnes) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 59.6 gr
Starting Velocity: 3,019
Starting Pressure: 44,100
Max Powder: 66.2 gr
Max Velocity: 3,304
Max Pressure: 49,000
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 60.2 gr
Starting Velocity: 3,105
Starting Pressure: 46,100
Max Powder: 66.9 gr
Max Velocity: 3,360
Max Pressure: 51,300
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: V-MAX (HDV) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 61.2 gr
Starting Velocity: 3,113
Starting Pressure: 48,700
Max Powder: 68.0 gr
Max Velocity: 3,415
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TTSX FB (Barnes) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 52.4 gr
Starting Velocity: 3,211
Starting Pressure: 53,600
Max Powder: 58.2 gr
Max Velocity: 3,507
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 56.0 gr
Starting Velocity: 3,268
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 3,573
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 56.0 gr
Starting Velocity: 3,268
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 3,573
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 56.0 gr
Starting Velocity: 3,268
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 3,573
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 56.0 gr
Starting Velocity: 3,268
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 3,573
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 51.1 gr
Starting Velocity: 3,214
Starting Pressure: 53,300
Max Powder: 56.8 gr
Max Velocity: 3,454
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: V-MAX (HDY) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 49.8 gr
Starting Velocity: 3,185
Starting Pressure: 53,600
Max Powder: 55.3 gr
Max Velocity: 3,404
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Reloder 10X (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.0 gr
Starting Velocity: 3,225
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 3,503
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Reloder 10X (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.0 gr
Starting Velocity: 3,225
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 3,503
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: Reloder 10x (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.0 gr
Starting Velocity: 3,225
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 3,503
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Reloder 10x (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.0 gr
Starting Velocity: 3,225
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 3,503
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.000"
Starting Powder: 54.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 3,307
Max Pressure:
Source: [Alliant Powder](#)



GR.: 110 gr
Bullet Type: SP (HDY) Diameter: 0.308"
Powder: Benchmark (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 51.5 gr
Starting Velocity: 3,242
Starting Pressure: 45,600
Max Powder: 55.0 gr
Max Velocity: 3,396
Max Pressure: 49,800 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: SP (HDY) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 54.0 gr
Starting Velocity: 3,108
Starting Pressure: 36,200
Max Powder: 60.0 gr
Max Velocity: 3,396
Max Pressure: 45,000 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: SP (HDV) Diameter: 0.308"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 55.6 gr
Starting Velocity: 3,224
Starting Pressure: 50,600
Max Powder: 59.0 gr
Max Velocity: 3,370
Max Pressure: 56,400
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: SP (HDV) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 50.0 gr
Starting Velocity: 3,168
Starting Pressure: 43,500
Max Powder: 55.5 gr
Max Velocity: 3,367
Max Pressure: 48,100 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: SP (HDV) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 57.0 gr
Starting Velocity: 3,044
Starting Pressure: 39,200
Max Powder: 62.5 gr
Max Velocity: 3,268
Max Pressure: 46,900 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 54.0 gr
Starting Velocity: 3,289
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 3,570
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 54.0 gr
Starting Velocity: 3,289
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 3,570
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 54.0 gr
Starting Velocity: 3,289
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 3,570
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 54.0 gr
Starting Velocity: 3,289
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 3,570
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: SP (HDV) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 51.0 gr
Starting Velocity: 3,155
Starting Pressure: 39,000
Max Powder: 57.0 gr
Max Velocity: 3,431
Max Pressure: 49,300 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 56.5 gr
Starting Velocity: 3,300
Starting Pressure:
Max Powder: 61.5 gr
Max Velocity: 3,563
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 56.5 gr
Starting Velocity: 3,300
Starting Pressure:
Max Powder: 61.5 gr
Max Velocity: 3,563
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 56.5 gr
Starting Velocity: 3,300
Starting Pressure:
Max Powder: 61.5 gr
Max Velocity: 3,563
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 56.5 gr
Starting Velocity: 3,300
Starting Pressure:
Max Powder: 61.5 gr
Max Velocity: 3,563
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: SP (HDY) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 55.0 gr
Starting Velocity: 3,308
Starting Pressure: 44,400
Max Powder: 59.0 gr
Max Velocity: 3,452
Max Pressure: 48,500 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: SP (HDY) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 52.6 gr
Starting Velocity: 3,223
Starting Pressure: 46,200
Max Powder: 56.0 gr
Max Velocity: 3,415
Max Pressure: 57,500
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: SP (HDY) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 51.0 gr
Starting Velocity: 3,252
Starting Pressure: 47,200
Max Powder: 54.9 gr
Max Velocity: 3,471
Max Pressure: 57,800
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: SP (HDV) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 55.0 gr
Starting Velocity: 3,263
Starting Pressure: 47,900
Max Powder: 58.5 gr
Max Velocity: 3,453
Max Pressure: 56,400
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: SP (HDV) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 57.0 gr
Starting Velocity: 3,285
Starting Pressure: 49,400
Max Powder: 60.5 gr
Max Velocity: 3,470
Max Pressure: 58,100
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 55.5 gr
Starting Velocity: 3,272
Starting Pressure:
Max Powder: 60.5 gr
Max Velocity: 3,547
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 55.5 gr
Starting Velocity: 3,272
Starting Pressure:
Max Powder: 60.5 gr
Max Velocity: 3,547
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 55.5 gr
Starting Velocity: 3,272
Starting Pressure:
Max Powder: 60.5 gr
Max Velocity: 3,547
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 55.5 gr
Starting Velocity: 3,272
Starting Pressure:
Max Powder: 60.5 gr
Max Velocity: 3,547
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: SP (HDV) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 56.0 gr
Starting Velocity: 3,303
Starting Pressure: 48,200
Max Powder: 59.8 gr
Max Velocity: 3,505
Max Pressure: 57,300
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: RN (HDV) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 2.913"
Starting Powder: 48.6 gr
Starting Velocity: 2,864
Starting Pressure:
Max Powder: 53.7 gr
Max Velocity: 3,225
Max Pressure:
Source: [VihtaVuori](#)



GR.: 110 gr
Bullet Type: RN (HDV) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 2.913"
Starting Powder: 48.5 gr
Starting Velocity: 2,835
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 3,163
Max Pressure:
Source: [VihtaVuori](#)



GR.: 110 gr
Bullet Type: RN (HDV) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 2.913"
Starting Powder: 52.2 gr
Starting Velocity: 2,890
Starting Pressure:
Max Powder: 57.7 gr
Max Velocity: 3,205
Max Pressure:
Source: [VihtaVuori](#)



GR.: 110 gr
Bullet Type: RN (HDY) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 2.913"
Starting Powder: 55.1 gr
Starting Velocity: 2,969
Starting Pressure:
Max Powder: 60.8 gr
Max Velocity: 3,287
Max Pressure:
Source: [VihtaVuori](#)



GR.: 110 gr
Bullet Type: SP (HDY) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 52.7 gr
Max Velocity: 3,320
Max Pressure: 47,000 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: SP (HDY) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 57.0 gr
Starting Velocity: 3,044
Starting Pressure: 39,200
Max Powder: 62.5 gr
Max Velocity: 3,268
Max Pressure: 46,900 CUP
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.200"
Starting Powder: 49.4 gr
Starting Velocity: 3,141
Starting Pressure: 53,400
Max Powder: 54.9 gr
Max Velocity: 3,365
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.200"
Starting Powder: 57.8 gr
Starting Velocity: 3,023
Starting Pressure: 47,000
Max Powder: 64.2 gr
Max Velocity: 3,318
Max Pressure: 52,200
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.200"
Starting Powder: 54.0 gr
Starting Velocity: 3,076
Starting Pressure: 53,200
Max Powder: 59.9 gr
Max Velocity: 3,399
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.200"
Starting Powder: 59.4 gr
Starting Velocity: 3,228
Starting Pressure: 53,900
Max Powder: 66.0 gr
Max Velocity: 3,506
Max Pressure: 59,900
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.200"
Starting Powder: 61.7 gr
Starting Velocity: 3,126
Starting Pressure: 49,400
Max Powder: 68.6 gr
Max Velocity: 3,406
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.200"
Starting Powder: 48.6 gr
Starting Velocity: 3,103
Starting Pressure: 53,700
Max Powder: 54.0 gr
Max Velocity: 3,336
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 123 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.142"
Starting Powder: 40.3 gr
Starting Velocity: 2,749
Starting Pressure:
Max Powder: 46.4 gr
Max Velocity: 3,064
Max Pressure:
Source: [VihtaVuori](#)



GR.: 123 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.142"
Starting Powder: 45.5 gr
Starting Velocity: 2,707
Starting Pressure:
Max Powder: 51.1 gr
Max Velocity: 3,025
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 123 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.142"
Starting Powder: 49.2 gr
Starting Velocity: 2,795
Starting Pressure:
Max Powder: 53.7 gr
Max Velocity: 3,074
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 123 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.142"
Starting Powder: 51.7 gr
Starting Velocity: 2,799
Starting Pressure:
Max Powder: 57.6 gr
Max Velocity: 3,123
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 123 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.142"
Starting Powder: 55.4 gr
Starting Velocity: 2,887
Starting Pressure:
Max Powder: 60.3 gr
Max Velocity: 3,202
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 123 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.142"
Starting Powder: 53.9 gr
Starting Velocity: 2,831
Starting Pressure:
Max Powder: 59.1 gr
Max Velocity: 3,143
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 49.8 gr
Starting Velocity: 3,021
Starting Pressure: 53,400
Max Powder: 55.4 gr
Max Velocity: 3,292
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: NTP (SinterFire, Inc.) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.275"
Starting Powder: 48.9 gr
Starting Velocity: 2,988
Starting Pressure: 53,500
Max Powder: 54.3 gr
Max Velocity: 3,246
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 58.8 gr
Starting Velocity: 3,018
Starting Pressure: 53,300
Max Powder: 65.3 gr
Max Velocity: 3,319
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 52.5 gr
Starting Velocity: 2,979
Starting Pressure: 53,300
Max Powder: 58.4 gr
Max Velocity: 3,294
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 52.7 gr
Starting Velocity: 2,949
Starting Pressure: 53,700
Max Powder: 58.6 gr
Max Velocity: 3,273
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: NTP (SinterFire, Inc.) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.275"
Starting Powder: 49.9 gr
Starting Velocity: 2,937
Starting Pressure: 53,600
Max Powder: 55.5 gr
Max Velocity: 3,222
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 58.3 gr
Starting Velocity: 3,118
Starting Pressure: 53,600
Max Powder: 64.8 gr
Max Velocity: 3,392
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 57.2 gr
Starting Velocity: 3,059
Starting Pressure: 53,900
Max Powder: 63.5 gr
Max Velocity: 3,331
Max Pressure: 59,900
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: NTP (SinterFire, Inc.) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.275"
Starting Powder: 57.4 gr
Starting Velocity: 3,077
Starting Pressure: 53,400
Max Powder: 63.7 gr
Max Velocity: 3,334
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 60.7 gr
Starting Velocity: 3,025
Starting Pressure: 47,000
Max Powder: 67.4 gr
Max Velocity: 3,260
Max Pressure: 52,200
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 61.4 gr
Starting Velocity: 3,031
Starting Pressure: 50,100
Max Powder: 68.3 gr
Max Velocity: 3,314
Max Pressure: 55,700
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 49.9 gr
Starting Velocity: 3,016
Starting Pressure: 53,400
Max Powder: 55.4 gr
Max Velocity: 3,292
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 49.0 gr
Starting Velocity: 2,982
Starting Pressure: 53,200
Max Powder: 54.4 gr
Max Velocity: 3,222
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: Benchmark (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 49.0 gr
Starting Velocity: 2,996
Starting Pressure: 40,700
Max Powder: 52.0 gr
Max Velocity: 3,178
Max Pressure: 48,700 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 53.0 gr
Starting Velocity: 3,117
Starting Pressure: 38,000
Max Powder: 58.7 gr
Max Velocity: 3,273
Max Pressure: 48,700 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 54.5 gr
Starting Velocity: 3,081
Starting Pressure: 53,000
Max Powder: 58.0 gr
Max Velocity: 3,212
Max Pressure: 58,900
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 49.0 gr
Starting Velocity: 3,046
Starting Pressure: 43,000
Max Powder: 54.0 gr
Max Velocity: 3,228
Max Pressure: 49,300 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 57.0 gr
Starting Velocity: 2,952
Starting Pressure: 40,300
Max Powder: 62.5 gr
Max Velocity: 3,181
Max Pressure: 46,700 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 48.0 gr
Starting Velocity: 2,977
Starting Pressure: 41,400
Max Powder: 53.7 gr
Max Velocity: 3,229
Max Pressure: 49,300 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 54.0 gr
Starting Velocity: 3,159
Starting Pressure: 45,500
Max Powder: 57.2 gr
Max Velocity: 3,267
Max Pressure: 49,500 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 51.5 gr
Starting Velocity: 3,100
Starting Pressure: 50,400
Max Powder: 54.7 gr
Max Velocity: 3,243
Max Pressure: 57,400
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 49.0 gr
Starting Velocity: 3,091
Starting Pressure: 47,100
Max Powder: 52.8 gr
Max Velocity: 3,298
Max Pressure: 58,400
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 53.0 gr
Starting Velocity: 3,129
Starting Pressure: 47,400
Max Powder: 56.5 gr
Max Velocity: 3,334
Max Pressure: 58,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 53.0 gr
Starting Velocity: 3,109
Starting Pressure: 51,200
Max Powder: 56.8 gr
Max Velocity: 3,286
Max Pressure: 59,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 54.0 gr
Starting Velocity: 3,125
Starting Pressure: 49,100
Max Powder: 57.5 gr
Max Velocity: 3,307
Max Pressure: 57,900
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 53.0 gr
Starting Velocity: 3,137
Starting Pressure: 47,800
Max Powder: 57.2 gr
Max Velocity: 3,331
Max Pressure: 56,800
Source: [Hodgdon](#) ⓘ



GR.: 125 gr
Bullet Type: ECX (HDY) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 41.7 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 45.1 gr
Max Velocity: 2,897
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: Ballistic Tip (NOS) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 47.8 gr
Starting Velocity: 2,838
Starting Pressure:
Max Powder: 52.5 gr
Max Velocity: 3,068
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: ECX (HDY) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 49.4 gr
Starting Velocity: 2,854
Starting Pressure:
Max Powder: 52.9 gr
Max Velocity: 3,074
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: Ballistic Tip (NOS) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 51.1 gr
Starting Velocity: 2,881
Starting Pressure:
Max Powder: 56.2 gr
Max Velocity: 3,143
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: ECX (HDY) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 48.6 gr
Starting Velocity: 2,808
Starting Pressure:
Max Powder: 53.6 gr
Max Velocity: 3,071
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: Ballistic Tip (NOS) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 51.5 gr
Starting Velocity: 2,894
Starting Pressure:
Max Powder: 58.8 gr
Max Velocity: 3,169
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: ECX (HDY) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 59.4 gr
Starting Velocity: 2,907
Starting Pressure:
Max Powder: 63.3 gr
Max Velocity: 3,091
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 125 gr
Bullet Type: ECX (HDY) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 50.9 gr
Starting Velocity: 2,887
Starting Pressure:
Max Powder: 55.6 gr
Max Velocity: 3,166
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: Ballistic Tip (NOS) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 53.9 gr
Starting Velocity: 2,887
Starting Pressure:
Max Powder: 60.3 gr
Max Velocity: 3,261
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: ECX (HDY) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 53.2 gr
Starting Velocity: 2,920
Starting Pressure:
Max Powder: 58.6 gr
Max Velocity: 3,182
Max Pressure:
Source: [VihtaVuori](#)



GR.: 125 gr
Bullet Type: Ballistic Tip (NOS) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 57.1 gr
Starting Velocity: 2,936
Starting Pressure:
Max Powder: 60.3 gr
Max Velocity: 3,117
Max Pressure:
Source: [VihtaVuori](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity: 3,060
Max Pressure: 46,000 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: SP (Sierra) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 57.0 gr
Starting Velocity: 2,952
Starting Pressure: 40,300
Max Powder: 62.5 gr
Max Velocity: 3,181
Max Pressure: 46,700 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: ECX (HDY) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 58.6 gr
Starting Velocity: 2,923
Starting Pressure:
Max Powder: 60.2 gr
Max Velocity: 3,002
Max Pressure:
Source: [VihtaVuori](#)



GR.: 125 gr
Bullet Type: SPITZER (Sierra) Diameter:
Powder: BUFFALO RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 10.0 gr
Starting Velocity: 1,210
Starting Pressure:
Max Powder: 41.7 gr
Max Velocity: 2,919
Max Pressure: 58,261
Source: [ShootersWorld](#)



GR.: 125 gr
Bullet Type: SMK (Sierra) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 3.340"
Starting Powder: 50.0 gr
Starting Velocity: 2,875
Starting Pressure:
Max Powder: 57.3 gr
Max Velocity: 3,233
Max Pressure: 58,963
Source: [ShootersWorld](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.5 gr
Starting Velocity: 3,029
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 3,195
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 49.5 gr
Starting Velocity: 3,029
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 3,195
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.7 gr
Starting Velocity: 2,934
Starting Pressure: 53,500
Max Powder: 54.2 gr
Max Velocity: 3,196
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 56.4 gr
Starting Velocity: 2,901
Starting Pressure: 45,100
Max Powder: 62.6 gr
Max Velocity: 3,133
Max Pressure: 50,100
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 51.7 gr
Starting Velocity: 2,918
Starting Pressure: 53,100
Max Powder: 57.4 gr
Max Velocity: 3,215
Max Pressure: 59,000
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 58.1 gr
Starting Velocity: 3,054
Starting Pressure: 53,700
Max Powder: 64.5 gr
Max Velocity: 3,324
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 59.0 gr
Starting Velocity: 3,093
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 3,232
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 59.0 gr
Starting Velocity: 3,093
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 3,232
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 59.6 gr
Starting Velocity: 2,925
Starting Pressure: 47,200
Max Powder: 66.3 gr
Max Velocity: 3,187
Max Pressure: 52,400
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.5 gr
Starting Velocity: 2,981
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 3,165
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 48.5 gr
Starting Velocity: 2,981
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 3,165
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.9 gr
Starting Velocity: 2,942
Starting Pressure: 53,300
Max Powder: 54.3 gr
Max Velocity: 3,204
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 53.5 gr
Starting Velocity: 3,107
Starting Pressure:
Max Powder: 56.5 gr
Max Velocity: 3,285
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 53.5 gr
Starting Velocity: 3,107
Starting Pressure:
Max Powder: 56.5 gr
Max Velocity: 3,285
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: Benchmark (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 48.0 gr
Starting Velocity: 2,986
Starting Pressure: 44,900
Max Powder: 51.0 gr
Max Velocity: 3,107
Max Pressure: 48,700 CUP
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 55.0 gr
Starting Velocity: 3,116
Starting Pressure:
Max Powder: 58.5 gr
Max Velocity: 3,282
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 55.0 gr
Starting Velocity: 3,116
Starting Pressure:
Max Powder: 58.5 gr
Max Velocity: 3,282
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 52.0 gr
Starting Velocity: 2,936
Starting Pressure: 36,600
Max Powder: 58.0 gr
Max Velocity: 3,179
Max Pressure: 48,300 CUP
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 54.0 gr
Starting Velocity: 3,004
Starting Pressure: 52,300
Max Powder: 57.4 gr
Max Velocity: 3,145
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.0 gr
Starting Velocity: 2,944
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 3,145
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 48.0 gr
Starting Velocity: 2,944
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 3,145
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 48.0 gr
Starting Velocity: 2,912
Starting Pressure: 39,600
Max Powder: 53.5 gr
Max Velocity: 3,158
Max Pressure: 48,600 CUP
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 61.0 gr
Starting Velocity: 3,127
Starting Pressure:
Max Powder: 66.0 gr
Max Velocity: 3,298
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 61.0 gr
Starting Velocity: 3,127
Starting Pressure:
Max Powder: 66.0 gr
Max Velocity: 3,298
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 56.0 gr
Starting Velocity: 2,862
Starting Pressure: 40,600
Max Powder: 62.0 gr
Max Velocity: 3,157
Max Pressure: 48,700 CUP
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 52.5 gr
Starting Velocity: 3,071
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 3,276
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 52.5 gr
Starting Velocity: 3,071
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 3,276
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 48.0 gr
Starting Velocity: 2,927
Starting Pressure: 38,600
Max Powder: 53.1 gr
Max Velocity: 3,144
Max Pressure: 46,100 CUP
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 53.5 gr
Starting Velocity: 3,051
Starting Pressure:
Max Powder: 56.5 gr
Max Velocity: 3,225
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 53.5 gr
Starting Velocity: 3,051
Starting Pressure:
Max Powder: 56.5 gr
Max Velocity: 3,225
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 49.0 gr
Starting Velocity: 2,979
Starting Pressure: 41,300
Max Powder: 53.5 gr
Max Velocity: 3,154
Max Pressure: 48,400 CUP
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 49.1 gr
Starting Velocity: 3,021
Starting Pressure: 52,100
Max Powder: 51.7 gr
Max Velocity: 3,126
Max Pressure: 56,900
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 50.5 gr
Starting Velocity: 3,052
Starting Pressure:
Max Powder: 54.0 gr
Max Velocity: 3,258
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 50.5 gr
Starting Velocity: 3,052
Starting Pressure:
Max Powder: 54.0 gr
Max Velocity: 3,258
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 47.0 gr
Starting Velocity: 3,010
Starting Pressure: 49,500
Max Powder: 50.3 gr
Max Velocity: 3,176
Max Pressure: 58,300
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 54.0 gr
Starting Velocity: 3,058
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 3,283
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 54.0 gr
Starting Velocity: 3,058
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 3,283
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 51.0 gr
Starting Velocity: 3,070
Starting Pressure: 49,500
Max Powder: 54.5 gr
Max Velocity: 3,243
Max Pressure: 58,200
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 51.7 gr
Starting Velocity: 3,003
Starting Pressure: 49,200
Max Powder: 55.3 gr
Max Velocity: 3,213
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 51.0 gr
Starting Velocity: 3,094
Starting Pressure: 55,600
Max Powder: 54.5 gr
Max Velocity: 3,197
Max Pressure: 57,700
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 53.5 gr
Starting Velocity: 3,044
Starting Pressure:
Max Powder: 56.5 gr
Max Velocity: 3,213
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 53.5 gr
Starting Velocity: 3,044
Starting Pressure:
Max Powder: 56.5 gr
Max Velocity: 3,213
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.060"
Starting Powder: 51.0 gr
Starting Velocity: 3,074
Starting Pressure: 50,800
Max Powder: 54.7 gr
Max Velocity: 3,234
Max Pressure: 57,800
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: TSX BT (Barnes) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.280"
Starting Powder: 49.4 gr
Starting Velocity: 2,835
Starting Pressure:
Max Powder: 53.6 gr
Max Velocity: 3,071
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 130 gr
Bullet Type: TSX BT (Barnes) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.280"
Starting Powder: 50.2 gr
Starting Velocity: 2,848
Starting Pressure:
Max Powder: 54.8 gr
Max Velocity: 3,077
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 130 gr
Bullet Type: TSX BT (Barnes) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.280"
Starting Powder: 46.8 gr
Starting Velocity: 2,822
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 3,068
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 130 gr
Bullet Type: TSX BT (Barnes) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.280"
Starting Powder: 51.4 gr
Starting Velocity: 2,897
Starting Pressure:
Max Powder: 55.9 gr
Max Velocity: 3,150
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 130 gr
Bullet Type: TSX BT (Barnes) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.280"
Starting Powder: 54.6 gr
Starting Velocity: 2,894
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 3,173
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 54.0 gr
Starting Velocity: 3,069
Starting Pressure:
Max Powder: 60.5 gr
Max Velocity: 3,308
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 54.0 gr
Starting Velocity: 3,069
Starting Pressure:
Max Powder: 60.5 gr
Max Velocity: 3,308
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 60.5 gr
Starting Velocity: 3,105
Starting Pressure:
Max Powder: 65.0 gr
Max Velocity: 3,266
Max Pressure:
Source: [Barnes](#)



GR.: 130 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 60.5 gr
Starting Velocity: 3,105
Starting Pressure:
Max Powder: 65.0 gr
Max Velocity: 3,266
Max Pressure:
Source: [Barnes](#)



GR.: 135 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.1 gr
Starting Velocity: 2,815
Starting Pressure: 53,600
Max Powder: 59.0 gr
Max Velocity: 3,116
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.6 gr
Starting Velocity: 2,839
Starting Pressure: 53,700
Max Powder: 55.1 gr
Max Velocity: 3,117
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.4 gr
Starting Velocity: 2,924
Starting Pressure: 53,300
Max Powder: 59.3 gr
Max Velocity: 3,148
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: FBT (Berger Bullets) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 60.3 gr
Starting Velocity: 2,985
Starting Pressure: 51,300
Max Powder: 67.0 gr
Max Velocity: 3,223
Max Pressure: 57,000
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 44.8 gr
Starting Velocity: 2,689
Starting Pressure: 53,700
Max Powder: 49.7 gr
Max Velocity: 2,975
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 51.6 gr
Starting Velocity: 2,782
Starting Pressure: 53,100
Max Powder: 57.3 gr
Max Velocity: 3,043
Max Pressure: 59,000
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 46.8 gr
Starting Velocity: 2,709
Starting Pressure: 53,500
Max Powder: 52.0 gr
Max Velocity: 2,995
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 53.6 gr
Starting Velocity: 2,875
Starting Pressure: 53,700
Max Powder: 59.5 gr
Max Velocity: 3,113
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 55.3 gr
Starting Velocity: 2,756
Starting Pressure: 48,800
Max Powder: 61.4 gr
Max Velocity: 3,024
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: TAC (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 43.8 gr
Starting Velocity: 2,682
Starting Pressure: 53,400
Max Powder: 48.6 gr
Max Velocity: 2,947
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: 4350 (Accurate)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 53.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 59.6 gr
Max Velocity:
Max Pressure:
Source: [Campco](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: TAC (Ramshot)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 44.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: BL-C(2) (Hodgdon)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 49.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 54.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: H 335 (Hodgdon)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 47.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: H414 (Hodgdon)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 54.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: H4350 (Hodgdon)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 56.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: H4831 (Hodgdon)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 56.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: H4895 (Hodgdon)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 46.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: Varget (Hodgdon)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 47.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: IMR 3031 (Improved Military Rifle)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 43.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 46.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: IMR 4064 (Improved Military Rifle)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 47.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: IMR 4350 (Improved Military Rifle)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 53.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: IMR 4895 (Improved Military Rifle)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 49.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: NI40 (VihtaVuori)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 47.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 52.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: NI50 (VihtaVuori)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 50.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 56.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: NI60 (VihtaVuori)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 50.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 50.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 54.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 59.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: S070 (Lovex)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 54.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 56.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: Tubal 5000 (Vectan)
Primer: [Large Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 43.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 49.4 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 147 gr
Bullet Type: TUG (Brenneke) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.181"
Starting Powder: 45.4 gr
Starting Velocity: 2,536
Starting Pressure:
Max Powder: 49.7 gr
Max Velocity: 2,789
Max Pressure:
Source: [VihtaVuori](#)



GR.: 147 gr
Bullet Type: TUG (Brenneke) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.181"
Starting Powder: 47.4 gr
Starting Velocity: 2,592
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,844
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 147 gr
Bullet Type: TUG (Brenneke) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.181"
Starting Powder: 58.6 gr
Starting Velocity: 2,703
Starting Pressure:
Max Powder: 63.7 gr
Max Velocity: 2,986
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 147 gr
Bullet Type: TUG (Brenneke) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.181"
Starting Powder: 47.7 gr
Starting Velocity: 2,638
Starting Pressure:
Max Powder: 52.5 gr
Max Velocity: 2,913
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 147 gr
Bullet Type: TUG (Brenneke) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.181"
Starting Powder: 50.2 gr
Starting Velocity: 2,644
Starting Pressure:
Max Powder: 55.6 gr
Max Velocity: 2,930
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 147 gr
Bullet Type: TUG (Brenneke) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.181"
Starting Powder: 57.4 gr
Starting Velocity: 2,772
Starting Pressure:
Max Powder: 60.2 gr
Max Velocity: 2,894
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.0 gr
Starting Velocity: 2,748
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,919
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.0 gr
Starting Velocity: 2,748
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,919
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 150 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 46.0 gr
Starting Velocity: 2,748
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,919
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 49.7 gr
Starting Velocity: 2,682
Starting Pressure:
Max Powder: 55.3 gr
Max Velocity: 2,925
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 49.7 gr
Starting Velocity: 2,682
Starting Pressure:
Max Powder: 55.3 gr
Max Velocity: 2,925
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 150 gr
 Bullet Type: MRX (Barnes) Diameter: 0.308"
 Powder: 2700 (Accurate)
 Primer: [WIN WLR](#)
 Case: REM
 Trim Length: 2.484"
[C.O.L.](#): 3.205"
 Starting Powder: 54.2 gr
 Starting Velocity: 2,774
 Starting Pressure: 52,600
 Max Powder: 60.2 gr
 Max Velocity: 3,066
 Max Pressure: 58,400
 Source: [Hodgdon](#)



GR.: 150 gr
 Bullet Type: FMJBT (HDY) Diameter: 0.308"
 Powder: 2700 (Accurate)
 Primer: [WIN WLR](#)
 Case: REM
 Trim Length: 2.484"
[C.O.L.](#): 3.185"
 Starting Powder: 53.7 gr
 Starting Velocity: 2,797
 Starting Pressure: 53,700
 Max Powder: 59.6 gr
 Max Velocity: 3,070
 Max Pressure: 59,600
 Source: [Hodgdon](#)



GR.: 150 gr
 Bullet Type: SST (HDY) Diameter: 0.308"
 Powder: 2700 (Accurate)
 Primer: [WIN WLR](#)
 Case: REM
 Trim Length: 2.484"
[C.O.L.](#): 3.210"
 Starting Powder: 53.8 gr
 Starting Velocity: 2,767
 Starting Pressure: 53,200
 Max Powder: 59.8 gr
 Max Velocity: 3,049
 Max Pressure: 59,100
 Source: [Hodgdon](#)



GR.: 150 gr
 Bullet Type: E-TIP (NOS) Diameter: 0.308"
 Powder: 2700 (Accurate)
 Primer: [WIN WLR](#)
 Case: REM
 Trim Length: 2.484"
[C.O.L.](#): 3.300"
 Starting Powder: 50.9 gr
 Starting Velocity: 2,749
 Starting Pressure: 53,700
 Max Powder: 56.6 gr
 Max Velocity: 2,988
 Max Pressure: 59,700
 Source: [Hodgdon](#)



GR.: 150 gr
 Bullet Type: AB (NOS) Diameter: 0.308"
 Powder: 2700 (Accurate)
 Primer: [WIN WLR](#)
 Case: REM
 Trim Length: 2.484"
[C.O.L.](#): 3.325"
 Starting Powder: 53.1 gr
 Starting Velocity: 2,799
 Starting Pressure: 53,400
 Max Powder: 59.0 gr
 Max Velocity: 3,041
 Max Pressure: 59,300
 Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: SPT[®] (Sierra) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 54.4 gr
Starting Velocity: 2,836
Starting Pressure: 53,300
Max Powder: 60.5 gr
Max Velocity: 3,076
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 45.0 gr
Starting Velocity: 2,571
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,838
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 45.0 gr
Starting Velocity: 2,571
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,838
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: MRX (Barnes) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.205"
Starting Powder: 48.4 gr
Starting Velocity: 2,710
Starting Pressure: 53,800
Max Powder: 53.8 gr
Max Velocity: 3,000
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: SST[®] (HDT) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 48.0 gr
Starting Velocity: 2,712
Starting Pressure: 53,700
Max Powder: 53.4 gr
Max Velocity: 2,994
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: FMJBT (HDY) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.185"
Starting Powder: 49.8 gr
Starting Velocity: 2,804
Starting Pressure: 53,700
Max Powder: 55.3 gr
Max Velocity: 3,062
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.2 gr
Starting Velocity: 2,630
Starting Pressure: 53,400
Max Powder: 50.3 gr
Max Velocity: 2,897
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.325"
Starting Powder: 46.8 gr
Starting Velocity: 2,694
Starting Pressure: 53,600
Max Powder: 52.0 gr
Max Velocity: 2,955
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 48.5 gr
Starting Velocity: 2,744
Starting Pressure: 53,500
Max Powder: 53.9 gr
Max Velocity: 3,017
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: FMJBT (HDY) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.185"
Starting Powder: 53.7 gr
Starting Velocity: 2,594
Starting Pressure: 41,900
Max Powder: 59.6 gr
Max Velocity: 2,886
Max Pressure: 46,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 49.8 gr
Starting Velocity: 2,687
Starting Pressure:
Max Powder: 55.4 gr
Max Velocity: 2,916
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 49.8 gr
Starting Velocity: 2,687
Starting Pressure:
Max Powder: 55.4 gr
Max Velocity: 2,916
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: MRX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.205"
Starting Powder: 53.3 gr
Starting Velocity: 2,818
Starting Pressure: 53,500
Max Powder: 59.2 gr
Max Velocity: 3,056
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 53.5 gr
Starting Velocity: 2,834
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 3,030
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 53.5 gr
Starting Velocity: 2,834
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 3,030
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 53.5 gr
Starting Velocity: 2,834
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 3,030
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: SST (HDV) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 53.0 gr
Starting Velocity: 2,851
Starting Pressure: 53,700
Max Powder: 58.9 gr
Max Velocity: 3,063
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: FMJBT (HDV) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.185"
Starting Powder: 53.9 gr
Starting Velocity: 2,884
Starting Pressure: 53,900
Max Powder: 59.9 gr
Max Velocity: 3,115
Max Pressure: 59,900
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 50.9 gr
Starting Velocity: 2,747
Starting Pressure: 53,900
Max Powder: 56.6 gr
Max Velocity: 2,995
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.325"
Starting Powder: 51.8 gr
Starting Velocity: 2,785
Starting Pressure: 53,800
Max Powder: 57.5 gr
Max Velocity: 3,033
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 53.5 gr
Starting Velocity: 2,822
Starting Pressure: 53,800
Max Powder: 59.4 gr
Max Velocity: 3,080
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: MRX (Barnes) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.205"
Starting Powder: 56.6 gr
Starting Velocity: 2,780
Starting Pressure: 49,500
Max Powder: 62.9 gr
Max Velocity: 3,027
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: SST (HDY) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 56.9 gr
Starting Velocity: 2,801
Starting Pressure: 47,900
Max Powder: 63.2 gr
Max Velocity: 3,008
Max Pressure: 53,200
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: FMJBT (HDY) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.185"
Starting Powder: 57.6 gr
Starting Velocity: 2,880
Starting Pressure: 50,300
Max Powder: 64.0 gr
Max Velocity: 3,111
Max Pressure: 55,900
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.325"
Starting Powder: 57.1 gr
Starting Velocity: 2,840
Starting Pressure: 53,300
Max Powder: 63.5 gr
Max Velocity: 3,092
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 150 gr
 Bullet Type: E-TIP (NOS) Diameter: 0.308"
 Powder: Hunter (Ramshot)
 Primer: [WIN WLR](#)
 Case: REM
 Trim Length: 2.484"
[C.O.L.](#): 3.300"
 Starting Powder: 57.3 gr
 Starting Velocity: 2,826
 Starting Pressure: 53,100
 Max Powder: 63.6 gr
 Max Velocity: 3,082
 Max Pressure: 59,000
 Source: [Hodgdon](#)



GR.: 150 gr
 Bullet Type: SPT (Sierra) Diameter: 0.308"
 Powder: Hunter (Ramshot)
 Primer: [WIN WLR](#)
 Case: REM
 Trim Length: 2.484"
[C.O.L.](#): 3.225"
 Starting Powder: 59.5 gr
 Starting Velocity: 2,921
 Starting Pressure: 53,500
 Max Powder: 66.1 gr
 Max Velocity: 3,167
 Max Pressure: 59,400
 Source: [Hodgdon](#)



GR.: 150 gr
 Bullet Type: MPG (Barnes) Diameter: 0.308"
 Powder: Reloder 15 (Alliant Powder)
 Primer: [FED 210](#)
 Case: WIN
 Trim Length: 2.484"
[C.O.L.](#): 3.270"
 Starting Powder: 44.3 gr
 Starting Velocity: 2,571
 Starting Pressure:
 Max Powder: 49.3 gr
 Max Velocity: 2,841
 Max Pressure:
 Source: [Barnes](#)



GR.: 150 gr
 Bullet Type: MPG (Barnes) Diameter: 0.308"
 Powder: Reloder 15 (Alliant Powder)
 Primer: [FED 210](#)
 Case: WIN
 Trim Length: 2.484"
[C.O.L.](#): 3.270"
 Starting Powder: 44.3 gr
 Starting Velocity: 2,571
 Starting Pressure:
 Max Powder: 49.3 gr
 Max Velocity: 2,841
 Max Pressure:
 Source: [Barnes](#)



GR.: 150 gr
 Bullet Type: TSX (Barnes) Diameter: 0.308"
 Powder: Reloder 15 (Alliant Powder)
 Primer: [FED 210](#)
 Case: WIN
 Trim Length: 2.484"
[C.O.L.](#): 3.218"
 Starting Powder: 49.0 gr
 Starting Velocity: 2,822
 Starting Pressure:
 Max Powder: 51.5 gr
 Max Velocity: 2,983
 Max Pressure:
 Source: [Barnes](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.0 gr
Starting Velocity: 2,822
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,983
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 49.0 gr
Starting Velocity: 2,822
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,983
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 46.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,728
Max Pressure:
Source: [Alliant Powder](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter:
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.260"
Starting Powder: 51.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 57.5 gr
Max Velocity: 3,029
Max Pressure:
Source: [Alliant Powder](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter:
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.270"
Starting Powder: 52.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 3,048
Max Pressure:
Source: [Alliant Powder](#)



GR.: 150 gr
 Bullet Type: SP (Speer) Diameter:
 Powder: Reloder 16 (Alliant Powder)
 Primer: [FED 210](#)
 Case: WIN
 Trim Length:
[C.O.L.](#): 3.250"
 Starting Powder: 53.6 gr
 Starting Velocity:
 Starting Pressure:
 Max Powder: 59.6 gr
 Max Velocity: 3,041
 Max Pressure:
 Source: [Alliant Powder](#) ⓘ



GR.: 150 gr
 Bullet Type: MPG (Barnes) Diameter: 0.308"
 Powder: Reloder 17 (Alliant Powder)
 Primer: [FED 210](#)
 Case: WIN
 Trim Length: 2.484"
[C.O.L.](#): 3.270"
 Starting Powder: 50.3 gr
 Starting Velocity: 2,640
 Starting Pressure:
 Max Powder: 55.8 gr
 Max Velocity: 2,934
 Max Pressure:
 Source: [Barnes](#) ⓘ



GR.: 150 gr
 Bullet Type: MPG (Barnes) Diameter: 0.308"
 Powder: Reloder 17 (Alliant Powder)
 Primer: [FED 210](#)
 Case: WIN
 Trim Length: 2.484"
[C.O.L.](#): 3.270"
 Starting Powder: 50.3 gr
 Starting Velocity: 2,640
 Starting Pressure:
 Max Powder: 55.8 gr
 Max Velocity: 2,934
 Max Pressure:
 Source: [Barnes](#) ⓘ



GR.: 150 gr
 Bullet Type: BTSP (Speer) Diameter:
 Powder: Reloder 17 (Alliant Powder)
 Primer: [FED 210](#)
 Case: FED
 Trim Length:
[C.O.L.](#): 3.250"
 Starting Powder: 52.2 gr
 Starting Velocity:
 Starting Pressure:
 Max Powder: 58.0 gr
 Max Velocity: 3,006
 Max Pressure:
 Source: [Alliant Powder](#) ⓘ



GR.: 150 gr
 Bullet Type: SP (Speer) Diameter:
 Powder: Reloder 19 (Alliant Powder)
 Primer: [CCI 200](#)
 Case: WIN
 Trim Length:
[C.O.L.](#): 3.250"
 Starting Powder: 55.8 gr
 Starting Velocity:
 Starting Pressure:
 Max Powder: 62.0 gr
 Max Velocity: 2,722
 Max Pressure:
 Source: [Alliant Powder](#) ⓘ



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: Benchmark (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 44.0 gr
Starting Velocity: 2,631
Starting Pressure: 46,400
Max Powder: 48.0 gr
Max Velocity: 2,850
Max Pressure: 58,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: Benchmark (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 46.5 gr
Starting Velocity: 2,792
Starting Pressure: 44,600
Max Powder: 49.5 gr
Max Velocity: 2,944
Max Pressure: 49,300 CUP
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.5 gr
Starting Velocity: 2,807
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 2,974
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.5 gr
Starting Velocity: 2,807
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 2,974
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 49.5 gr
Starting Velocity: 2,807
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 2,974
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 49.0 gr
Starting Velocity: 2,759
Starting Pressure: 39,700
Max Powder: 54.0 gr
Max Velocity: 2,962
Max Pressure: 48,600 CUP
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 50.0 gr
Starting Velocity: 2,777
Starting Pressure: 51,300
Max Powder: 53.5 gr
Max Velocity: 2,915
Max Pressure: 57,900
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.0 gr
Starting Velocity: 2,715
Starting Pressure: 47,600
Max Powder: 53.2 gr
Max Velocity: 2,927
Max Pressure: 58,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 50.1 gr
Starting Velocity: 2,763
Starting Pressure: 50,500
Max Powder: 54.2 gr
Max Velocity: 2,942
Max Pressure: 58,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 44.0 gr
Starting Velocity: 2,671
Starting Pressure: 51,600
Max Powder: 48.0 gr
Max Velocity: 2,842
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 47.0 gr
Starting Velocity: 2,785
Starting Pressure: 42,500
Max Powder: 51.5 gr
Max Velocity: 2,982
Max Pressure: 49,200 CUP
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 50.9 gr
Starting Velocity: 2,696
Starting Pressure:
Max Powder: 56.6 gr
Max Velocity: 2,934
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 50.9 gr
Starting Velocity: 2,696
Starting Pressure:
Max Powder: 56.6 gr
Max Velocity: 2,934
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 53.0 gr
Starting Velocity: 2,798
Starting Pressure: 40,200
Max Powder: 59.0 gr
Max Velocity: 3,005
Max Pressure: 45,900 CUP
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.0 gr
Starting Velocity: 2,763
Starting Pressure: 50,400
Max Powder: 57.0 gr
Max Velocity: 2,921
Max Pressure: 57,300
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 48.7 gr
Starting Velocity: 2,621
Starting Pressure:
Max Powder: 54.1 gr
Max Velocity: 2,886
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 48.7 gr
Starting Velocity: 2,621
Starting Pressure:
Max Powder: 54.1 gr
Max Velocity: 2,886
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 55.0 gr
Starting Velocity: 2,842
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 3,056
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 55.0 gr
Starting Velocity: 2,842
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 3,056
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 150 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 55.0 gr
Starting Velocity: 2,842
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 3,056
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.0 gr
Starting Velocity: 2,779
Starting Pressure: 49,300
Max Powder: 57.0 gr
Max Velocity: 2,945
Max Pressure: 57,100
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 54.0 gr
Starting Velocity: 2,753
Starting Pressure: 40,500
Max Powder: 60.0 gr
Max Velocity: 2,992
Max Pressure: 48,600 CUP
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 54.0 gr
Starting Velocity: 2,747
Starting Pressure: 47,000
Max Powder: 57.8 gr
Max Velocity: 2,927
Max Pressure: 57,700
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 56.0 gr
Starting Velocity: 2,792
Starting Pressure: 37,100
Max Powder: 62.0 gr
Max Velocity: 3,068
Max Pressure: 48,400 CUP
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.5 gr
Starting Velocity: 2,822
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity: 2,975
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.5 gr
Starting Velocity: 2,822
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity: 2,975
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 48.5 gr
Starting Velocity: 2,822
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity: 2,975
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 43.0 gr
Starting Velocity: 2,658
Starting Pressure: 49,000
Max Powder: 47.5 gr
Max Velocity: 2,863
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 46.0 gr
Starting Velocity: 2,806
Starting Pressure: 44,400
Max Powder: 51.0 gr
Max Velocity: 2,976
Max Pressure: 48,500 CUP
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: Suprform (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 60.0 gr
Starting Velocity: 2,850
Starting Pressure: 43,100
Max Powder: 65.0 gr
Max Velocity: 3,072
Max Pressure: 53,000
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: Trail Boss (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 13.3 gr
Starting Velocity: 1,061
Starting Pressure: 14,700
Max Powder: 19.0 gr
Max Velocity: 1,477
Max Pressure: 26,400
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 44.3 gr
Starting Velocity: 2,594
Starting Pressure:
Max Powder: 49.3 gr
Max Velocity: 2,849
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 44.3 gr
Starting Velocity: 2,594
Starting Pressure:
Max Powder: 49.3 gr
Max Velocity: 2,849
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.5 gr
Starting Velocity: 2,793
Starting Pressure:
Max Powder: 52.5 gr
Max Velocity: 2,972
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.5 gr
Starting Velocity: 2,793
Starting Pressure:
Max Powder: 52.5 gr
Max Velocity: 2,972
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 49.5 gr
Starting Velocity: 2,793
Starting Pressure:
Max Powder: 52.5 gr
Max Velocity: 2,972
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 46.0 gr
Starting Velocity: 2,697
Starting Pressure: 49,900
Max Powder: 49.5 gr
Max Velocity: 2,860
Max Pressure: 58,000
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 47.0 gr
Starting Velocity: 2,808
Starting Pressure: 42,600
Max Powder: 51.0 gr
Max Velocity: 2,975
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 44.0 gr
Starting Velocity: 2,677
Starting Pressure: 50,100
Max Powder: 47.7 gr
Max Velocity: 2,838
Max Pressure: 58,500
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 47.0 gr
Starting Velocity: 2,797
Starting Pressure: 50,500
Max Powder: 50.0 gr
Max Velocity: 2,935
Max Pressure: 58,400
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.0 gr
Starting Velocity: 2,760
Starting Pressure:
Max Powder: 48.5 gr
Max Velocity: 2,908
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.0 gr
Starting Velocity: 2,760
Starting Pressure:
Max Powder: 48.5 gr
Max Velocity: 2,908
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 46.0 gr
Starting Velocity: 2,760
Starting Pressure:
Max Powder: 48.5 gr
Max Velocity: 2,908
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 43.0 gr
Starting Velocity: 2,697
Starting Pressure: 47,600
Max Powder: 46.7 gr
Max Velocity: 2,887
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 43.0 gr
Starting Velocity: 2,644
Starting Pressure: 47,600
Max Powder: 46.0 gr
Max Velocity: 2,811
Max Pressure: 56,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: IMR 4007 SSC (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 47.8 gr
Starting Velocity: 2,554
Starting Pressure:
Max Powder: 53.1 gr
Max Velocity: 2,861
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: IMR 4007 SSC (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 47.8 gr
Starting Velocity: 2,554
Starting Pressure:
Max Powder: 53.1 gr
Max Velocity: 2,861
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 43.7 gr
Starting Velocity: 2,611
Starting Pressure:
Max Powder: 48.5 gr
Max Velocity: 2,851
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: MPG (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.270"
Starting Powder: 43.7 gr
Starting Velocity: 2,611
Starting Pressure:
Max Powder: 48.5 gr
Max Velocity: 2,851
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.5 gr
Starting Velocity: 2,781
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,976
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.5 gr
Starting Velocity: 2,781
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,976
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 49.5 gr
Starting Velocity: 2,781
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,976
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 47.0 gr
Starting Velocity: 2,743
Starting Pressure: 49,000
Max Powder: 51.0 gr
Max Velocity: 2,928
Max Pressure: 58,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 47.0 gr
Starting Velocity: 2,714
Starting Pressure: 48,700
Max Powder: 51.0 gr
Max Velocity: 2,926
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.3 gr
Starting Velocity: 2,729
Starting Pressure: 50,400
Max Powder: 49.3 gr
Max Velocity: 2,921
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 47.0 gr
Starting Velocity: 2,755
Starting Pressure: 49,200
Max Powder: 50.9 gr
Max Velocity: 2,935
Max Pressure: 58,100
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 48.0 gr
Starting Velocity: 2,695
Starting Pressure: 48,400
Max Powder: 52.0 gr
Max Velocity: 2,897
Max Pressure: 58,100
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 49.0 gr
Starting Velocity: 2,850
Starting Pressure: 51,600
Max Powder: 52.3 gr
Max Velocity: 3,016
Max Pressure: 58,000
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 54.0 gr
Starting Velocity: 2,745
Starting Pressure: 47,400
Max Powder: 58.0 gr
Max Velocity: 2,942
Max Pressure: 57,200
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 54.0 gr
Starting Velocity: 2,744
Starting Pressure: 48,800
Max Powder: 57.5 gr
Max Velocity: 2,930
Max Pressure: 57,300
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 53.7 gr
Starting Velocity: 2,747
Starting Pressure: 49,000
Max Powder: 57.8 gr
Max Velocity: 2,969
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 54.0 gr
Starting Velocity: 2,798
Starting Pressure: 52,700
Max Powder: 57.5 gr
Max Velocity: 2,947
Max Pressure: 58,900
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.0 gr
Starting Velocity: 2,762
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,938
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.0 gr
Starting Velocity: 2,762
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,938
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 49.0 gr
Starting Velocity: 2,762
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,938
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 47.0 gr
Starting Velocity: 2,717
Starting Pressure: 50,000
Max Powder: 50.8 gr
Max Velocity: 2,900
Max Pressure: 58,700
Source: [Hodgdon](#) ⓘ



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 49.0 gr
Starting Velocity: 2,856
Starting Pressure: 49,400
Max Powder: 53.0 gr
Max Velocity: 3,009
Max Pressure: 56,700
Source: [Hodgdon](#) ⓘ



GR.: 150 gr
Bullet Type: Mega E469 (Lapua) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.028"
Starting Powder: 40.1 gr
Starting Velocity: 2,333
Starting Pressure:
Max Powder: 47.7 gr
Max Velocity: 2,740
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: LockBase (Lapua) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 45.2 gr
Starting Velocity: 2,589
Starting Pressure:
Max Powder: 49.8 gr
Max Velocity: 2,792
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: SST (HDV) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.252"
Starting Powder: 47.1 gr
Starting Velocity: 2,703
Starting Pressure:
Max Powder: 50.5 gr
Max Velocity: 2,894
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: Mega E469 (Lapua) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.028"
Starting Powder: 43.7 gr
Starting Velocity: 2,402
Starting Pressure:
Max Powder: 51.2 gr
Max Velocity: 2,812
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: LockBase (Lapua) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 48.3 gr
Starting Velocity: 2,631
Starting Pressure:
Max Powder: 53.2 gr
Max Velocity: 2,861
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 47.5 gr
Starting Velocity: 2,618
Starting Pressure:
Max Powder: 52.8 gr
Max Velocity: 2,858
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: TARVAS (Red Moose Oy) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.264"
Starting Powder: 50.5 gr
Starting Velocity: 2,749
Starting Pressure:
Max Powder: 53.7 gr
Max Velocity: 2,943
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: TTSX BT (Barnes) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 45.4 gr
Starting Velocity: 2,559
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,792
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: SST ^(HDV) Diameter:
Powder: N150 ^(VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.252"
Starting Powder: 47.5 gr
Starting Velocity: 2,717
Starting Pressure:
Max Powder: 51.4 gr
Max Velocity: 2,923
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: Mega E469 ^(Lapua) Diameter:
Powder: N150 ^(VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.028"
Starting Powder: 44.1 gr
Starting Velocity: 2,549
Starting Pressure:
Max Powder: 49.7 gr
Max Velocity: 2,815
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: LockBase ^(Lapua) Diameter:
Powder: N150 ^(VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 50.1 gr
Starting Velocity: 2,635
Starting Pressure:
Max Powder: 55.2 gr
Max Velocity: 2,877
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: HT ^(Los) Diameter:
Powder: N150 ^(VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.268"
Starting Powder: 49.5 gr
Starting Velocity: 2,799
Starting Pressure:
Max Powder: 53.9 gr
Max Velocity: 3,025
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: FMJ ^(Norma Precision AB) Diameter:
Powder: N150 ^(VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 47.8 gr
Starting Velocity: 2,697
Starting Pressure:
Max Powder: 51.9 gr
Max Velocity: 2,900
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 50.8 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 56.3 gr
Max Velocity: 2,936
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: TARVAS (Red Moose Oy) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.264"
Starting Powder: 50.9 gr
Starting Velocity: 2,730
Starting Pressure:
Max Powder: 54.6 gr
Max Velocity: 2,940
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: TTSX BT (Barnes) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 56.8 gr
Starting Velocity: 2,687
Starting Pressure:
Max Powder: 61.7 gr
Max Velocity: 2,927
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲ 🔍



GR.: 150 gr
Bullet Type: SST (HDY) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.252"
Starting Powder: 56.5 gr
Starting Velocity: 2,802
Starting Pressure:
Max Powder: 60.5 gr
Max Velocity: 3,012
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: FMJ (Norma Precision AB) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 56.3 gr
Starting Velocity: 2,657
Starting Pressure:
Max Powder: 60.2 gr
Max Velocity: 2,854
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲ 🔍



GR.: 150 gr
Bullet Type: SST ^(HDV) Diameter:
Powder: N530 ^(VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.252"
Starting Powder: 43.5 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 47.8 gr
Max Velocity: 2,867
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: SST ^(HDV) Diameter:
Powder: N540 ^(VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.252"
Starting Powder: 48.6 gr
Starting Velocity: 2,753
Starting Pressure:
Max Powder: 52.3 gr
Max Velocity: 2,972
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: Mega E469 ^(Lapua) Diameter:
Powder: N540 ^(VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.028"
Starting Powder: 45.4 gr
Starting Velocity: 2,434
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 2,930
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: LockBase ^(Lapua) Diameter:
Powder: N540 ^(VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 48.8 gr
Starting Velocity: 2,598
Starting Pressure:
Max Powder: 54.6 gr
Max Velocity: 2,894
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: HT ^(LoS) Diameter:
Powder: N540 ^(VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.268"
Starting Powder: 49.5 gr
Starting Velocity: 2,835
Starting Pressure:
Max Powder: 54.0 gr
Max Velocity: 3,084
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: FMJ (Norma Precision AB) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 47.8 gr
Starting Velocity: 2,710
Starting Pressure:
Max Powder: 52.8 gr
Max Velocity: 2,966
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 50.5 gr
Starting Velocity: 2,654
Starting Pressure:
Max Powder: 56.2 gr
Max Velocity: 2,972
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: TARVAS (Red Moose Oy) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.264"
Starting Powder: 52.5 gr
Starting Velocity: 2,805
Starting Pressure:
Max Powder: 55.9 gr
Max Velocity: 3,035
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: TTSX BT (Barnes) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 49.4 gr
Starting Velocity: 2,621
Starting Pressure:
Max Powder: 54.3 gr
Max Velocity: 2,887
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: SST (HDY) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.252"
Starting Powder: 51.9 gr
Starting Velocity: 2,749
Starting Pressure:
Max Powder: 55.2 gr
Max Velocity: 2,963
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: Mega E469 (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.028"
Starting Powder: 48.1 gr
Starting Velocity: 2,628
Starting Pressure:
Max Powder: 53.7 gr
Max Velocity: 2,907
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: LockBase (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 54.2 gr
Starting Velocity: 2,687
Starting Pressure:
Max Powder: 59.7 gr
Max Velocity: 3,009
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: HT (Losa) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.268"
Starting Powder: 52.5 gr
Starting Velocity: 2,841
Starting Pressure:
Max Powder: 58.6 gr
Max Velocity: 3,123
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: FMJ (Norma Precision AB) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 51.7 gr
Starting Velocity: 2,736
Starting Pressure:
Max Powder: 55.4 gr
Max Velocity: 2,966
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 54.6 gr
Starting Velocity: 2,733
Starting Pressure:
Max Powder: 59.7 gr
Max Velocity: 3,005
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 150 gr
Bullet Type: TARVAS (Red Moose 07) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.264"
Starting Powder: 55.6 gr
Starting Velocity: 2,844
Starting Pressure:
Max Powder: 59.1 gr
Max Velocity: 3,051
Max Pressure:
Source: [VihtaVuori](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.5 gr
Starting Velocity: 2,775
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 2,996
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.5 gr
Starting Velocity: 2,775
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 2,996
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 49.5 gr
Starting Velocity: 2,775
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 2,996
Max Pressure:
Source: [Barnes](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 48.0 gr
Max Velocity: 2,810
Max Pressure: 46,000 CUP
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 48.0 gr
Starting Velocity: 2,704
Starting Pressure: 48,000
Max Powder: 51.5 gr
Max Velocity: 2,859
Max Pressure: 55,400
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.0 gr
Starting Velocity: 2,779
Starting Pressure: 49,300
Max Powder: 57.0 gr
Max Velocity: 2,945
Max Pressure: 57,100
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 54.0 gr
Starting Velocity: 2,792
Starting Pressure: 40,500
Max Powder: 60.0 gr
Max Velocity: 2,992
Max Pressure: 48,600 CUP
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 58.5 gr
Starting Velocity: 2,929
Starting Pressure: 50,500
Max Powder: 63.0 gr
Max Velocity: 3,128
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: TTXX BT (Barnes) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 55.6 gr
Starting Velocity: 2,743
Starting Pressure:
Max Powder: 61.1 gr
Max Velocity: 2,982
Max Pressure:
Source: [VihtaVuori](#)



GR.: 150 gr
Bullet Type: SST (HDV) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.252"
Starting Powder: 57.1 gr
Starting Velocity: 2,776
Starting Pressure:
Max Powder: 61.7 gr
Max Velocity: 2,963
Max Pressure:
Source: [VihtaVuori](#)



GR.: 150 gr
Bullet Type: FMJ (Norma Precision AB) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 57.1 gr
Starting Velocity: 2,831
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 3,012
Max Pressure:
Source: [VihtaVuori](#)



GR.: 150 gr
Bullet Type: FMJBT (HDV) Diameter:
Powder: BUFFALO RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 3.185"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 40.8 gr
Max Velocity: 2,785
Max Pressure: 58,472
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: FMJBT (HDV) Diameter:
Powder: BUFFALO RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 3.240"
Starting Powder: 10.0 gr
Starting Velocity: 1,214
Starting Pressure:
Max Powder: 40.5 gr
Max Velocity: 2,727
Max Pressure: 55,106
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: CORE-LOKT Diameter:
Powder: MATCH RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.240"
Starting Powder: 45.0 gr
Starting Velocity: 2,530
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,923
Max Pressure: 59,500
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: FMJBT Diameter:
Powder: MATCH RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.240"
Starting Powder: 45.0 gr
Starting Velocity: 2,580
Starting Pressure:
Max Powder: 52.6 gr
Max Velocity: 3,024
Max Pressure: 59,495
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: FMJBT Diameter:
Powder: MATCH RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.300"
Starting Powder: 46.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 0.0 gr
Max Velocity: 2,720
Max Pressure: 44,768
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: BTSP (Speer) Diameter:
Powder: MATCH RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.275"
Starting Powder: 45.0 gr
Starting Velocity: 2,587
Starting Pressure:
Max Powder: 51.7 gr
Max Velocity: 2,973
Max Pressure: 59,700
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: FMJBT (HDY) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.240"
Starting Powder: 0.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 47.9 gr
Max Velocity: 2,700
Max Pressure: 45,500
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: FMJBT (HDY) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.240"
Starting Powder: 46.0 gr
Starting Velocity: 2,612
Starting Pressure:
Max Powder: 53.2 gr
Max Velocity: 2,962
Max Pressure: 58,885
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: RN Interlock (HDV) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 46.0 gr
Starting Velocity: 2,546
Starting Pressure:
Max Powder: 54.1 gr
Max Velocity: 2,928
Max Pressure: 58,020
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.280"
Starting Powder: 46.0 gr
Starting Velocity: 2,645
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,967
Max Pressure: 59,870
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: FMJ-BT (HDV) Diameter:
Powder: LONG RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.230"
Starting Powder: 50.0 gr
Starting Velocity: 2,766
Starting Pressure:
Max Powder: 54.3 gr
Max Velocity: 3,060
Max Pressure: 59,675
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: FMJ-BT (HDV) Diameter:
Powder: SW4350 (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 52.0 gr
Starting Velocity: 2,650
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 3,079
Max Pressure: 58,200
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: TSX (Barnes) Diameter:
Powder: Reloder TS 15.5 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.260"
Starting Powder: 48.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 53.7 gr
Max Velocity: 3,046
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 150 gr
Bullet Type: eral Fusion (FED) Diameter:
Powder: Reloder TS 15.5 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.210"
Starting Powder: 50.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 55.8 gr
Max Velocity: 3,082
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 150 gr
Bullet Type: BT (NOS) Diameter:
Powder: Reloder TS 15.5 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.270"
Starting Powder: 49.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 54.9 gr
Max Velocity: 3,047
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 150 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder TS 15.5 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 49.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 3,074
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 155 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 52.4 gr
Starting Velocity: 2,686
Starting Pressure:
Max Powder: 58.2 gr
Max Velocity: 2,941
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 155 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.320"
Starting Powder: 51.3 gr
Starting Velocity: 2,699
Starting Pressure: 53,400
Max Powder: 57.0 gr
Max Velocity: 2,963
Max Pressure: 59,300
Source: [Hodgdon](#) ⓘ



GR.: 155 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 52.1 gr
Starting Velocity: 2,710
Starting Pressure: 53,700
Max Powder: 57.9 gr
Max Velocity: 2,992
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 55.0 gr
Starting Velocity: 2,804
Starting Pressure: 53,500
Max Powder: 61.1 gr
Max Velocity: 3,062
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 47.6 gr
Starting Velocity: 2,601
Starting Pressure:
Max Powder: 52.9 gr
Max Velocity: 2,908
Max Pressure:
Source: [Barnes](#)



GR.: 155 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.320"
Starting Powder: 48.1 gr
Starting Velocity: 2,703
Starting Pressure: 53,700
Max Powder: 53.5 gr
Max Velocity: 2,975
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 47.9 gr
Starting Velocity: 2,699
Starting Pressure: 53,700
Max Powder: 53.3 gr
Max Velocity: 2,963
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 49.1 gr
Starting Velocity: 2,748
Starting Pressure: 53,500
Max Powder: 54.6 gr
Max Velocity: 2,998
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 52.6 gr
Starting Velocity: 2,512
Starting Pressure: 43,900
Max Powder: 58.5 gr
Max Velocity: 2,831
Max Pressure: 48,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 54.2 gr
Starting Velocity: 2,592
Starting Pressure: 43,400
Max Powder: 60.2 gr
Max Velocity: 2,877
Max Pressure: 48,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 50.6 gr
Starting Velocity: 2,700
Starting Pressure:
Max Powder: 56.2 gr
Max Velocity: 2,939
Max Pressure:
Source: [Barnes](#)



GR.: 155 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.320"
Starting Powder: 51.8 gr
Starting Velocity: 2,782
Starting Pressure: 53,500
Max Powder: 57.6 gr
Max Velocity: 3,007
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 51.9 gr
Starting Velocity: 2,777
Starting Pressure: 53,400
Max Powder: 57.6 gr
Max Velocity: 3,012
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 52.8 gr
Starting Velocity: 2,820
Starting Pressure: 53,700
Max Powder: 58.7 gr
Max Velocity: 3,038
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.320"
Starting Powder: 57.9 gr
Starting Velocity: 2,837
Starting Pressure: 53,100
Max Powder: 64.3 gr
Max Velocity: 3,092
Max Pressure: 59,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.210"
Starting Powder: 56.7 gr
Starting Velocity: 2,807
Starting Pressure: 49,800
Max Powder: 63.0 gr
Max Velocity: 3,028
Max Pressure: 55,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder: 58.5 gr
Starting Velocity: 2,904
Starting Pressure: 53,800
Max Powder: 65.0 gr
Max Velocity: 3,135
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 47.8 gr
Starting Velocity: 2,663
Starting Pressure:
Max Powder: 53.1 gr
Max Velocity: 2,914
Max Pressure:
Source: [Barnes](#)



GR.: 155 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 52.1 gr
Starting Velocity: 2,653
Starting Pressure:
Max Powder: 57.9 gr
Max Velocity: 2,979
Max Pressure:
Source: [Barnes](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Benchmark (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 46.5 gr
Starting Velocity: 2,779
Starting Pressure: 40,500
Max Powder: 49.5 gr
Max Velocity: 2,916
Max Pressure: 49,400 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 49.0 gr
Starting Velocity: 2,723
Starting Pressure: 38,800
Max Powder: 54.0 gr
Max Velocity: 2,912
Max Pressure: 46,300 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 49.2 gr
Starting Velocity: 2,744
Starting Pressure: 52,200
Max Powder: 52.3 gr
Max Velocity: 2,879
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 47.0 gr
Starting Velocity: 2,776
Starting Pressure: 42,200
Max Powder: 51.5 gr
Max Velocity: 2,943
Max Pressure: 48,800 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 51.8 gr
Starting Velocity: 2,722
Starting Pressure:
Max Powder: 57.5 gr
Max Velocity: 2,947
Max Pressure:
Source: [Barnes](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 53.0 gr
Starting Velocity: 2,789
Starting Pressure: 40,100
Max Powder: 59.0 gr
Max Velocity: 3,009
Max Pressure: 47,800 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 51.7 gr
Starting Velocity: 2,618
Starting Pressure:
Max Powder: 57.4 gr
Max Velocity: 2,916
Max Pressure:
Source: [Barnes](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 54.0 gr
Starting Velocity: 2,732
Starting Pressure: 39,600
Max Powder: 60.0 gr
Max Velocity: 2,956
Max Pressure: 46,200 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 56.0 gr
Starting Velocity: 2,757
Starting Pressure: 36,000
Max Powder: 62.0 gr
Max Velocity: 3,038
Max Pressure: 47,500 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 46.0 gr
Starting Velocity: 2,752
Starting Pressure: 41,200
Max Powder: 51.0 gr
Max Velocity: 2,925
Max Pressure: 45,600 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Suprform (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 59.0 gr
Starting Velocity: 2,843
Starting Pressure: 43,400
Max Powder: 65.2 gr
Max Velocity: 3,125
Max Pressure: 58,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 46.4 gr
Starting Velocity: 2,630
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,910
Max Pressure:
Source: [Barnes](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 48.0 gr
Starting Velocity: 2,822
Starting Pressure: 44,600
Max Powder: 50.7 gr
Max Velocity: 2,958
Max Pressure: 48,800 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 46.1 gr
Starting Velocity: 2,747
Starting Pressure: 50,400
Max Powder: 49.0 gr
Max Velocity: 2,869
Max Pressure: 57,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 46.0 gr
Starting Velocity: 2,779
Starting Pressure: 47,600
Max Powder: 49.0 gr
Max Velocity: 2,944
Max Pressure: 58,600
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: IMR 4007 SSC (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 51.0 gr
Starting Velocity: 2,591
Starting Pressure:
Max Powder: 56.6 gr
Max Velocity: 2,917
Max Pressure:
Source: [Barnes](#)



GR.: 155 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 45.7 gr
Starting Velocity: 2,657
Starting Pressure:
Max Powder: 50.8 gr
Max Velocity: 2,911
Max Pressure:
Source: [Barnes](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 49.0 gr
Starting Velocity: 2,811
Starting Pressure: 46,800
Max Powder: 53.0 gr
Max Velocity: 3,005
Max Pressure: 58,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 47.4 gr
Starting Velocity: 2,743
Starting Pressure: 47,800
Max Powder: 51.5 gr
Max Velocity: 2,959
Max Pressure: 58,900
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 49.0 gr
Starting Velocity: 2,823
Starting Pressure: 50,800
Max Powder: 53.0 gr
Max Velocity: 2,976
Max Pressure: 57,900
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 56.0 gr
Starting Velocity: 2,784
Starting Pressure: 45,800
Max Powder: 60.0 gr
Max Velocity: 2,959
Max Pressure: 53,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 55.0 gr
Starting Velocity: 2,748
Starting Pressure: 48,500
Max Powder: 59.2 gr
Max Velocity: 2,988
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 50.0 gr
Starting Velocity: 2,851
Starting Pressure: 49,800
Max Powder: 53.8 gr
Max Velocity: 3,010
Max Pressure: 58,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Scenar / OTM Scenar-L (Lapua) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 42.9 gr
Starting Velocity: 2,477
Starting Pressure:
Max Powder: 49.8 gr
Max Velocity: 2,789
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: Custom Competition (NOS) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 44.4 gr
Starting Velocity: 2,595
Starting Pressure:
Max Powder: 49.1 gr
Max Velocity: 2,808
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: HPBT Palma (Sierra) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 47.8 gr
Starting Velocity: 2,694
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,874
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: TAG (Brenneke) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 44.6 gr
Starting Velocity: 2,493
Starting Pressure:
Max Powder: 50.2 gr
Max Velocity: 2,762
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: Scenar / OTM Scenar-L (Lapua) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 43.0 gr
Starting Velocity: 2,516
Starting Pressure:
Max Powder: 50.9 gr
Max Velocity: 2,831
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: Custom Competition (NOS) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 45.1 gr
Starting Velocity: 2,635
Starting Pressure:
Max Powder: 49.7 gr
Max Velocity: 2,844
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: HPBT Palma (Sierra) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 48.1 gr
Starting Velocity: 2,694
Starting Pressure:
Max Powder: 51.4 gr
Max Velocity: 2,884
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: TAG (Brenneke) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 52.9 gr
Starting Velocity: 2,572
Starting Pressure:
Max Powder: 57.9 gr
Max Velocity: 2,769
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 155 gr
Bullet Type: Scenar / OTM Scenar-L (Lapua) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 53.2 gr
Starting Velocity: 2,680
Starting Pressure:
Max Powder: 58.2 gr
Max Velocity: 2,959
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: Custom Competition (NOS) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 56.3 gr
Starting Velocity: 2,743
Starting Pressure:
Max Powder: 60.6 gr
Max Velocity: 2,949
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: HPBT Palma (Sierra) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 56.6 gr
Starting Velocity: 2,772
Starting Pressure:
Max Powder: 60.2 gr
Max Velocity: 2,940
Max Pressure:
Source: [VihtaVuori](#)



GR.: 155 gr
Bullet Type: Scenar / OTM Scenar-L (Lapua) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 47.1 gr
Starting Velocity: 2,539
Starting Pressure:
Max Powder: 53.3 gr
Max Velocity: 2,907
Max Pressure:
Source: [VihtaVuori](#)



GR.: 155 gr
Bullet Type: Custom Competition (NOS) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 47.5 gr
Starting Velocity: 2,697
Starting Pressure:
Max Powder: 52.3 gr
Max Velocity: 2,930
Max Pressure:
Source: [VihtaVuori](#)



GR.: 155 gr
Bullet Type: HPBT Palma (Sierra) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 48.8 gr
Starting Velocity: 2,720
Starting Pressure:
Max Powder: 52.6 gr
Max Velocity: 2,946
Max Pressure:
Source: [VihtaVuori](#)



GR.: 155 gr
Bullet Type: TAG (Brenneke) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 50.6 gr
Starting Velocity: 2,612
Starting Pressure:
Max Powder: 54.3 gr
Max Velocity: 2,848
Max Pressure:
Source: [VihtaVuori](#)



GR.: 155 gr
Bullet Type: Scenar / OTM Scenar-L (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 49.2 gr
Starting Velocity: 2,661
Starting Pressure:
Max Powder: 53.7 gr
Max Velocity: 2,949
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: Custom Competition (NOS) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 50.6 gr
Starting Velocity: 2,726
Starting Pressure:
Max Powder: 55.1 gr
Max Velocity: 2,953
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: HPBT Palma (Sierra) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 53.2 gr
Starting Velocity: 2,766
Starting Pressure:
Max Powder: 56.2 gr
Max Velocity: 2,959
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 57.0 gr
Starting Velocity: 2,800
Starting Pressure: 43,400
Max Powder: 62.0 gr
Max Velocity: 3,085
Max Pressure: 59,500
Source: [Hodgdon](#) ⓘ



GR.: 155 gr
Bullet Type: Custom Competition (NOS) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 55.6 gr
Starting Velocity: 2,782
Starting Pressure:
Max Powder: 60.2 gr
Max Velocity: 2,992
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155 gr
Bullet Type: Palma (Sierra) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.290"
Starting Powder: 46.0 gr
Starting Velocity: 2,599
Starting Pressure:
Max Powder: 53.8 gr
Max Velocity: 2,941
Max Pressure: 59,575
Source: [ShootersWorld](#)



GR.: 155.5 gr
Bullet Type: Fullbore (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.287"
Starting Powder: 47.4 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 51.1 gr
Max Velocity: 2,854
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155.5 gr
Bullet Type: Fullbore (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.287"
Starting Powder: 47.8 gr
Starting Velocity: 2,700
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,887
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155.5 gr
Bullet Type: Fullbore (Berger Bullets) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.287"
Starting Powder: 57.9 gr
Starting Velocity: 2,776
Starting Pressure:
Max Powder: 61.4 gr
Max Velocity: 2,979
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155.5 gr
Bullet Type: Fullbore (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.287"
Starting Powder: 49.2 gr
Starting Velocity: 2,736
Starting Pressure:
Max Powder: 52.8 gr
Max Velocity: 2,963
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 155.5 gr
Bullet Type: Fullbore (Berger Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.287"
Starting Powder: 51.7 gr
Starting Velocity: 2,762
Starting Pressure:
Max Powder: 55.1 gr
Max Velocity: 2,963
Max Pressure:
Source: [VihtaVuori](#)



GR.: 155.5 gr
Bullet Type: Fullbore (Berger Bullets) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.287"
Starting Powder: 56.3 gr
Starting Velocity: 2,792
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 2,972
Max Pressure:
Source: [VihtaVuori](#)



GR.: 160 gr
Bullet Type: L F N G C (Lyman) Diameter: 0.309"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.035"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 2,085
Max Pressure:
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 47.5 gr
Starting Velocity: 2,613
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,851
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 47.5 gr
Starting Velocity: 2,613
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,851
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: MRX (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.205"
Starting Powder: 51.3 gr
Starting Velocity: 2,638
Starting Pressure: 53,700
Max Powder: 57.0 gr
Max Velocity: 2,913
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: PART (NOS) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.305"
Starting Powder: 50.4 gr
Starting Velocity: 2,662
Starting Pressure: 53,400
Max Powder: 56.0 gr
Max Velocity: 2,890
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: MRX (Barnes) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.205"
Starting Powder: 47.1 gr
Starting Velocity: 2,578
Starting Pressure: 53,500
Max Powder: 52.3 gr
Max Velocity: 2,855
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: PART (NOS) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.305"
Starting Powder: 45.8 gr
Starting Velocity: 2,577
Starting Pressure: 53,400
Max Powder: 50.8 gr
Max Velocity: 2,836
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: MRX (Barnes) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.205"
Starting Powder: 51.1 gr
Starting Velocity: 2,404
Starting Pressure: 43,400
Max Powder: 56.8 gr
Max Velocity: 2,709
Max Pressure: 48,200
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: PART (NOS) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.305"
Starting Powder: 53.3 gr
Starting Velocity: 2,626
Starting Pressure: 53,400
Max Powder: 59.3 gr
Max Velocity: 2,908
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 50.5 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,869
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 50.5 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,869
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: MRX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.205"
Starting Powder: 50.7 gr
Starting Velocity: 2,669
Starting Pressure: 53,800
Max Powder: 56.4 gr
Max Velocity: 2,910
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: PART (NOS) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.305"
Starting Powder: 50.0 gr
Starting Velocity: 2,660
Starting Pressure: 53,800
Max Powder: 55.5 gr
Max Velocity: 2,900
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: MRX (Barnes) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.205"
Starting Powder: 55.5 gr
Starting Velocity: 2,687
Starting Pressure: 49,900
Max Powder: 61.7 gr
Max Velocity: 2,924
Max Pressure: 55,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: PART (NOS) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.305"
Starting Powder: 55.7 gr
Starting Velocity: 2,746
Starting Pressure: 53,900
Max Powder: 61.9 gr
Max Velocity: 2,991
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: GMX (HDV) Diameter:
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.230"
Starting Powder: 49.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,843
Max Pressure:
Source: [Alliant Powder](#)



GR.: 165 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.220"
Starting Powder: 51.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 57.2 gr
Max Velocity: 2,947
Max Pressure:
Source: [Alliant Powder](#)



GR.: 165 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 51.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 57.4 gr
Max Velocity: 2,954
Max Pressure:
Source: [Alliant Powder](#)



GR.: 165 gr
Bullet Type: BTSP (Speer) Diameter:
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 50.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 56.5 gr
Max Velocity: 2,874
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 165 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 55.5 gr
Starting Velocity: 2,644
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,859
Max Pressure:
Source: [Barnes](#) ⓘ ⓘ



GR.: 165 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 55.5 gr
Starting Velocity: 2,644
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,859
Max Pressure:
Source: [Barnes](#) ⓘ ⓘ



GR.: 165 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 53.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,614
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 165 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 22 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 55.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,725
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: Benchmark (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.0 gr
Starting Velocity: 2,686
Starting Pressure: 45,600
Max Powder: 47.7 gr
Max Velocity: 2,795
Max Pressure: 49,300 CUP
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 45.5 gr
Starting Velocity: 2,581
Starting Pressure:
Max Powder: 50.5 gr
Max Velocity: 2,809
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 45.5 gr
Starting Velocity: 2,581
Starting Pressure:
Max Powder: 50.5 gr
Max Velocity: 2,809
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: GMX (HDV) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 43.9 gr
Starting Velocity: 2,511
Starting Pressure: 49,200
Max Powder: 47.5 gr
Max Velocity: 2,706
Max Pressure: 58,800
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 46.0 gr
Starting Velocity: 2,608
Starting Pressure: 41,200
Max Powder: 51.0 gr
Max Velocity: 2,805
Max Pressure: 49,800 CUP
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: GMX (HDT) Diameter: 0.308"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 43.9 gr
Starting Velocity: 2,531
Starting Pressure: 51,200
Max Powder: 46.7 gr
Max Velocity: 2,672
Max Pressure: 57,500
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 46.5 gr
Starting Velocity: 2,612
Starting Pressure: 52,900
Max Powder: 49.5 gr
Max Velocity: 2,731
Max Pressure: 58,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 42.0 gr
Starting Velocity: 2,515
Starting Pressure: 38,500
Max Powder: 47.0 gr
Max Velocity: 2,749
Max Pressure: 49,300 CUP
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: GMX (HDT) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 52.0 gr
Starting Velocity: 2,652
Starting Pressure: 52,700
Max Powder: 56.0 gr
Max Velocity: 2,788
Max Pressure: 57,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 51.0 gr
Starting Velocity: 2,669
Starting Pressure: 41,700
Max Powder: 56.5 gr
Max Velocity: 2,892
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 51.0 gr
Starting Velocity: 2,655
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,818
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 51.0 gr
Starting Velocity: 2,655
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,818
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: GMX (HDV) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 50.0 gr
Starting Velocity: 2,656
Starting Pressure: 52,400
Max Powder: 53.1 gr
Max Velocity: 2,773
Max Pressure: 58,500
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 51.0 gr
Starting Velocity: 2,678
Starting Pressure: 41,900
Max Powder: 56.5 gr
Max Velocity: 2,877
Max Pressure: 49,700 CUP
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 52.0 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,825
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 52.0 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,825
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: GMX (HDY) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 51.0 gr
Starting Velocity: 2,587
Starting Pressure: 48,600
Max Powder: 55.4 gr
Max Velocity: 2,781
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.0 gr
Starting Velocity: 2,678
Starting Pressure: 38,400
Max Powder: 59.0 gr
Max Velocity: 2,938
Max Pressure: 49,400 CUP
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: GMX (HDY) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 43.4 gr
Starting Velocity: 2,595
Starting Pressure: 50,300
Max Powder: 46.7 gr
Max Velocity: 2,712
Max Pressure: 57,100
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 43.0 gr
Starting Velocity: 2,607
Starting Pressure: 41,100
Max Powder: 47.5 gr
Max Velocity: 2,782
Max Pressure: 49,000 CUP
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: GMX (HDT) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 52.5 gr
Starting Velocity: 2,653
Starting Pressure: 48,600
Max Powder: 56.7 gr
Max Velocity: 2,818
Max Pressure: 56,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.0 gr
Starting Velocity: 2,648
Starting Pressure: 46,000
Max Powder: 57.0 gr
Max Velocity: 2,801
Max Pressure: 52,800
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: Suprform (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 55.0 gr
Starting Velocity: 2,724
Starting Pressure: 45,100
Max Powder: 61.0 gr
Max Velocity: 2,972
Max Pressure: 58,800
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: GMX (HDT) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 44.5 gr
Starting Velocity: 2,526
Starting Pressure: 46,600
Max Powder: 48.3 gr
Max Velocity: 2,724
Max Pressure: 59,000
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 47.0 gr
Starting Velocity: 2,726
Starting Pressure: 44,500
Max Powder: 50.5 gr
Max Velocity: 2,873
Max Pressure: 49,700 CUP
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: GMX (HDT) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 43.2 gr
Starting Velocity: 2,572
Starting Pressure: 50,800
Max Powder: 47.0 gr
Max Velocity: 2,717
Max Pressure: 58,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 44.6 gr
Starting Velocity: 2,667
Starting Pressure: 55,100
Max Powder: 46.5 gr
Max Velocity: 2,728
Max Pressure: 58,000
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: GMX (HDT) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 41.0 gr
Starting Velocity: 2,510
Starting Pressure: 46,400
Max Powder: 44.1 gr
Max Velocity: 2,685
Max Pressure: 58,100
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.0 gr
Starting Velocity: 2,707
Starting Pressure: 51,000
Max Powder: 48.0 gr
Max Velocity: 2,825
Max Pressure: 57,500
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.5 gr
Starting Velocity: 2,594
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,801
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 46.5 gr
Starting Velocity: 2,594
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,801
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: GMX (HDT) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 44.4 gr
Starting Velocity: 2,510
Starting Pressure: 44,900
Max Powder: 48.2 gr
Max Velocity: 2,729
Max Pressure: 58,600
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.0 gr
Starting Velocity: 2,752
Starting Pressure: 50,400
Max Powder: 52.5 gr
Max Velocity: 2,901
Max Pressure: 58,900
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: GMX (HDT) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 45.0 gr
Starting Velocity: 2,607
Starting Pressure: 49,700
Max Powder: 48.2 gr
Max Velocity: 2,788
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.1 gr
Starting Velocity: 2,625
Starting Pressure: 47,800
Max Powder: 49.1 gr
Max Velocity: 2,832
Max Pressure: 58,900
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 47.0 gr
Starting Velocity: 2,561
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,708
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 47.0 gr
Starting Velocity: 2,561
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,708
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: GMX (HDV) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 45.6 gr
Starting Velocity: 2,515
Starting Pressure: 45,800
Max Powder: 49.6 gr
Max Velocity: 2,731
Max Pressure: 58,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 48.0 gr
Starting Velocity: 2,727
Starting Pressure: 50,700
Max Powder: 51.2 gr
Max Velocity: 2,869
Max Pressure: 58,600
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 53.0 gr
Starting Velocity: 2,627
Starting Pressure:
Max Powder: 57.5 gr
Max Velocity: 2,845
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 53.0 gr
Starting Velocity: 2,627
Starting Pressure:
Max Powder: 57.5 gr
Max Velocity: 2,845
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: GMX (HDT) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 52.0 gr
Starting Velocity: 2,546
Starting Pressure: 46,700
Max Powder: 56.6 gr
Max Velocity: 2,770
Max Pressure: 58,200
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 54.5 gr
Starting Velocity: 2,685
Starting Pressure: 48,900
Max Powder: 59.0 gr
Max Velocity: 2,898
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: GMX (HDT) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 50.4 gr
Starting Velocity: 2,532
Starting Pressure: 48,200
Max Powder: 54.3 gr
Max Velocity: 2,751
Max Pressure: 58,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.3 gr
Starting Velocity: 2,658
Starting Pressure: 49,100
Max Powder: 57.4 gr
Max Velocity: 2,858
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.0 gr
Starting Velocity: 2,588
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,754
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 46.0 gr
Starting Velocity: 2,588
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,754
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: GMX (HDV) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 44.4 gr
Starting Velocity: 2,535
Starting Pressure: 45,100
Max Powder: 47.8 gr
Max Velocity: 2,757
Max Pressure: 58,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.0 gr
Starting Velocity: 2,768
Starting Pressure: 50,500
Max Powder: 52.0 gr
Max Velocity: 2,888
Max Pressure: 57,200
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: ECX (HDV) Diameter:
Powder: NI40 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 42.4 gr
Starting Velocity: 2,333
Starting Pressure:
Max Powder: 47.1 gr
Max Velocity: 2,579
Max Pressure:
Source: [VihtaVuori](#)



GR.: 165 gr
Bullet Type: TOG (Brenneke) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.189"
Starting Powder: 38.6 gr
Starting Velocity: 2,238
Starting Pressure:
Max Powder: 44.8 gr
Max Velocity: 2,507
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: ECX (HDV) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 41.7 gr
Starting Velocity: 2,316
Starting Pressure:
Max Powder: 48.0 gr
Max Velocity: 2,598
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.319"
Starting Powder: 45.7 gr
Starting Velocity: 2,526
Starting Pressure:
Max Powder: 50.3 gr
Max Velocity: 2,733
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 43.2 gr
Starting Velocity: 2,464
Starting Pressure:
Max Powder: 48.1 gr
Max Velocity: 2,667
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: TARVAS (Red Moose Oy) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.260"
Starting Powder: 48.3 gr
Starting Velocity: 2,566
Starting Pressure:
Max Powder: 51.9 gr
Max Velocity: 2,759
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: TOG (Brenneke) Diameter:
Powder: NI60 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.189"
Starting Powder: 44.8 gr
Starting Velocity: 2,323
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,657
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: GMX (HDV) Diameter:
Powder: NI60 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.287"
Starting Powder: 46.9 gr
Starting Velocity: 2,428
Starting Pressure:
Max Powder: 53.4 gr
Max Velocity: 2,703
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: ECX (HDV) Diameter:
Powder: NI60 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 50.9 gr
Starting Velocity: 2,451
Starting Pressure:
Max Powder: 57.9 gr
Max Velocity: 2,736
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: NI60 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.319"
Starting Powder: 55.6 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 2,867
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲



GR.: 165 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: NI60 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 52.6 gr
Starting Velocity: 2,585
Starting Pressure:
Max Powder: 56.6 gr
Max Velocity: 2,785
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: TARVAS (Red Moose Oy) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.260"
Starting Powder: 58.8 gr
Starting Velocity: 2,687
Starting Pressure:
Max Powder: 63.3 gr
Max Velocity: 2,894
Max Pressure:
Source: [VihtaVuori](#)



GR.: 165 gr
Bullet Type: ECX (HDV) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 44.8 gr
Starting Velocity: 2,421
Starting Pressure:
Max Powder: 49.1 gr
Max Velocity: 2,690
Max Pressure:
Source: [VihtaVuori](#)



GR.: 165 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.319"
Starting Powder: 48.1 gr
Starting Velocity: 2,638
Starting Pressure:
Max Powder: 52.3 gr
Max Velocity: 2,848
Max Pressure:
Source: [VihtaVuori](#)



GR.: 165 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 46.0 gr
Starting Velocity: 2,520
Starting Pressure:
Max Powder: 49.8 gr
Max Velocity: 2,740
Max Pressure:
Source: [VihtaVuori](#)



GR.: 165 gr
Bullet Type: TARVAS (Red Moose Oy) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.260"
Starting Powder: 50.5 gr
Starting Velocity: 2,661
Starting Pressure:
Max Powder: 53.7 gr
Max Velocity: 2,877
Max Pressure:
Source: [VihtaVuori](#)



GR.: 165 gr
Bullet Type: TOG (Brenneke) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.189"
Starting Powder: 45.7 gr
Starting Velocity: 2,421
Starting Pressure:
Max Powder: 51.4 gr
Max Velocity: 2,677
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: GMX (HDV) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.287"
Starting Powder: 45.2 gr
Starting Velocity: 2,451
Starting Pressure:
Max Powder: 48.3 gr
Max Velocity: 2,664
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: ECX (HDV) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 47.1 gr
Starting Velocity: 2,487
Starting Pressure:
Max Powder: 51.1 gr
Max Velocity: 2,710
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.319"
Starting Powder: 50.5 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 54.6 gr
Max Velocity: 2,864
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 49.5 gr
Starting Velocity: 2,566
Starting Pressure:
Max Powder: 53.4 gr
Max Velocity: 2,782
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: TARVAS (Red Moose Oy) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.260"
Starting Powder: 52.8 gr
Starting Velocity: 2,671
Starting Pressure:
Max Powder: 56.3 gr
Max Velocity: 2,874
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: GMX (HDV) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.287"
Starting Powder: 51.9 gr
Starting Velocity: 2,434
Starting Pressure:
Max Powder: 55.7 gr
Max Velocity: 2,677
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: ECX (HDV) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 56.3 gr
Starting Velocity: 2,516
Starting Pressure:
Max Powder: 63.3 gr
Max Velocity: 2,812
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 165 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 55.9 gr
Starting Velocity: 2,552
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 2,795
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 50.0 gr
Starting Velocity: 2,616
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,804
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 165 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 50.0 gr
Starting Velocity: 2,616
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,804
Max Pressure:
Source: [Barnes](#)



GR.: 165 gr
Bullet Type: GMX (HDY) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 50.0 gr
Starting Velocity: 2,656
Starting Pressure: 52,400
Max Powder: 53.1 gr
Max Velocity: 2,773
Max Pressure: 58,500
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 51.0 gr
Starting Velocity: 2,678
Starting Pressure: 38,400
Max Powder: 56.5 gr
Max Velocity: 2,877
Max Pressure: 49,700 CUP
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: GMX (HDY) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.225"
Starting Powder: 52.5 gr
Starting Velocity: 2,733
Starting Pressure: 50,400
Max Powder: 57.1 gr
Max Velocity: 2,942
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 55.4 gr
Starting Velocity: 2,804
Starting Pressure: 50,100
Max Powder: 60.2 gr
Max Velocity: 3,003
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: TOG (Brenneke) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.189"
Starting Powder: 52.5 gr
Starting Velocity: 2,516
Starting Pressure:
Max Powder: 59.4 gr
Max Velocity: 2,822
Max Pressure:
Source: [VihtaVuori](#) [C](#) [A](#) [i](#)



GR.: 165 gr
Bullet Type: GMX (HDV) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.287"
Starting Powder: 49.2 gr
Starting Velocity: 2,523
Starting Pressure:
Max Powder: 53.9 gr
Max Velocity: 2,726
Max Pressure:
Source: [VihtaVuori](#) [i](#)



GR.: 165 gr
Bullet Type: ECX (HDV) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.193"
Starting Powder: 50.6 gr
Starting Velocity: 2,526
Starting Pressure:
Max Powder: 57.3 gr
Max Velocity: 2,772
Max Pressure:
Source: [VihtaVuori](#) [C](#) [i](#)



GR.: 165 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.319"
Starting Powder: 56.6 gr
Starting Velocity: 2,726
Starting Pressure:
Max Powder: 60.2 gr
Max Velocity: 2,884
Max Pressure:
Source: [VihtaVuori](#) [C](#) [i](#)



GR.: 165 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 51.5 gr
Starting Velocity: 2,585
Starting Pressure:
Max Powder: 57.6 gr
Max Velocity: 2,828
Max Pressure:
Source: [VihtaVuori](#) [i](#)



GR.: 165 gr
Bullet Type: TARVAS (Red Moose Oy) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.260"
Starting Powder: 58.2 gr
Starting Velocity: 2,746
Starting Pressure:
Max Powder: 62.5 gr
Max Velocity: 2,897
Max Pressure:
Source: [VihtaVuori](#)



GR.: 165 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: Reloder TS 15.5 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.220"
Starting Powder: 47.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 53.1 gr
Max Velocity: 2,920
Max Pressure:
Source: [Alliant Powder](#)



GR.: 165 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder TS 15.5 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 46.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 51.3 gr
Max Velocity: 2,889
Max Pressure:
Source: [Alliant Powder](#)



GR.: 167 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: NI35 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 42.4 gr
Starting Velocity: 2,449
Starting Pressure:
Max Powder: 46.6 gr
Max Velocity: 2,651
Max Pressure:
Source: [VihtaVuori](#)



GR.: 167 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: NI40 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 45.5 gr
Starting Velocity: 2,418
Starting Pressure:
Max Powder: 50.1 gr
Max Velocity: 2,664
Max Pressure:
Source: [VihtaVuori](#)



GR.: 167 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 47.2 gr
Starting Velocity: 2,454
Starting Pressure:
Max Powder: 52.2 gr
Max Velocity: 2,694
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 167 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 55.5 gr
Starting Velocity: 2,457
Starting Pressure:
Max Powder: 61.7 gr
Max Velocity: 2,762
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 167 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 45.4 gr
Starting Velocity: 2,418
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,743
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 167 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 49.7 gr
Starting Velocity: 2,556
Starting Pressure:
Max Powder: 55.1 gr
Max Velocity: 2,805
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 47.5 gr
Starting Velocity: 2,613
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,851
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 47.5 gr
Starting Velocity: 2,613
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,851
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 47.5 gr
Starting Velocity: 2,613
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,851
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 47.5 gr
Starting Velocity: 2,613
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,851
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TT SX BT (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 48.5 gr
Starting Velocity: 2,557
Starting Pressure: 53,600
Max Powder: 53.9 gr
Max Velocity: 2,817
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 50.9 gr
Starting Velocity: 2,642
Starting Pressure: 53,100
Max Powder: 56.6 gr
Max Velocity: 2,885
Max Pressure: 59,000
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 50.0 gr
Starting Velocity: 2,575
Starting Pressure: 53,800
Max Powder: 55.5 gr
Max Velocity: 2,835
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 49.7 gr
Starting Velocity: 2,581
Starting Pressure: 53,400
Max Powder: 55.2 gr
Max Velocity: 2,815
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 51.6 gr
Starting Velocity: 2,630
Starting Pressure: 53,400
Max Powder: 57.3 gr
Max Velocity: 2,873
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 50.1 gr
Starting Velocity: 2,623
Starting Pressure: 53,400
Max Powder: 55.6 gr
Max Velocity: 2,855
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: TTSX BT (Barnes) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.9 gr
Starting Velocity: 2,523
Starting Pressure: 54,000
Max Powder: 51.0 gr
Max Velocity: 2,790
Max Pressure: 60,000
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 46.4 gr
Starting Velocity: 2,610
Starting Pressure: 53,200
Max Powder: 51.5 gr
Max Velocity: 2,840
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 46.1 gr
Starting Velocity: 2,576
Starting Pressure: 53,500
Max Powder: 51.2 gr
Max Velocity: 2,816
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 45.2 gr
Starting Velocity: 2,517
Starting Pressure: 53,500
Max Powder: 50.2 gr
Max Velocity: 2,763
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 47.4 gr
Starting Velocity: 2,627
Starting Pressure: 53,500
Max Powder: 52.7 gr
Max Velocity: 2,863
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 46.4 gr
Starting Velocity: 2,617
Starting Pressure: 53,700
Max Powder: 51.6 gr
Max Velocity: 2,840
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: TTSX BT (Barnes) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.6 gr
Starting Velocity: 2,407
Starting Pressure: 47,000
Max Powder: 55.1 gr
Max Velocity: 2,697
Max Pressure: 52,300
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 53.6 gr
Starting Velocity: 2,589
Starting Pressure: 49,900
Max Powder: 59.5 gr
Max Velocity: 2,874
Max Pressure: 55,500
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 53.4 gr
Starting Velocity: 2,562
Starting Pressure: 49,700
Max Powder: 59.3 gr
Max Velocity: 2,855
Max Pressure: 55,200
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 51.8 gr
Starting Velocity: 2,546
Starting Pressure: 51,500
Max Powder: 57.6 gr
Max Velocity: 2,834
Max Pressure: 57,300
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 54.5 gr
Starting Velocity: 2,603
Starting Pressure: 49,900
Max Powder: 60.5 gr
Max Velocity: 2,875
Max Pressure: 55,400
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 53.1 gr
Starting Velocity: 2,596
Starting Pressure: 50,200
Max Powder: 59.0 gr
Max Velocity: 2,866
Max Pressure: 55,800
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 50.5 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,869
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 50.5 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,869
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 50.5 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,869
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 50.5 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,869
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TTSX BT (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 50.6 gr
Starting Velocity: 2,648
Starting Pressure: 53,700
Max Powder: 56.2 gr
Max Velocity: 2,870
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 49.7 gr
Starting Velocity: 2,666
Starting Pressure: 53,900
Max Powder: 55.3 gr
Max Velocity: 2,861
Max Pressure: 59,900
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: A-MAX (HDV) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 49.0 gr
Starting Velocity: 2,629
Starting Pressure: 53,400
Max Powder: 54.4 gr
Max Velocity: 2,845
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 49.0 gr
Starting Velocity: 2,637
Starting Pressure: 53,800
Max Powder: 54.4 gr
Max Velocity: 2,844
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 49.5 gr
Starting Velocity: 2,606
Starting Pressure: 53,800
Max Powder: 55.0 gr
Max Velocity: 2,844
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 49.1 gr
Starting Velocity: 2,644
Starting Pressure: 53,500
Max Powder: 54.6 gr
Max Velocity: 2,858
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: TTSX BT (Barnes) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 55.5 gr
Starting Velocity: 2,661
Starting Pressure: 50,600
Max Powder: 61.6 gr
Max Velocity: 2,902
Max Pressure: 56,300
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 54.8 gr
Starting Velocity: 2,721
Starting Pressure: 53,500
Max Powder: 60.9 gr
Max Velocity: 2,964
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 54.4 gr
Starting Velocity: 2,715
Starting Pressure: 53,700
Max Powder: 60.5 gr
Max Velocity: 2,945
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 54.2 gr
Starting Velocity: 2,680
Starting Pressure: 53,200
Max Powder: 60.3 gr
Max Velocity: 2,924
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.330"
Starting Powder: 54.2 gr
Starting Velocity: 2,702
Starting Pressure: 53,200
Max Powder: 60.2 gr
Max Velocity: 2,935
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 53.6 gr
Starting Velocity: 2,695
Starting Pressure: 53,400
Max Powder: 59.5 gr
Max Velocity: 2,931
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: MK (Sierra) Diameter:
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.230"
Starting Powder: 50.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,905
Max Pressure:
Source: [Alliant Powder](#)



GR.: 168 gr
Bullet Type: BTHP (Speer) Diameter:
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 51.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 57.3 gr
Max Velocity: 2,913
Max Pressure:
Source: [Alliant Powder](#)



GR.: 168 gr
Bullet Type: BTHP (Speer) Diameter:
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 50.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,850
Max Pressure:
Source: [Alliant Powder](#)



GR.: 168 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 55.5 gr
Starting Velocity: 2,644
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,859
Max Pressure:
Source: [Barnes](#) [C](#) [e](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 55.5 gr
Starting Velocity: 2,644
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,859
Max Pressure:
Source: [Barnes](#) [C](#) [e](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 55.5 gr
Starting Velocity: 2,644
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,859
Max Pressure:
Source: [Barnes](#) [C](#) [e](#)



GR.: 168 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 55.5 gr
Starting Velocity: 2,644
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,859
Max Pressure:
Source: [Barnes](#) [C](#) [e](#)



GR.: 168 gr
Bullet Type: BTHP (Speer) Diameter:
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 54.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 2,697
Max Pressure:
Source: [Alliant Powder](#) [e](#)



GR.: 168 gr
Bullet Type: HPBT (HdY) Diameter: 0.308"
Powder: Benchmark (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 44.0 gr
Starting Velocity: 2,614
Starting Pressure: 42,900
Max Powder: 47.2 gr
Max Velocity: 2,760
Max Pressure: 49,400 CUP
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 45.5 gr
Starting Velocity: 2,581
Starting Pressure:
Max Powder: 50.5 gr
Max Velocity: 2,809
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 45.5 gr
Starting Velocity: 2,581
Starting Pressure:
Max Powder: 50.5 gr
Max Velocity: 2,809
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 45.5 gr
Starting Velocity: 2,581
Starting Pressure:
Max Powder: 50.5 gr
Max Velocity: 2,809
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 45.5 gr
Starting Velocity: 2,581
Starting Pressure:
Max Powder: 50.5 gr
Max Velocity: 2,809
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 46.0 gr
Starting Velocity: 2,555
Starting Pressure: 39,100
Max Powder: 51.0 gr
Max Velocity: 2,767
Max Pressure: 49,200 CUP
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 42.0 gr
Starting Velocity: 2,459
Starting Pressure: 39,900
Max Powder: 46.5 gr
Max Velocity: 2,656
Max Pressure: 49,500 CUP
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 51.0 gr
Starting Velocity: 2,648
Starting Pressure: 42,800
Max Powder: 56.5 gr
Max Velocity: 2,859
Max Pressure: 49,700 CUP
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 51.0 gr
Starting Velocity: 2,655
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,818
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 51.0 gr
Starting Velocity: 2,655
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,818
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 51.0 gr
Starting Velocity: 2,655
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,818
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 51.0 gr
Starting Velocity: 2,655
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,818
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 53.0 gr
Starting Velocity: 2,686
Starting Pressure: 40,300
Max Powder: 56.5 gr
Max Velocity: 2,839
Max Pressure: 49,700 CUP
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 52.0 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,825
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 52.0 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,825
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 52.0 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,825
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 52.0 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 2,825
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 55.0 gr
Starting Velocity: 2,695
Starting Pressure: 40,400
Max Powder: 59.0 gr
Max Velocity: 2,897
Max Pressure: 48,100 CUP
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 43.0 gr
Starting Velocity: 2,574
Starting Pressure: 41,200
Max Powder: 47.5 gr
Max Velocity: 2,789
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 52.0 gr
Starting Velocity: 2,645
Starting Pressure: 50,400
Max Powder: 57.0 gr
Max Velocity: 2,817
Max Pressure: 57,400
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (HdY) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 47.0 gr
Starting Velocity: 2,710
Starting Pressure: 42,700
Max Powder: 50.5 gr
Max Velocity: 2,859
Max Pressure: 49,200 CUP
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (HdY) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 45.1 gr
Starting Velocity: 2,661
Starting Pressure: 54,800
Max Powder: 48.0 gr
Max Velocity: 2,748
Max Pressure: 58,700
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 46.5 gr
Starting Velocity: 2,594
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,801
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.5 gr
Starting Velocity: 2,594
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,801
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.5 gr
Starting Velocity: 2,594
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,801
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 46.5 gr
Starting Velocity: 2,594
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,801
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 47.0 gr
Starting Velocity: 2,660
Starting Pressure: 46,800
Max Powder: 50.8 gr
Max Velocity: 2,850
Max Pressure: 57,900
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 44.7 gr
Starting Velocity: 2,610
Starting Pressure: 49,200
Max Powder: 48.6 gr
Max Velocity: 2,794
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 47.0 gr
Starting Velocity: 2,561
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,708
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 47.0 gr
Starting Velocity: 2,561
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,708
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 47.0 gr
Starting Velocity: 2,561
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,708
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 47.0 gr
Starting Velocity: 2,561
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,708
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 46.0 gr
Starting Velocity: 2,646
Starting Pressure: 48,900
Max Powder: 49.7 gr
Max Velocity: 2,816
Max Pressure: 58,400
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 53.0 gr
Starting Velocity: 2,627
Starting Pressure:
Max Powder: 57.5 gr
Max Velocity: 2,845
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 53.0 gr
Starting Velocity: 2,627
Starting Pressure:
Max Powder: 57.5 gr
Max Velocity: 2,845
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 53.0 gr
Starting Velocity: 2,627
Starting Pressure:
Max Powder: 57.5 gr
Max Velocity: 2,845
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 53.0 gr
Starting Velocity: 2,627
Starting Pressure:
Max Powder: 57.5 gr
Max Velocity: 2,845
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 54.0 gr
Starting Velocity: 2,720
Starting Pressure: 48,500
Max Powder: 58.0 gr
Max Velocity: 2,903
Max Pressure: 57,800
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 52.7 gr
Starting Velocity: 2,646
Starting Pressure: 50,200
Max Powder: 56.7 gr
Max Velocity: 2,837
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.0 gr
Starting Velocity: 2,588
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,754
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.0 gr
Starting Velocity: 2,588
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,754
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 46.0 gr
Starting Velocity: 2,588
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,754
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 46.0 gr
Starting Velocity: 2,588
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,754
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: HPBT (HDT) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 48.0 gr
Starting Velocity: 2,719
Starting Pressure: 49,900
Max Powder: 51.2 gr
Max Velocity: 2,859
Max Pressure: 58,200
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.260"
Starting Powder: 43.5 gr
Starting Velocity: 2,497
Starting Pressure:
Max Powder: 47.5 gr
Max Velocity: 2,710
Max Pressure:
Source: [VihtaVuori](#)



GR.: 168 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 44.0 gr
Starting Velocity: 2,493
Starting Pressure:
Max Powder: 48.1 gr
Max Velocity: 2,697
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: TMK (Sierra) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 44.6 gr
Starting Velocity: 2,500
Starting Pressure:
Max Powder: 48.8 gr
Max Velocity: 2,730
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.260"
Starting Powder: 44.3 gr
Starting Velocity: 2,539
Starting Pressure:
Max Powder: 48.5 gr
Max Velocity: 2,746
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: A-Max (HDT) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 45.5 gr
Starting Velocity: 2,500
Starting Pressure:
Max Powder: 49.2 gr
Max Velocity: 2,700
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 44.8 gr
Starting Velocity: 2,543
Starting Pressure:
Max Powder: 48.5 gr
Max Velocity: 2,723
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: TMK (Sierra) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 45.5 gr
Starting Velocity: 2,539
Starting Pressure:
Max Powder: 49.7 gr
Max Velocity: 2,772
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 50.2 gr
Starting Velocity: 2,444
Starting Pressure:
Max Powder: 56.3 gr
Max Velocity: 2,733
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.260"
Starting Powder: 54.5 gr
Starting Velocity: 2,641
Starting Pressure:
Max Powder: 58.6 gr
Max Velocity: 2,854
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: A-Max (HDT) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 56.3 gr
Starting Velocity: 2,628
Starting Pressure:
Max Powder: 60.8 gr
Max Velocity: 2,815
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 168 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 54.8 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 58.8 gr
Max Velocity: 2,848
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 42.1 gr
Starting Velocity: 2,411
Starting Pressure:
Max Powder: 47.7 gr
Max Velocity: 2,703
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.260"
Starting Powder: 46.3 gr
Starting Velocity: 2,589
Starting Pressure:
Max Powder: 50.2 gr
Max Velocity: 2,802
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: A-Max (HDY) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 46.6 gr
Starting Velocity: 2,552
Starting Pressure:
Max Powder: 49.8 gr
Max Velocity: 2,762
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 46.6 gr
Starting Velocity: 2,598
Starting Pressure:
Max Powder: 49.4 gr
Max Velocity: 2,776
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: TMK (Sierra) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 46.0 gr
Starting Velocity: 2,592
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,835
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 45.7 gr
Starting Velocity: 2,411
Starting Pressure:
Max Powder: 50.3 gr
Max Velocity: 2,707
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.260"
Starting Powder: 48.1 gr
Starting Velocity: 2,598
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,805
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: A-Max (HDY) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 50.5 gr
Starting Velocity: 2,605
Starting Pressure:
Max Powder: 53.4 gr
Max Velocity: 2,805
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 47.8 gr
Starting Velocity: 2,595
Starting Pressure:
Max Powder: 51.7 gr
Max Velocity: 2,812
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: TMK (Sierra) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 48.9 gr
Starting Velocity: 2,625
Starting Pressure:
Max Powder: 53.4 gr
Max Velocity: 2,874
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 168 gr
Bullet Type: TAC-TX (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 50.0 gr
Starting Velocity: 2,616
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,804
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 50.0 gr
Starting Velocity: 2,616
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,804
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 50.0 gr
Starting Velocity: 2,616
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,804
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 50.0 gr
Starting Velocity: 2,616
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,804
Max Pressure:
Source: [Barnes](#)



GR.: 168 gr
Bullet Type: HPBT (HDT) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 53.0 gr
Starting Velocity: 2,686
Starting Pressure: 40,300
Max Powder: 56.5 gr
Max Velocity: 2,839
Max Pressure: 49,700 CUP
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: HPBT (HDY) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 54.0 gr
Starting Velocity: 2,703
Starting Pressure: 47,900
Max Powder: 58.1 gr
Max Velocity: 2,903
Max Pressure: 58,900
Source: [Hodgdon](#)



GR.: 168 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.260"
Starting Powder: 53.2 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 58.5 gr
Max Velocity: 2,861
Max Pressure:
Source: [VihtaVuori](#)



GR.: 168 gr
Bullet Type: A-Max (HDY) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 54.0 gr
Starting Velocity: 2,631
Starting Pressure:
Max Powder: 58.6 gr
Max Velocity: 2,841
Max Pressure:
Source: [VihtaVuori](#)



GR.: 168 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 54.0 gr
Starting Velocity: 2,674
Starting Pressure:
Max Powder: 58.3 gr
Max Velocity: 2,877
Max Pressure:
Source: [VihtaVuori](#)



GR.: 168 gr
Bullet Type: SMK (Sierra) Diameter:
Powder: BUFFALO RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 3.245"
Starting Powder: 10.0 gr
Starting Velocity: 1,074
Starting Pressure:
Max Powder: 38.0 gr
Max Velocity: 2,550
Max Pressure: 57,871
Source: [ShootersWorld](#)



GR.: 168 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: MATCH RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.315"
Starting Powder: 42.0 gr
Starting Velocity: 2,460
Starting Pressure:
Max Powder: 47.5 gr
Max Velocity: 2,782
Max Pressure: 59,700
Source: [ShootersWorld](#)



GR.: 168 gr
Bullet Type: Amax (HDT) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.300"
Starting Powder: 45.0 gr
Starting Velocity: 2,502
Starting Pressure:
Max Powder: 50.3 gr
Max Velocity: 2,768
Max Pressure: 59,585
Source: [ShootersWorld](#)



GR.: 168 gr
Bullet Type: BT (NOS) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.340"
Starting Powder: 43.0 gr
Starting Velocity: 2,490
Starting Pressure:
Max Powder: 48.7 gr
Max Velocity: 2,815
Max Pressure: 58,055
Source: [ShootersWorld](#)



GR.: 168 gr
Bullet Type: SMK (Sierra) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.245"
Starting Powder: 45.0 gr
Starting Velocity: 2,538
Starting Pressure:
Max Powder: 49.8 gr
Max Velocity: 2,764
Max Pressure: 59,000
Source: [ShootersWorld](#)



GR.: 168 gr
Bullet Type: HPBT (HDT) Diameter:
Powder: LONG RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.230"
Starting Powder: 45.0 gr
Starting Velocity: 2,388
Starting Pressure:
Max Powder: 52.5 gr
Max Velocity: 2,754
Max Pressure: 58,558
Source: [ShootersWorld](#)



GR.: 168 gr
Bullet Type: MK (Sierra) Diameter:
Powder: LONG RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.230"
Starting Powder: 45.0 gr
Starting Velocity: 2,381
Starting Pressure:
Max Powder: 53.2 gr
Max Velocity: 2,771
Max Pressure: 56,835
Source: [ShootersWorld](#)



GR.: 168 gr
Bullet Type: HPBT (HDT) Diameter:
Powder: SW4350 (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.270"
Starting Powder: 50.0 gr
Starting Velocity: 2,491
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,861
Max Pressure: 59,375
Source: [ShootersWorld](#)



GR.: 168 gr
Bullet Type: Hybrid (Berger Bullets) Diameter:
Powder: Reloder TS 15.5 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.240"
Starting Powder: 46.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 51.8 gr
Max Velocity: 2,911
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 168 gr
Bullet Type: BTHP (Speer) Diameter:
Powder: Reloder TS 15.5 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 46.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 51.4 gr
Max Velocity: 2,891
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 170 gr
Bullet Type: LockBase B476 (Lapua) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 44.9 gr
Starting Velocity: 2,352
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,621
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Blade 657A (Sako) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 41.2 gr
Starting Velocity: 2,188
Starting Pressure:
Max Powder: 46.8 gr
Max Velocity: 2,487
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Naturalis LR (Lapua) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 39.2 gr
Starting Velocity: 2,470
Starting Pressure:
Max Powder: 48.1 gr
Max Velocity: 2,697
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Naturalis N558 (Lapua) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 40.4 gr
Starting Velocity: 2,277
Starting Pressure:
Max Powder: 46.1 gr
Max Velocity: 2,530
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: LockBase B476 (Lapua) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 47.2 gr
Starting Velocity: 2,411
Starting Pressure:
Max Powder: 52.6 gr
Max Velocity: 2,674
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Blade 657A (Sako) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 41.7 gr
Starting Velocity: 2,218
Starting Pressure:
Max Powder: 47.7 gr
Max Velocity: 2,507
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Naturalis N558 (Lapua) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 52.2 gr
Starting Velocity: 2,549
Starting Pressure:
Max Powder: 57.6 gr
Max Velocity: 2,812
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Naturalis LR (Lapua) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 52.3 gr
Starting Velocity: 2,480
Starting Pressure:
Max Powder: 57.7 gr
Max Velocity: 2,776
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: LockBase B476 (Lapua) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 56.3 gr
Starting Velocity: 2,510
Starting Pressure:
Max Powder: 62.5 gr
Max Velocity: 2,799
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Blade 657A (Sako) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 50.2 gr
Starting Velocity: 2,365
Starting Pressure:
Max Powder: 57.7 gr
Max Velocity: 2,680
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Naturalis N558 (Lapua) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 44.0 gr
Starting Velocity: 2,425
Starting Pressure:
Max Powder: 48.6 gr
Max Velocity: 2,694
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: LockBase B476 (Lapua) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 45.7 gr
Starting Velocity: 2,392
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,694
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Blade 657A (Sako) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 44.8 gr
Starting Velocity: 2,415
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,690
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Naturalis N558 (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 46.5 gr
Starting Velocity: 2,490
Starting Pressure:
Max Powder: 51.4 gr
Max Velocity: 2,766
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Naturalis LR (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 48.8 gr
Starting Velocity: 2,497
Starting Pressure:
Max Powder: 52.8 gr
Max Velocity: 2,772
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: LockBase B476 (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 48.9 gr
Starting Velocity: 2,448
Starting Pressure:
Max Powder: 55.7 gr
Max Velocity: 2,762
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Blade 657A (Sako) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 47.5 gr
Starting Velocity: 2,434
Starting Pressure:
Max Powder: 52.5 gr
Max Velocity: 2,707
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Naturalis N558 (Lapua) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 53.6 gr
Starting Velocity: 2,480
Starting Pressure:
Max Powder: 60.3 gr
Max Velocity: 2,776
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Naturalis N558 (Lapua) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 52.9 gr
Starting Velocity: 2,579
Starting Pressure:
Max Powder: 56.8 gr
Max Velocity: 2,776
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: Blade 657A (Sako) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 52.2 gr
Starting Velocity: 2,513
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,782
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 173 gr
Bullet Type: L FNGC (Lyman) Diameter: 0.309"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.015"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 1,920
Max Pressure:
Source: [Hodgdon](#) ⓘ



GR.: 175 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 46.8 gr
Starting Velocity: 2,467
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,694
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 175 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 48.7 gr
Starting Velocity: 2,464
Starting Pressure:
Max Powder: 54.2 gr
Max Velocity: 2,728
Max Pressure:
Source: [Barnes](#) ●



GR.: 175 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.290"
Starting Powder: 49.3 gr
Starting Velocity: 2,544
Starting Pressure: 53,300
Max Powder: 54.8 gr
Max Velocity: 2,800
Max Pressure: 59,300
Source: [Hodgdon](#) ●



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.290"
Starting Powder: 49.6 gr
Starting Velocity: 2,596
Starting Pressure: 53,600
Max Powder: 55.1 gr
Max Velocity: 2,818
Max Pressure: 59,600
Source: [Hodgdon](#) ●



GR.: 175 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.290"
Starting Powder: 46.4 gr
Starting Velocity: 2,566
Starting Pressure: 53,400
Max Powder: 51.5 gr
Max Velocity: 2,794
Max Pressure: 59,400
Source: [Hodgdon](#) ●



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.290"
Starting Powder: 45.8 gr
Starting Velocity: 2,572
Starting Pressure: 53,500
Max Powder: 50.9 gr
Max Velocity: 2,790
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.290"
Starting Powder: 53.6 gr
Starting Velocity: 2,573
Starting Pressure: 52,700
Max Powder: 59.5 gr
Max Velocity: 2,871
Max Pressure: 58,600
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.290"
Starting Powder: 52.7 gr
Starting Velocity: 2,573
Starting Pressure: 50,700
Max Powder: 58.5 gr
Max Velocity: 2,828
Max Pressure: 56,300
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 48.2 gr
Starting Velocity: 2,507
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 2,746
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 48.8 gr
Starting Velocity: 2,503
Starting Pressure:
Max Powder: 54.2 gr
Max Velocity: 2,733
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.290"
Starting Powder: 48.5 gr
Starting Velocity: 2,598
Starting Pressure: 53,900
Max Powder: 53.9 gr
Max Velocity: 2,801
Max Pressure: 59,900
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.290"
Starting Powder: 48.7 gr
Starting Velocity: 2,607
Starting Pressure: 53,400
Max Powder: 54.1 gr
Max Velocity: 2,806
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.290"
Starting Powder: 52.6 gr
Starting Velocity: 2,637
Starting Pressure: 53,500
Max Powder: 58.5 gr
Max Velocity: 2,871
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.290"
Starting Powder: 53.3 gr
Starting Velocity: 2,646
Starting Pressure: 53,800
Max Powder: 59.2 gr
Max Velocity: 2,883
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: 4000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 52.6 gr
Starting Velocity: 2,532
Starting Pressure:
Max Powder: 58.4 gr
Max Velocity: 2,789
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: 4000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.0 gr
Starting Velocity: 2,541
Starting Pressure:
Max Powder: 58.9 gr
Max Velocity: 2,776
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 175 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 48.8 gr
Starting Velocity: 2,495
Starting Pressure:
Max Powder: 54.2 gr
Max Velocity: 2,762
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 175 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 49.3 gr
Starting Velocity: 2,499
Starting Pressure:
Max Powder: 54.8 gr
Max Velocity: 2,796
Max Pressure:
Source: [Barnes](#) [●](#)



GR.: 175 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.2 gr
Starting Velocity: 2,507
Starting Pressure:
Max Powder: 59.1 gr
Max Velocity: 2,784
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 48.5 gr
Starting Velocity: 2,644
Starting Pressure: 44,100
Max Powder: 51.5 gr
Max Velocity: 2,765
Max Pressure: 48,700 CUP
Source: [Hodgdon](#) [●](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 43.0 gr
Starting Velocity: 2,566
Starting Pressure: 46,600
Max Powder: 45.7 gr
Max Velocity: 2,667
Max Pressure: 49,400 CUP
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.5 gr
Starting Velocity: 2,564
Starting Pressure: 43,400
Max Powder: 53.0 gr
Max Velocity: 2,704
Max Pressure: 48,400 CUP
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 52.5 gr
Starting Velocity: 2,622
Starting Pressure: 40,700
Max Powder: 56.2 gr
Max Velocity: 2,794
Max Pressure: 49,200 CUP
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.7 gr
Starting Velocity: 2,434
Starting Pressure:
Max Powder: 55.2 gr
Max Velocity: 2,713
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 50.6 gr
Starting Velocity: 2,480
Starting Pressure:
Max Powder: 56.2 gr
Max Velocity: 2,745
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 55.0 gr
Starting Velocity: 2,661
Starting Pressure: 42,100
Max Powder: 59.0 gr
Max Velocity: 2,842
Max Pressure: 48,700 CUP
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: H4831 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 57.0 gr
Starting Velocity: 2,535
Starting Pressure: 38,300
Max Powder: 61.5 gr
Max Velocity: 2,719
Max Pressure: 44,400 CUP
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 43.8 gr
Starting Velocity: 2,584
Starting Pressure: 44,100
Max Powder: 46.7 gr
Max Velocity: 2,700
Max Pressure: 49,000 CUP
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 49.1 gr
Starting Velocity: 2,529
Starting Pressure:
Max Powder: 54.6 gr
Max Velocity: 2,754
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.2 gr
Starting Velocity: 2,507
Starting Pressure:
Max Powder: 54.6 gr
Max Velocity: 2,764
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 50.0 gr
Starting Velocity: 2,543
Starting Pressure: 47,400
Max Powder: 55.0 gr
Max Velocity: 2,757
Max Pressure: 57,600
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 175 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: SUPERFORMANCE (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 52.3 gr
Starting Velocity: 2,588
Starting Pressure:
Max Powder: 58.1 gr
Max Velocity: 2,827
Max Pressure:
Source: [Barnes](#) [C](#) [A](#) [E](#)



GR.: 175 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: SUPERFORMANCE (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 54.1 gr
Starting Velocity: 2,525
Starting Pressure:
Max Powder: 60.1 gr
Max Velocity: 2,830
Max Pressure:
Source: [Barnes](#) [C](#) [E](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Suprform (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.0 gr
Starting Velocity: 2,609
Starting Pressure: 42,600
Max Powder: 58.7 gr
Max Velocity: 2,881
Max Pressure: 59,400
Source: [Hodgdon](#) [E](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.0 gr
Starting Velocity: 2,551
Starting Pressure: 41,700
Max Powder: 48.0 gr
Max Velocity: 2,694
Max Pressure: 49,000 CUP
Source: [Hodgdon](#) [E](#)



GR.: 175 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: IMR 4007 SSC (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 48.5 gr
Starting Velocity: 2,473
Starting Pressure:
Max Powder: 53.9 gr
Max Velocity: 2,736
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 43.1 gr
Starting Velocity: 2,417
Starting Pressure:
Max Powder: 47.9 gr
Max Velocity: 2,666
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 43.7 gr
Starting Velocity: 2,481
Starting Pressure:
Max Powder: 48.5 gr
Max Velocity: 2,712
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 46.5 gr
Starting Velocity: 2,626
Starting Pressure: 52,000
Max Powder: 49.5 gr
Max Velocity: 2,741
Max Pressure: 58,000
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 44.4 gr
Starting Velocity: 2,605
Starting Pressure: 48,600
Max Powder: 48.3 gr
Max Velocity: 2,782
Max Pressure: 56,800
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.5 gr
Starting Velocity: 2,533
Starting Pressure: 48,000
Max Powder: 48.5 gr
Max Velocity: 2,697
Max Pressure: 58,200
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 52.0 gr
Starting Velocity: 2,546
Starting Pressure: 45,000
Max Powder: 57.0 gr
Max Velocity: 2,780
Max Pressure: 57,100
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 52.0 gr
Starting Velocity: 2,548
Starting Pressure: 47,500
Max Powder: 56.0 gr
Max Velocity: 2,762
Max Pressure: 58,900
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 54.0 gr
Starting Velocity: 2,615
Starting Pressure: 48,100
Max Powder: 57.5 gr
Max Velocity: 2,781
Max Pressure: 56,900
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 46.0 gr
Starting Velocity: 2,619
Starting Pressure: 51,600
Max Powder: 49.0 gr
Max Velocity: 2,741
Max Pressure: 58,100
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: IMR 4955 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 56.7 gr
Starting Velocity: 2,650
Starting Pressure: 49,400
Max Powder: 61.0 gr
Max Velocity: 2,845
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: OTM Scenar-L GB550 (Lapua) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 46.3 gr
Starting Velocity: 2,464
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,648
Max Pressure:
Source: [VihtaVuori](#)



GR.: 175 gr
Bullet Type: OTM Scenar-L GB550 (Lapua) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 55.6 gr
Starting Velocity: 2,549
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,740
Max Pressure:
Source: [VihtaVuori](#)



GR.: 175 gr
Bullet Type: OTM Scenar-L GB550 (Lapua) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 46.8 gr
Starting Velocity: 2,493
Starting Pressure:
Max Powder: 50.3 gr
Max Velocity: 2,720
Max Pressure:
Source: [VihtaVuori](#)



GR.: 175 gr
Bullet Type: OTM Scenar-L GB550 (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 50.9 gr
Starting Velocity: 2,549
Starting Pressure:
Max Powder: 53.2 gr
Max Velocity: 2,733
Max Pressure:
Source: [VihtaVuori](#)



GR.: 175 gr
Bullet Type: OTM Scenar-L GB550 (Lapua) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 56.6 gr
Starting Velocity: 2,516
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 2,743
Max Pressure:
Source: [VihtaVuori](#)



GR.: 175 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 46.4 gr
Starting Velocity: 2,372
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,673
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.310"
Starting Powder: 49.4 gr
Starting Velocity: 2,473
Starting Pressure:
Max Powder: 54.9 gr
Max Velocity: 2,719
Max Pressure:
Source: [Barnes](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 52.5 gr
Starting Velocity: 2,622
Starting Pressure: 40,700
Max Powder: 56.2 gr
Max Velocity: 2,794
Max Pressure: 49,200 CUP
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 52.5 gr
Starting Velocity: 2,659
Starting Pressure: 49,000
Max Powder: 57.0 gr
Max Velocity: 2,855
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 175 gr
Bullet Type: OTM Scenar-L GB550 (Lapua) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 53.2 gr
Starting Velocity: 2,582
Starting Pressure:
Max Powder: 57.3 gr
Max Velocity: 2,766
Max Pressure:
Source: [VihtaVuori](#)



GR.: 175 gr
Bullet Type: SMK (Sierra) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.320"
Starting Powder: 45.0 gr
Starting Velocity: 2,533
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,714
Max Pressure: 59,900
Source: [ShootersWorld](#)



GR.: 175 gr
Bullet Type: Terminal Ascent (FED) Diameter:
Powder: Reloder TS 15.5 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.330"
Starting Powder: 44.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 49.6 gr
Max Velocity: 2,763
Max Pressure:
Source: [Alliant Powder](#)



GR.: 178 gr
Bullet Type: ELD-X (HDY) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 46.6 gr
Starting Velocity: 2,441
Starting Pressure:
Max Powder: 50.3 gr
Max Velocity: 2,671
Max Pressure:
Source: [VihtaVuori](#)



GR.: 178 gr
Bullet Type: ELD-X (HDY) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 54.2 gr
Starting Velocity: 2,510
Starting Pressure:
Max Powder: 59.9 gr
Max Velocity: 2,766
Max Pressure:
Source: [VihtaVuori](#)



GR.: 178 gr
Bullet Type: ELD-X (HDV) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 46.5 gr
Starting Velocity: 2,507
Starting Pressure:
Max Powder: 50.6 gr
Max Velocity: 2,746
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 178 gr
Bullet Type: ELD-X (HDV) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 49.2 gr
Starting Velocity: 2,513
Starting Pressure:
Max Powder: 53.1 gr
Max Velocity: 2,753
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 178 gr
Bullet Type: ELD-X (HDV) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 52.6 gr
Starting Velocity: 2,539
Starting Pressure:
Max Powder: 56.9 gr
Max Velocity: 2,733
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.3 gr
Starting Velocity: 2,519
Starting Pressure: 53,100
Max Powder: 53.7 gr
Max Velocity: 2,768
Max Pressure: 59,000
Source: [Hodgdon](#) ⓘ



GR.: 180 gr
Bullet Type: SST (HDV) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 48.4 gr
Starting Velocity: 2,520
Starting Pressure: 53,400
Max Powder: 53.8 gr
Max Velocity: 2,761
Max Pressure: 59,300
Source: [Hodgdon](#) ⓘ



GR.: 180 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 47.5 gr
Starting Velocity: 2,467
Starting Pressure: 53,500
Max Powder: 52.7 gr
Max Velocity: 2,710
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.305"
Starting Powder: 48.3 gr
Starting Velocity: 2,517
Starting Pressure: 53,400
Max Powder: 53.7 gr
Max Velocity: 2,740
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.7 gr
Starting Velocity: 2,505
Starting Pressure: 53,300
Max Powder: 55.2 gr
Max Velocity: 2,721
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: GS (Speer) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 49.1 gr
Starting Velocity: 2,501
Starting Pressure: 53,000
Max Powder: 54.6 gr
Max Velocity: 2,730
Max Pressure: 58,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 45.6 gr
Starting Velocity: 2,510
Starting Pressure: 53,300
Max Powder: 50.7 gr
Max Velocity: 2,743
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SST (HDY) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 45.2 gr
Starting Velocity: 2,491
Starting Pressure: 53,500
Max Powder: 50.3 gr
Max Velocity: 2,723
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 44.9 gr
Starting Velocity: 2,453
Starting Pressure: 53,700
Max Powder: 49.9 gr
Max Velocity: 2,697
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.305"
Starting Powder: 44.0 gr
Starting Velocity: 2,476
Starting Pressure: 53,400
Max Powder: 48.9 gr
Max Velocity: 2,688
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.6 gr
Starting Velocity: 2,489
Starting Pressure: 53,600
Max Powder: 50.7 gr
Max Velocity: 2,701
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 50.1 gr
Starting Velocity: 2,446
Starting Pressure: 46,000
Max Powder: 55.7 gr
Max Velocity: 2,685
Max Pressure: 51,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SST (HDY) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 50.3 gr
Starting Velocity: 2,407
Starting Pressure: 46,500
Max Powder: 55.9 gr
Max Velocity: 2,678
Max Pressure: 51,700
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 49.9 gr
Starting Velocity: 2,425
Starting Pressure: 46,800
Max Powder: 55.5 gr
Max Velocity: 2,643
Max Pressure: 52,000
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.305"
Starting Powder: 51.8 gr
Starting Velocity: 2,533
Starting Pressure: 53,700
Max Powder: 57.6 gr
Max Velocity: 2,796
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 54.3 gr
Starting Velocity: 2,559
Starting Pressure: 52,200
Max Powder: 60.3 gr
Max Velocity: 2,797
Max Pressure: 58,000
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: GS (Speer) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 52.7 gr
Starting Velocity: 2,515
Starting Pressure: 50,300
Max Powder: 58.5 gr
Max Velocity: 2,753
Max Pressure: 55,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.1 gr
Starting Velocity: 2,495
Starting Pressure:
Max Powder: 54.6 gr
Max Velocity: 2,697
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 49.1 gr
Starting Velocity: 2,495
Starting Pressure:
Max Powder: 54.6 gr
Max Velocity: 2,697
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 51.2 gr
Starting Velocity: 2,634
Starting Pressure: 53,500
Max Powder: 56.9 gr
Max Velocity: 2,842
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SST (HDT) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 48.8 gr
Starting Velocity: 2,557
Starting Pressure: 53,600
Max Powder: 54.2 gr
Max Velocity: 2,768
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 47.1 gr
Starting Velocity: 2,464
Starting Pressure: 53,300
Max Powder: 52.3 gr
Max Velocity: 2,701
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.305"
Starting Powder: 47.7 gr
Starting Velocity: 2,533
Starting Pressure: 53,800
Max Powder: 53.0 gr
Max Velocity: 2,736
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.0 gr
Starting Velocity: 2,507
Starting Pressure: 53,500
Max Powder: 54.4 gr
Max Velocity: 2,732
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 54.4 gr
Starting Velocity: 2,615
Starting Pressure: 49,500
Max Powder: 60.4 gr
Max Velocity: 2,838
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SST (HDT) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 54.5 gr
Starting Velocity: 2,650
Starting Pressure: 53,100
Max Powder: 60.5 gr
Max Velocity: 2,869
Max Pressure: 59,000
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: BT (NOS) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 51.0 gr
Starting Velocity: 2,513
Starting Pressure: 51,100
Max Powder: 59.4 gr
Max Velocity: 2,820
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: E-TIP (NOS) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 52.3 gr
Starting Velocity: 2,588
Starting Pressure: 53,500
Max Powder: 58.1 gr
Max Velocity: 2,821
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SBT (Sierra) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.335"
Starting Powder: 51.6 gr
Starting Velocity: 2,527
Starting Pressure: 51,100
Max Powder: 60.0 gr
Max Velocity: 2,852
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.305"
Starting Powder: 52.6 gr
Starting Velocity: 2,596
Starting Pressure: 53,500
Max Powder: 58.5 gr
Max Velocity: 2,824
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPT (Sierra) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.9 gr
Starting Velocity: 2,600
Starting Pressure: 53,800
Max Powder: 59.9 gr
Max Velocity: 2,835
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: GS (Speer) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.170"
Starting Powder: 54.9 gr
Starting Velocity: 2,642
Starting Pressure: 53,900
Max Powder: 61.0 gr
Max Velocity: 2,860
Max Pressure: 59,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 4000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 51.4 gr
Starting Velocity: 2,433
Starting Pressure:
Max Powder: 57.1 gr
Max Velocity: 2,712
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: 4000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 51.4 gr
Starting Velocity: 2,433
Starting Pressure:
Max Powder: 57.1 gr
Max Velocity: 2,712
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: TBBC (Speer) Diameter:
Powder: 4000-MR (Alliant Powder)
Primer: [FED 215](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.320"
Starting Powder: 51.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,750
Max Pressure:
Source: [Alliant Powder](#)



GR.: 180 gr
Bullet Type: Partition (NOS) Diameter:
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.230"
Starting Powder: 50.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,824
Max Pressure:
Source: [Alliant Powder](#)



GR.: 180 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 50.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 55.7 gr
Max Velocity: 2,791
Max Pressure:
Source: [Alliant Powder](#)



GR.: 180 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.1 gr
Starting Velocity: 2,439
Starting Pressure:
Max Powder: 54.6 gr
Max Velocity: 2,712
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 49.1 gr
Starting Velocity: 2,439
Starting Pressure:
Max Powder: 54.6 gr
Max Velocity: 2,712
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: BTSP (Speer) Diameter:
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 49.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,762
Max Pressure:
Source: [Alliant Powder](#)



GR.: 180 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 53.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,640
Max Pressure:
Source: [Alliant Powder](#)



GR.: 180 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 22 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 55.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,721
Max Pressure:
Source: [Alliant Powder](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: Benchmark (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 43.0 gr
Starting Velocity: 2,550
Starting Pressure: 45,600
Max Powder: 46.0 gr
Max Velocity: 2,660
Max Pressure: 49,000 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 44.0 gr
Starting Velocity: 2,456
Starting Pressure: 39,200
Max Powder: 48.5 gr
Max Velocity: 2,634
Max Pressure: 48,100 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 42.0 gr
Starting Velocity: 2,455
Starting Pressure: 41,900
Max Powder: 46.0 gr
Max Velocity: 2,621
Max Pressure: 49,200 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 48.0 gr
Starting Velocity: 2,490
Starting Pressure: 39,900
Max Powder: 53.0 gr
Max Velocity: 2,682
Max Pressure: 48,700 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 50.0 gr
Starting Velocity: 2,528
Starting Pressure: 39,200
Max Powder: 55.5 gr
Max Velocity: 2,743
Max Pressure: 48,700 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 52.0 gr
Starting Velocity: 2,543
Starting Pressure: 37,800
Max Powder: 57.5 gr
Max Velocity: 2,798
Max Pressure: 49,300 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: H4831 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 54.0 gr
Starting Velocity: 2,447
Starting Pressure: 34,700
Max Powder: 60.0 gr
Max Velocity: 2,710
Max Pressure: 44,300 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 40.9 gr
Starting Velocity: 2,320
Starting Pressure:
Max Powder: 45.4 gr
Max Velocity: 2,555
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 40.9 gr
Starting Velocity: 2,320
Starting Pressure:
Max Powder: 45.4 gr
Max Velocity: 2,555
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 41.0 gr
Starting Velocity: 2,427
Starting Pressure: 38,100
Max Powder: 46.0 gr
Max Velocity: 2,638
Max Pressure: 48,800 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.0 gr
Starting Velocity: 2,585
Starting Pressure: 47,000
Max Powder: 57.0 gr
Max Velocity: 2,742
Max Pressure: 55,200
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: SUPERFORMANCE (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 51.5 gr
Starting Velocity: 2,504
Starting Pressure:
Max Powder: 57.2 gr
Max Velocity: 2,774
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: SUPERFORMANCE (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 51.5 gr
Starting Velocity: 2,504
Starting Pressure:
Max Powder: 57.2 gr
Max Velocity: 2,774
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: Suprform (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 54.0 gr
Starting Velocity: 2,628
Starting Pressure: 46,200
Max Powder: 59.7 gr
Max Velocity: 2,840
Max Pressure: 57,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 44.0 gr
Starting Velocity: 2,533
Starting Pressure: 41,900
Max Powder: 47.0 gr
Max Velocity: 2,668
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 42.9 gr
Starting Velocity: 2,336
Starting Pressure:
Max Powder: 47.6 gr
Max Velocity: 2,612
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 42.9 gr
Starting Velocity: 2,336
Starting Pressure:
Max Powder: 47.6 gr
Max Velocity: 2,612
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.5 gr
Starting Velocity: 2,550
Starting Pressure: 48,900
Max Powder: 48.7 gr
Max Velocity: 2,700
Max Pressure: 58,200
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.5 gr
Starting Velocity: 2,575
Starting Pressure: 50,800
Max Powder: 48.8 gr
Max Velocity: 2,724
Max Pressure: 58,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 43.1 gr
Starting Velocity: 2,319
Starting Pressure:
Max Powder: 47.9 gr
Max Velocity: 2,570
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.240"
Starting Powder: 43.1 gr
Starting Velocity: 2,319
Starting Pressure:
Max Powder: 47.9 gr
Max Velocity: 2,570
Max Pressure:
Source: [Barnes](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.0 gr
Starting Velocity: 2,525
Starting Pressure: 49,900
Max Powder: 47.8 gr
Max Velocity: 2,661
Max Pressure: 58,000
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.0 gr
Starting Velocity: 2,586
Starting Pressure: 48,300
Max Powder: 56.5 gr
Max Velocity: 2,752
Max Pressure: 57,200
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 51.7 gr
Starting Velocity: 2,574
Starting Pressure: 50,900
Max Powder: 55.6 gr
Max Velocity: 2,752
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.0 gr
Starting Velocity: 2,563
Starting Pressure: 47,300
Max Powder: 56.8 gr
Max Velocity: 2,749
Max Pressure: 57,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.0 gr
Starting Velocity: 2,555
Starting Pressure: 49,500
Max Powder: 48.0 gr
Max Velocity: 2,680
Max Pressure: 56,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 4955 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 56.7 gr
Starting Velocity: 2,635
Starting Pressure: 50,200
Max Powder: 61.0 gr
Max Velocity: 2,828
Max Pressure: 60,000
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: IMR 7977 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 58.3 gr
Starting Velocity: 2,513
Starting Pressure: 47,700
Max Powder: 62.0 gr
Max Velocity: 2,686
Max Pressure: 56,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: GMX (HDY) Diameter:
Powder: NI40 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.264"
Starting Powder: 41.4 gr
Starting Velocity: 2,254
Starting Pressure:
Max Powder: 44.4 gr
Max Velocity: 2,418
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: NI40 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 40.1 gr
Starting Velocity: 2,300
Starting Pressure:
Max Powder: 43.8 gr
Max Velocity: 2,464
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 46.1 gr
Starting Velocity: 2,497
Starting Pressure:
Max Powder: 50.3 gr
Max Velocity: 2,707
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: GMX (HDV) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.264"
Starting Powder: 39.8 gr
Starting Velocity: 2,185
Starting Pressure:
Max Powder: 44.9 gr
Max Velocity: 2,434
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: CX (HDV) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 40.1 gr
Starting Velocity: 2,185
Starting Pressure:
Max Powder: 45.2 gr
Max Velocity: 2,425
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Oryx (Norma Precision AB) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 41.1 gr
Starting Velocity: 2,359
Starting Pressure:
Max Powder: 46.0 gr
Max Velocity: 2,556
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 44.1 gr
Starting Velocity: 2,405
Starting Pressure:
Max Powder: 49.2 gr
Max Velocity: 2,612
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 39.4 gr
Starting Velocity: 2,257
Starting Pressure:
Max Powder: 44.0 gr
Max Velocity: 2,480
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: TSX (Barnes) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 48.5 gr
Starting Velocity: 2,336
Starting Pressure:
Max Powder: 54.6 gr
Max Velocity: 2,598
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 54.6 gr
Starting Velocity: 2,585
Starting Pressure:
Max Powder: 60.3 gr
Max Velocity: 2,828
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: GMX (HDY) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.264"
Starting Powder: 45.8 gr
Starting Velocity: 2,280
Starting Pressure:
Max Powder: 52.6 gr
Max Velocity: 2,556
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: CX (HDY) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 46.3 gr
Starting Velocity: 2,270
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,566
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Oryx (Norma Precision AB) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 49.5 gr
Starting Velocity: 2,454
Starting Pressure:
Max Powder: 55.7 gr
Max Velocity: 2,687
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 54.6 gr
Starting Velocity: 2,523
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,730
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 51.1 gr
Starting Velocity: 2,425
Starting Pressure:
Max Powder: 56.8 gr
Max Velocity: 2,677
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 180 gr
Bullet Type: TSX (Barnes) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 42.0 gr
Starting Velocity: 2,339
Starting Pressure:
Max Powder: 46.1 gr
Max Velocity: 2,569
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 47.1 gr
Starting Velocity: 2,569
Starting Pressure:
Max Powder: 51.1 gr
Max Velocity: 2,789
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: CX (HDY) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 41.7 gr
Starting Velocity: 2,287
Starting Pressure:
Max Powder: 46.5 gr
Max Velocity: 2,533
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: GMX (HDY) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.264"
Starting Powder: 41.8 gr
Starting Velocity: 2,287
Starting Pressure:
Max Powder: 45.4 gr
Max Velocity: 2,464
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 45.4 gr
Starting Velocity: 2,451
Starting Pressure:
Max Powder: 49.2 gr
Max Velocity: 2,667
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.150"
Starting Powder: 42.1 gr
Starting Velocity: 2,369
Starting Pressure:
Max Powder: 47.2 gr
Max Velocity: 2,605
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: TSX (Barnes) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 44.6 gr
Starting Velocity: 2,329
Starting Pressure:
Max Powder: 49.4 gr
Max Velocity: 2,585
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 50.6 gr
Starting Velocity: 2,575
Starting Pressure:
Max Powder: 54.3 gr
Max Velocity: 2,818
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: CX (HDV) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 42.4 gr
Starting Velocity: 2,267
Starting Pressure:
Max Powder: 48.0 gr
Max Velocity: 2,530
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: GMX (HDV) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.264"
Starting Powder: 43.7 gr
Starting Velocity: 2,280
Starting Pressure:
Max Powder: 48.3 gr
Max Velocity: 2,536
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Oryx (Norma Precision AB) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 44.1 gr
Starting Velocity: 2,402
Starting Pressure:
Max Powder: 48.5 gr
Max Velocity: 2,612
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 48.1 gr
Starting Velocity: 2,503
Starting Pressure:
Max Powder: 52.2 gr
Max Velocity: 2,710
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 57.3 gr
Starting Velocity: 2,575
Starting Pressure:
Max Powder: 63.0 gr
Max Velocity: 2,841
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: GMX (HDV) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.264"
Starting Powder: 53.6 gr
Starting Velocity: 2,349
Starting Pressure:
Max Powder: 61.1 gr
Max Velocity: 2,648
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: CX (HDV) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 55.6 gr
Starting Velocity: 2,444
Starting Pressure:
Max Powder: 60.6 gr
Max Velocity: 2,674
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: Oryx (Norma Precision AB) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.228"
Starting Powder: 53.1 gr
Starting Velocity: 2,454
Starting Pressure:
Max Powder: 57.7 gr
Max Velocity: 2,677
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 50.0 gr
Starting Velocity: 2,528
Starting Pressure: 39,200
Max Powder: 55.5 gr
Max Velocity: 2,743
Max Pressure: 48,700 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: Supreme 780 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 57.3 gr
Starting Velocity: 2,545
Starting Pressure: 47,300
Max Powder: 61.0 gr
Max Velocity: 2,673
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: SPBT (Sierra) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 52.6 gr
Starting Velocity: 2,663
Starting Pressure: 49,700
Max Powder: 57.2 gr
Max Velocity: 2,857
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 53.7 gr
Starting Velocity: 2,569
Starting Pressure:
Max Powder: 57.9 gr
Max Velocity: 2,772
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: GMX (HDY) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.264"
Starting Powder: 48.6 gr
Starting Velocity: 2,388
Starting Pressure:
Max Powder: 54.9 gr
Max Velocity: 2,625
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: CX (HDY) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.217"
Starting Powder: 49.4 gr
Starting Velocity: 2,388
Starting Pressure:
Max Powder: 56.8 gr
Max Velocity: 2,657
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 54.0 gr
Starting Velocity: 2,585
Starting Pressure:
Max Powder: 59.4 gr
Max Velocity: 2,808
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: BUFFALO RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 3.300"
Starting Powder: 10.0 gr
Starting Velocity: 1,020
Starting Pressure:
Max Powder: 37.8 gr
Max Velocity: 2,514
Max Pressure: 60,000
Source: [ShootersWorld](#)



GR.: 180 gr
Bullet Type: eral Fusion (FED) Diameter:
Powder: Reloder TS 15.5 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.210"
Starting Powder: 45.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 50.5 gr
Max Velocity: 2,743
Max Pressure:
Source: [Alliant Powder](#)



GR.: 185 gr
Bullet Type: BTTLR (Berger Bullets) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 48.4 gr
Starting Velocity: 2,498
Starting Pressure: 53,300
Max Powder: 53.7 gr
Max Velocity: 2,727
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: BTTLR (Berger Bullets) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 44.5 gr
Starting Velocity: 2,464
Starting Pressure: 53,500
Max Powder: 49.4 gr
Max Velocity: 2,683
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: BTTLR (Berger Bullets) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 52.0 gr
Starting Velocity: 2,503
Starting Pressure: 51,300
Max Powder: 57.7 gr
Max Velocity: 2,757
Max Pressure: 57,000
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: BTTLR (Berger Bullets) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 47.4 gr
Starting Velocity: 2,499
Starting Pressure: 53,400
Max Powder: 52.7 gr
Max Velocity: 2,710
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: BTTLR (Berger Bullets) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 52.4 gr
Starting Velocity: 2,584
Starting Pressure: 53,800
Max Powder: 58.2 gr
Max Velocity: 2,815
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Hybrid (Berger Bullets) Diameter:
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.220"
Starting Powder: 48.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 53.4 gr
Max Velocity: 2,772
Max Pressure:
Source: [Alliant Powder](#)



GR.: 185 gr
Bullet Type: Juggernaut Target (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 41.7 gr
Starting Velocity: 2,359
Starting Pressure:
Max Powder: 46.9 gr
Max Velocity: 2,569
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: Hybrid Target (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 45.7 gr
Starting Velocity: 2,448
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,667
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 46.5 gr
Starting Velocity: 2,461
Starting Pressure:
Max Powder: 51.1 gr
Max Velocity: 2,690
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Mega E415 (Lapua) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.130"
Starting Powder: 42.4 gr
Starting Velocity: 2,270
Starting Pressure:
Max Powder: 50.6 gr
Max Velocity: 2,595
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 44.4 gr
Starting Velocity: 2,283
Starting Pressure:
Max Powder: 50.3 gr
Max Velocity: 2,552
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 185 gr
Bullet Type: Juggernaut Target (Berger Bullets) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 51.7 gr
Starting Velocity: 2,484
Starting Pressure:
Max Powder: 57.6 gr
Max Velocity: 2,707
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Hybrid Target (Berger Bullets) Diameter:
Powder: NI60 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 53.9 gr
Starting Velocity: 2,516
Starting Pressure:
Max Powder: 59.4 gr
Max Velocity: 2,762
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: NI60 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 55.1 gr
Starting Velocity: 2,533
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,782
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Basic (Brenneke) Diameter:
Powder: NI60 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.189"
Starting Powder: 52.8 gr
Starting Velocity: 2,461
Starting Pressure:
Max Powder: 56.9 gr
Max Velocity: 2,664
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Mega E415 (Lapua) Diameter:
Powder: NI60 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.130"
Starting Powder: 52.2 gr
Starting Velocity: 2,425
Starting Pressure:
Max Powder: 57.2 gr
Max Velocity: 2,674
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: NI60 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 53.7 gr
Starting Velocity: 2,375
Starting Pressure:
Max Powder: 59.4 gr
Max Velocity: 2,654
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Juggernaut Target (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 45.5 gr
Starting Velocity: 2,467
Starting Pressure:
Max Powder: 48.6 gr
Max Velocity: 2,654
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 47.8 gr
Starting Velocity: 2,546
Starting Pressure:
Max Powder: 51.9 gr
Max Velocity: 2,762
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Basic (Brenneke) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.189"
Starting Powder: 44.4 gr
Starting Velocity: 2,408
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,644
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Mega E415 (Lapua) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.130"
Starting Powder: 43.5 gr
Starting Velocity: 2,388
Starting Pressure:
Max Powder: 48.9 gr
Max Velocity: 2,661
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 44.1 gr
Starting Velocity: 2,257
Starting Pressure:
Max Powder: 48.8 gr
Max Velocity: 2,530
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Juggernaut Target (Berger Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 46.3 gr
Starting Velocity: 2,454
Starting Pressure:
Max Powder: 50.8 gr
Max Velocity: 2,674
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Hybrid Target (Berger Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 49.2 gr
Starting Velocity: 2,536
Starting Pressure:
Max Powder: 52.6 gr
Max Velocity: 2,756
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 50.9 gr
Starting Velocity: 2,543
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,776
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Basic (Brenneke) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.189"
Starting Powder: 47.5 gr
Starting Velocity: 2,448
Starting Pressure:
Max Powder: 50.9 gr
Max Velocity: 2,638
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Mega E415 (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.130"
Starting Powder: 46.6 gr
Starting Velocity: 2,388
Starting Pressure:
Max Powder: 53.4 gr
Max Velocity: 2,664
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 46.6 gr
Starting Velocity: 2,300
Starting Pressure:
Max Powder: 51.8 gr
Max Velocity: 2,598
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Juggernaut Target (Berger Bullets) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 55.6 gr
Starting Velocity: 2,510
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 2,759
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Hybrid Target (Berger Bullets) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 56.2 gr
Starting Velocity: 2,510
Starting Pressure:
Max Powder: 61.4 gr
Max Velocity: 2,789
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 58.2 gr
Starting Velocity: 2,552
Starting Pressure:
Max Powder: 63.4 gr
Max Velocity: 2,822
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Mega E415 (Lapua) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.130"
Starting Powder: 54.0 gr
Starting Velocity: 2,418
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,710
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 54.3 gr
Starting Velocity: 2,375
Starting Pressure:
Max Powder: 61.9 gr
Max Velocity: 2,677
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: Juggernaut Target (Berger Bullets) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 53.2 gr
Starting Velocity: 2,559
Starting Pressure:
Max Powder: 57.6 gr
Max Velocity: 2,743
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: Classic Hunter (Berger Bullets) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.331"
Starting Powder: 53.9 gr
Starting Velocity: 2,539
Starting Pressure:
Max Powder: 57.4 gr
Max Velocity: 2,717
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: Basic (Brenneke) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.189"
Starting Powder: 53.6 gr
Starting Velocity: 2,516
Starting Pressure:
Max Powder: 58.3 gr
Max Velocity: 2,720
Max Pressure:
Source: [VihtaVuori](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 47.6 gr
Starting Velocity: 2,431
Starting Pressure: 53,200
Max Powder: 52.9 gr
Max Velocity: 2,673
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 48.6 gr
Starting Velocity: 2,476
Starting Pressure: 53,700
Max Powder: 54.0 gr
Max Velocity: 2,713
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDV) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 44.5 gr
Starting Velocity: 2,427
Starting Pressure: 53,500
Max Powder: 49.5 gr
Max Velocity: 2,649
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 44.9 gr
Starting Velocity: 2,460
Starting Pressure: 53,700
Max Powder: 49.9 gr
Max Velocity: 2,673
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDV) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 50.2 gr
Starting Velocity: 2,404
Starting Pressure: 49,400
Max Powder: 55.7 gr
Max Velocity: 2,655
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 52.3 gr
Starting Velocity: 2,497
Starting Pressure: 51,900
Max Powder: 58.1 gr
Max Velocity: 2,754
Max Pressure: 57,700
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 47.5 gr
Starting Velocity: 2,463
Starting Pressure: 53,600
Max Powder: 52.8 gr
Max Velocity: 2,689
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 47.7 gr
Starting Velocity: 2,500
Starting Pressure: 53,400
Max Powder: 53.1 gr
Max Velocity: 2,703
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 52.7 gr
Starting Velocity: 2,557
Starting Pressure: 53,700
Max Powder: 58.6 gr
Max Velocity: 2,782
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: HPBT (NOS) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 51.4 gr
Starting Velocity: 2,537
Starting Pressure: 53,800
Max Powder: 57.1 gr
Max Velocity: 2,769
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 43.0 gr
Starting Velocity: 2,312
Starting Pressure: 39,200
Max Powder: 47.0 gr
Max Velocity: 2,510
Max Pressure: 48,600 CUP
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 40.0 gr
Starting Velocity: 2,271
Starting Pressure: 40,200
Max Powder: 44.0 gr
Max Velocity: 2,465
Max Pressure: 48,400 CUP
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 47.0 gr
Starting Velocity: 2,369
Starting Pressure: 40,900
Max Powder: 51.5 gr
Max Velocity: 2,555
Max Pressure: 48,700 CUP
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 48.0 gr
Starting Velocity: 2,398
Starting Pressure: 39,000
Max Powder: 53.0 gr
Max Velocity: 2,640
Max Pressure: 49,500 CUP
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 51.0 gr
Starting Velocity: 2,451
Starting Pressure: 39,500
Max Powder: 56.5 gr
Max Velocity: 2,692
Max Pressure: 49,200 CUP
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: H4831 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 57.0 gr
Starting Velocity: 2,514
Starting Pressure: 44,100
Max Powder: 61.0 gr
Max Velocity: 2,668
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 41.0 gr
Starting Velocity: 2,380
Starting Pressure: 41,400
Max Powder: 45.5 gr
Max Velocity: 2,525
Max Pressure: 48,000 CUP
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 49.0 gr
Starting Velocity: 2,456
Starting Pressure: 49,300
Max Powder: 53.5 gr
Max Velocity: 2,639
Max Pressure: 58,300
Source: [Hodgdon](#) [C](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 43.5 gr
Starting Velocity: 2,450
Starting Pressure: 41,800
Max Powder: 46.5 gr
Max Velocity: 2,608
Max Pressure: 49,700 CUP
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 45.0 gr
Starting Velocity: 2,485
Starting Pressure: 50,900
Max Powder: 47.7 gr
Max Velocity: 2,593
Max Pressure: 57,600
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 43.9 gr
Starting Velocity: 2,431
Starting Pressure: 48,900
Max Powder: 47.0 gr
Max Velocity: 2,608
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 51.0 gr
Starting Velocity: 2,466
Starting Pressure: 47,200
Max Powder: 54.5 gr
Max Velocity: 2,647
Max Pressure: 58,500
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 49.9 gr
Starting Velocity: 2,453
Starting Pressure: 51,500
Max Powder: 53.7 gr
Max Velocity: 2,615
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 51.0 gr
Starting Velocity: 2,445
Starting Pressure: 46,300
Max Powder: 55.0 gr
Max Velocity: 2,639
Max Pressure: 57,000
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: IMR 4955 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 54.4 gr
Starting Velocity: 2,476
Starting Pressure: 47,600
Max Powder: 58.5 gr
Max Velocity: 2,703
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDY) Diameter: 0.308"
Powder: IMR 7828 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 55.0 gr
Starting Velocity: 2,429
Starting Pressure: 46,200
Max Powder: 59.8 gr
Max Velocity: 2,646
Max Pressure: 58,700
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDT) Diameter: 0.308"
Powder: IMR 7977 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 57.5 gr
Starting Velocity: 2,432
Starting Pressure: 49,600
Max Powder: 61.2 gr
Max Velocity: 2,591
Max Pressure: 57,700
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 44.7 gr
Starting Velocity: 2,280
Starting Pressure:
Max Powder: 49.4 gr
Max Velocity: 2,516
Max Pressure:
Source: [VihtaVuori](#)



GR.: 190 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 52.8 gr
Starting Velocity: 2,375
Starting Pressure:
Max Powder: 58.8 gr
Max Velocity: 2,608
Max Pressure:
Source: [VihtaVuori](#)



GR.: 190 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 47.4 gr
Starting Velocity: 2,323
Starting Pressure:
Max Powder: 53.9 gr
Max Velocity: 2,664
Max Pressure:
Source: [VihtaVuori](#)



GR.: 190 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 55.1 gr
Starting Velocity: 2,365
Starting Pressure:
Max Powder: 62.3 gr
Max Velocity: 2,707
Max Pressure:
Source: [VihtaVuori](#)



GR.: 190 gr
Bullet Type: BTSP (HDV) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 48.0 gr
Starting Velocity: 2,398
Starting Pressure: 49,000
Max Powder: 53.0 gr
Max Velocity: 2,640
Max Pressure: 49,500 CUP
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDV) Diameter: 0.308"
Powder: Supreme 780 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 56.2 gr
Starting Velocity: 2,512
Starting Pressure: 52,300
Max Powder: 59.8 gr
Max Velocity: 2,628
Max Pressure: 59,000
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: BTSP (HDV) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.220"
Starting Powder: 50.6 gr
Starting Velocity: 2,536
Starting Pressure: 49,300
Max Powder: 55.2 gr
Max Velocity: 2,747
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 52.5 gr
Starting Velocity: 2,484
Starting Pressure:
Max Powder: 57.9 gr
Max Velocity: 2,703
Max Pressure:
Source: [VihtaVuori](#)



GR.: 190 gr
Bullet Type: MK (Sierra) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.275"
Starting Powder: 42.0 gr
Starting Velocity: 2,420
Starting Pressure:
Max Powder: 47.3 gr
Max Velocity: 2,652
Max Pressure: 59,200
Source: [ShootersWorld](#)



GR.: 190 gr
Bullet Type: MK (Sierra) Diameter:
Powder: SW4350 (Shooters World)
Primer: [Large Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.275"
Starting Powder: 48.0 gr
Starting Velocity: 2,431
Starting Pressure:
Max Powder: 54.3 gr
Max Velocity: 2,715
Max Pressure: 59,295
Source: [ShootersWorld](#)



GR.: 200 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 43.8 gr
Starting Velocity: 2,230
Starting Pressure:
Max Powder: 48.7 gr
Max Velocity: 2,445
Max Pressure:
Source: [Barnes](#) [A](#) [E](#)



GR.: 200 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.0 gr
Starting Velocity: 2,247
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,470
Max Pressure:
Source: [Barnes](#) [A](#) [E](#)



GR.: 200 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.6 gr
Starting Velocity: 2,374
Starting Pressure: 53,600
Max Powder: 51.7 gr
Max Velocity: 2,589
Max Pressure: 59,600
Source: [Hodgdon](#) [E](#)



GR.: 200 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.314"
Starting Powder: 46.3 gr
Starting Velocity: 2,388
Starting Pressure: 53,900
Max Powder: 51.4 gr
Max Velocity: 2,597
Max Pressure: 59,900
Source: [Hodgdon](#) [E](#)



GR.: 200 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 43.4 gr
Starting Velocity: 2,341
Starting Pressure: 53,400
Max Powder: 48.2 gr
Max Velocity: 2,536
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.314"
Starting Powder: 42.6 gr
Starting Velocity: 2,334
Starting Pressure: 53,700
Max Powder: 47.3 gr
Max Velocity: 2,544
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.3 gr
Starting Velocity: 2,283
Starting Pressure: 46,400
Max Powder: 51.4 gr
Max Velocity: 2,445
Max Pressure: 51,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.314"
Starting Powder: 49.7 gr
Starting Velocity: 2,411
Starting Pressure: 53,500
Max Powder: 55.2 gr
Max Velocity: 2,637
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: L RN GC (Lyman) Diameter: 0.309"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.250"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 22.0 gr
Max Velocity: 1,625
Max Pressure:
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 45.0 gr
Starting Velocity: 2,272
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,468
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 200 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.0 gr
Starting Velocity: 2,293
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity: 2,495
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 200 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 48.1 gr
Starting Velocity: 2,418
Starting Pressure: 53,400
Max Powder: 53.5 gr
Max Velocity: 2,626
Max Pressure: 59,300
Source: [Hodgdon](#) ●



GR.: 200 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.314"
Starting Powder: 45.1 gr
Starting Velocity: 2,362
Starting Pressure: 53,400
Max Powder: 50.1 gr
Max Velocity: 2,563
Max Pressure: 59,300
Source: [Hodgdon](#) ●



GR.: 200 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 50.4 gr
Starting Velocity: 2,279
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,518
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 200 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 50.7 gr
Starting Velocity: 2,389
Starting Pressure: 46,300
Max Powder: 56.3 gr
Max Velocity: 2,585
Max Pressure: 51,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 51.0 gr
Starting Velocity: 2,360
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,556
Max Pressure:
Source: [Barnes](#)



GR.: 200 gr
Bullet Type: HPBT (Sierra) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.314"
Starting Powder: 50.8 gr
Starting Velocity: 2,467
Starting Pressure: 53,800
Max Powder: 56.4 gr
Max Velocity: 2,688
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: 4000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 49.4 gr
Starting Velocity: 2,315
Starting Pressure:
Max Powder: 54.9 gr
Max Velocity: 2,540
Max Pressure:
Source: [Barnes](#)



GR.: 200 gr
Bullet Type: SP (Speer) Diameter:
Powder: 4000-MR (Alliant Powder)
Primer: [FED 215](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 49.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,595
Max Pressure:
Source: [Alliant Powder](#)



GR.: 200 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 38.1 gr
Starting Velocity: 2,121
Starting Pressure:
Max Powder: 42.3 gr
Max Velocity: 2,339
Max Pressure:
Source: [Barnes](#) ▲ 🔍



GR.: 200 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 40.0 gr
Starting Velocity: 2,211
Starting Pressure:
Max Powder: 44.0 gr
Max Velocity: 2,399
Max Pressure:
Source: [Barnes](#) ▲ 🔍



GR.: 200 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 42.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 2,371
Max Pressure:
Source: [Alliant Powder](#) 🔍



GR.: 200 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 46.0 gr
Starting Velocity: 2,280
Starting Pressure:
Max Powder: 51.1 gr
Max Velocity: 2,521
Max Pressure:
Source: [Barnes](#) ▲ 🔍



GR.: 200 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 45.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity: 2,552
Max Pressure:
Source: [Alliant Powder](#) 🔍



GR.: 200 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 49.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,335
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 22 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 52.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,499
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 25 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 54.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,481
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: H1000 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 57.0 gr
Starting Velocity: 2,329
Starting Pressure: 35,800
Max Powder: 61.0 gr
Max Velocity: 2,487
Max Pressure: 42,200 CUP
Source: [Hodgdon](#) ⓘ ⓘ



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: H1000 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 55.0 gr
Starting Velocity: 2,267
Starting Pressure: 33,600
Max Powder: 61.0 gr
Max Velocity: 2,510
Max Pressure: 44,400 CUP
Source: [Hodgdon](#) ⓘ ⓘ



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 45.5 gr
Starting Velocity: 2,325
Starting Pressure: 42,300
Max Powder: 48.5 gr
Max Velocity: 2,463
Max Pressure: 48,800 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 44.0 gr
Starting Velocity: 2,231
Starting Pressure: 41,700
Max Powder: 48.0 gr
Max Velocity: 2,395
Max Pressure: 49,600 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 45.0 gr
Starting Velocity: 2,268
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,477
Max Pressure:
Source: [Barnes](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 48.0 gr
Starting Velocity: 2,413
Starting Pressure: 42,900
Max Powder: 51.5 gr
Max Velocity: 2,579
Max Pressure: 49,400 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 47.0 gr
Starting Velocity: 2,351
Starting Pressure: 40,700
Max Powder: 52.0 gr
Max Velocity: 2,551
Max Pressure: 49,100 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 46.5 gr
Starting Velocity: 2,252
Starting Pressure:
Max Powder: 51.7 gr
Max Velocity: 2,470
Max Pressure:
Source: [Barnes](#) ▲ 🔍



GR.: 200 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 46.5 gr
Starting Velocity: 2,277
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity: 2,468
Max Pressure:
Source: [Barnes](#) ▲ 🔍



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 50.0 gr
Starting Velocity: 2,412
Starting Pressure: 40,400
Max Powder: 53.7 gr
Max Velocity: 2,580
Max Pressure: 48,400 CUP
Source: [Hodgdon](#) 🔍



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 50.0 gr
Starting Velocity: 2,431
Starting Pressure: 44,500
Max Powder: 53.0 gr
Max Velocity: 2,544
Max Pressure: 49,100 CUP
Source: [Hodgdon](#) 🔍



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: H4831 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 55.0 gr
Starting Velocity: 2,427
Starting Pressure: 42,100
Max Powder: 59.0 gr
Max Velocity: 2,586
Max Pressure: 49,300 CUP
Source: [Hodgdon](#) 🔍



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: H4831 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 54.0 gr
Starting Velocity: 2,436
Starting Pressure: 43,200
Max Powder: 57.5 gr
Max Velocity: 2,577
Max Pressure: 49,400 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 41.0 gr
Starting Velocity: 2,355
Starting Pressure: 43,700
Max Powder: 44.0 gr
Max Velocity: 2,474
Max Pressure: 49,500 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 39.0 gr
Starting Velocity: 2,246
Starting Pressure: 40,700
Max Powder: 43.5 gr
Max Velocity: 2,421
Max Pressure: 49,200 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 48.0 gr
Starting Velocity: 2,384
Starting Pressure: 50,000
Max Powder: 52.0 gr
Max Velocity: 2,542
Max Pressure: 57,900
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 47.0 gr
Starting Velocity: 2,335
Starting Pressure: 48,100
Max Powder: 51.5 gr
Max Velocity: 2,532
Max Pressure: 58,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: SUPERFORMANCE (Hodgdon)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 48.3 gr
Starting Velocity: 2,334
Starting Pressure:
Max Powder: 53.7 gr
Max Velocity: 2,569
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 42.0 gr
Starting Velocity: 2,337
Starting Pressure: 41,900
Max Powder: 47.0 gr
Max Velocity: 2,505
Max Pressure: 49,100 CUP
Source: [Hodgdon](#) ●



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 42.5 gr
Starting Velocity: 2,373
Starting Pressure: 44,700
Max Powder: 45.5 gr
Max Velocity: 2,501
Max Pressure: 49,600 CUP
Source: [Hodgdon](#) ●



GR.: 200 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 39.6 gr
Starting Velocity: 2,149
Starting Pressure:
Max Powder: 44.0 gr
Max Velocity: 2,359
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 200 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 41.0 gr
Starting Velocity: 2,197
Starting Pressure:
Max Powder: 46.0 gr
Max Velocity: 2,423
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 43.0 gr
Starting Velocity: 2,292
Starting Pressure: 44,600
Max Powder: 46.0 gr
Max Velocity: 2,469
Max Pressure: 57,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 43.2 gr
Starting Velocity: 2,361
Starting Pressure: 50,300
Max Powder: 46.2 gr
Max Velocity: 2,517
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 42.0 gr
Starting Velocity: 2,327
Starting Pressure: 49,800
Max Powder: 45.2 gr
Max Velocity: 2,476
Max Pressure: 58,900
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 42.5 gr
Starting Velocity: 2,194
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 2,422
Max Pressure:
Source: [Barnes](#)



GR.: 200 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 49.0 gr
Starting Velocity: 2,301
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,435
Max Pressure:
Source: [Barnes](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 50.0 gr
Starting Velocity: 2,364
Starting Pressure: 45,900
Max Powder: 53.5 gr
Max Velocity: 2,550
Max Pressure: 57,200
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.0 gr
Starting Velocity: 2,348
Starting Pressure: 49,300
Max Powder: 52.7 gr
Max Velocity: 2,533
Max Pressure: 59,900
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 47.2 gr
Starting Velocity: 2,294
Starting Pressure: 49,600
Max Powder: 50.7 gr
Max Velocity: 2,470
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 51.0 gr
Starting Velocity: 2,375
Starting Pressure: 46,600
Max Powder: 54.2 gr
Max Velocity: 2,550
Max Pressure: 56,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: IMR 4955 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.1 gr
Starting Velocity: 2,412
Starting Pressure: 49,100
Max Powder: 57.2 gr
Max Velocity: 2,590
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: IMR 4955 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 51.8 gr
Starting Velocity: 2,372
Starting Pressure: 49,100
Max Powder: 55.7 gr
Max Velocity: 2,559
Max Pressure: 59,400
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: IMR 7828 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.0 gr
Starting Velocity: 2,323
Starting Pressure: 45,000
Max Powder: 58.0 gr
Max Velocity: 2,559
Max Pressure: 58,100
Source: [Hodgdon](#) [C](#) [A](#) [E](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: IMR 7977 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 56.4 gr
Starting Velocity: 2,343
Starting Pressure: 48,600
Max Powder: 60.0 gr
Max Velocity: 2,504
Max Pressure: 57,300
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: IMR 7977 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 54.5 gr
Starting Velocity: 2,321
Starting Pressure: 48,600
Max Powder: 58.0 gr
Max Velocity: 2,484
Max Pressure: 58,100
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 200 gr
Bullet Type: Mega E401 (Lapua) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.130"
Starting Powder: 42.4 gr
Starting Velocity: 2,270
Starting Pressure:
Max Powder: 47.8 gr
Max Velocity: 2,451
Max Pressure:
Source: [VihtaVuori](#) [E](#)



GR.: 200 gr
Bullet Type: Partition (NOS) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 43.0 gr
Starting Velocity: 2,195
Starting Pressure:
Max Powder: 47.5 gr
Max Velocity: 2,375
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Solid Shank Scandinavia (Rhino Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.071"
Starting Powder: 40.0 gr
Starting Velocity: 2,133
Starting Pressure:
Max Powder: 46.8 gr
Max Velocity: 2,398
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Mega E401 (Lapua) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.130"
Starting Powder: 52.2 gr
Starting Velocity: 2,425
Starting Pressure:
Max Powder: 53.7 gr
Max Velocity: 2,503
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Partition (NOS) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 52.2 gr
Starting Velocity: 2,310
Starting Pressure:
Max Powder: 57.6 gr
Max Velocity: 2,510
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: A-Frame (Swift) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 52.5 gr
Starting Velocity: 2,323
Starting Pressure:
Max Powder: 56.8 gr
Max Velocity: 2,552
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Solid Shank Scandinavia (Rhino Bullets) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.071"
Starting Powder: 53.2 gr
Starting Velocity: 2,352
Starting Pressure:
Max Powder: 56.6 gr
Max Velocity: 2,539
Max Pressure:
Source: [VihtaVuori](#)



GR.: 200 gr
Bullet Type: A-Frame (Swift) Diameter:
Powder: N165 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 59.4 gr
Starting Velocity: 2,428
Starting Pressure:
Max Powder: 63.9 gr
Max Velocity: 2,638
Max Pressure:
Source: [VihtaVuori](#)



GR.: 200 gr
Bullet Type: Solid Shank Scandinavia (Rhino Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.071"
Starting Powder: 41.7 gr
Starting Velocity: 2,198
Starting Pressure:
Max Powder: 47.1 gr
Max Velocity: 2,454
Max Pressure:
Source: [VihtaVuori](#)



GR.: 200 gr
Bullet Type: Mega E401 (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.130"
Starting Powder: 48.1 gr
Starting Velocity: 2,395
Starting Pressure:
Max Powder: 50.6 gr
Max Velocity: 2,516
Max Pressure:
Source: [VihtaVuori](#)



GR.: 200 gr
Bullet Type: A-Frame (Swift) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 49.2 gr
Starting Velocity: 2,362
Starting Pressure:
Max Powder: 52.8 gr
Max Velocity: 2,572
Max Pressure:
Source: [VihtaVuori](#)



GR.: 200 gr
Bullet Type: Solid Shank Scandinavia (Rhino Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.071"
Starting Powder: 46.3 gr
Starting Velocity: 2,306
Starting Pressure:
Max Powder: 51.7 gr
Max Velocity: 2,539
Max Pressure:
Source: [VihtaVuori](#)



GR.: 200 gr
Bullet Type: LRX (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 43.7 gr
Starting Velocity: 2,199
Starting Pressure:
Max Powder: 48.5 gr
Max Velocity: 2,432
Max Pressure:
Source: [Barnes](#)



GR.: 200 gr
Bullet Type: TSX (Barnes) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [FED 210](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.218"
Starting Powder: 45.0 gr
Starting Velocity: 2,298
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,492
Max Pressure:
Source: [Barnes](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 48.0 gr
Starting Velocity: 2,413
Starting Pressure: 42,900
Max Powder: 51.5 gr
Max Velocity: 2,579
Max Pressure: 49,400 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: Supreme 780 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 53.6 gr
Starting Velocity: 2,367
Starting Pressure: 46,600
Max Powder: 57.0 gr
Max Velocity: 2,555
Max Pressure: 58,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: Supreme 780 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 55.0 gr
Starting Velocity: 2,440
Starting Pressure: 51,000
Max Powder: 58.5 gr
Max Velocity: 2,565
Max Pressure: 58,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: AB (NOS) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.300"
Starting Powder: 49.2 gr
Starting Velocity: 2,458
Starting Pressure: 49,400
Max Powder: 53.5 gr
Max Velocity: 2,653
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: SP (Speer) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 47.5 gr
Starting Velocity: 2,393
Starting Pressure: 48,800
Max Powder: 52.0 gr
Max Velocity: 2,595
Max Pressure: 59,000
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Mega E401 (Lapua) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.130"
Starting Powder: 52.0 gr
Starting Velocity: 2,395
Starting Pressure:
Max Powder: 56.6 gr
Max Velocity: 2,605
Max Pressure:
Source: [VihtaVuori](#)



GR.: 200 gr
Bullet Type: Solid Shank Scandinavia (Rhino Bullets) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.071"
Starting Powder: 53.2 gr
Starting Velocity: 2,415
Starting Pressure:
Max Powder: 58.2 gr
Max Velocity: 2,615
Max Pressure:
Source: [VihtaVuori](#)



GR.: 205 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.327"
Starting Powder: 42.1 gr
Starting Velocity: 2,244
Starting Pressure:
Max Powder: 45.7 gr
Max Velocity: 2,431
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 205 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.327"
Starting Powder: 43.2 gr
Starting Velocity: 2,254
Starting Pressure:
Max Powder: 46.9 gr
Max Velocity: 2,434
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 205 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.327"
Starting Powder: 52.3 gr
Starting Velocity: 2,369
Starting Pressure:
Max Powder: 56.3 gr
Max Velocity: 2,559
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 205 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.327"
Starting Powder: 44.3 gr
Starting Velocity: 2,323
Starting Pressure:
Max Powder: 48.0 gr
Max Velocity: 2,513
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 205 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.327"
Starting Powder: 46.3 gr
Starting Velocity: 2,343
Starting Pressure:
Max Powder: 49.8 gr
Max Velocity: 2,533
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 205 gr
Bullet Type: Elite Hunter (Berger Bullets) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.327"
Starting Powder: 51.4 gr
Starting Velocity: 2,405
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,605
Max Pressure:
Source: [VihtaVuori](#)



GR.: 208 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 44.9 gr
Starting Velocity: 2,246
Starting Pressure: 53,900
Max Powder: 49.8 gr
Max Velocity: 2,506
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: BTHP (HDY) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 43.1 gr
Starting Velocity: 2,261
Starting Pressure: 53,800
Max Powder: 47.9 gr
Max Velocity: 2,494
Max Pressure: 59,800
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 49.2 gr
Starting Velocity: 2,237
Starting Pressure: 50,600
Max Powder: 54.7 gr
Max Velocity: 2,522
Max Pressure: 56,200
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 44.4 gr
Starting Velocity: 2,284
Starting Pressure: 53,900
Max Powder: 49.4 gr
Max Velocity: 2,500
Max Pressure: 60,000
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 49.6 gr
Starting Velocity: 2,381
Starting Pressure: 53,700
Max Powder: 55.1 gr
Max Velocity: 2,601
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 45.5 gr
Starting Velocity: 2,231
Starting Pressure: 45,600
Max Powder: 49.5 gr
Max Velocity: 2,427
Max Pressure: 57,300
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 46.1 gr
Starting Velocity: 2,307
Starting Pressure: 49,300
Max Powder: 49.6 gr
Max Velocity: 2,467
Max Pressure: 58,300
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 47.6 gr
Starting Velocity: 2,303
Starting Pressure: 47,600
Max Powder: 52.4 gr
Max Velocity: 2,499
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: H4831 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 52.1 gr
Starting Velocity: 2,301
Starting Pressure: 47,100
Max Powder: 58.0 gr
Max Velocity: 2,511
Max Pressure: 58,700
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 38.9 gr
Starting Velocity: 2,203
Starting Pressure: 48,700
Max Powder: 43.2 gr
Max Velocity: 2,362
Max Pressure: 57,400
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 47.3 gr
Starting Velocity: 2,292
Starting Pressure: 45,100
Max Powder: 52.0 gr
Max Velocity: 2,519
Max Pressure: 58,300
Source: [Hodgdon](#) [C](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 40.9 gr
Starting Velocity: 2,226
Starting Pressure: 47,900
Max Powder: 45.0 gr
Max Velocity: 2,415
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 42.5 gr
Starting Velocity: 2,250
Starting Pressure: 47,400
Max Powder: 45.5 gr
Max Velocity: 2,404
Max Pressure: 57,000
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 42.4 gr
Starting Velocity: 2,341
Starting Pressure: 48,500
Max Powder: 45.4 gr
Max Velocity: 2,495
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 47.9 gr
Starting Velocity: 2,259
Starting Pressure: 45,000
Max Powder: 52.7 gr
Max Velocity: 2,503
Max Pressure: 58,600
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 49.9 gr
Starting Velocity: 2,291
Starting Pressure: 46,100
Max Powder: 54.9 gr
Max Velocity: 2,538
Max Pressure: 59,500
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: IMR 4955 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 53.6 gr
Starting Velocity: 2,414
Starting Pressure: 49,400
Max Powder: 57.7 gr
Max Velocity: 2,604
Max Pressure: 59,100
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: IMR 7828 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 52.2 gr
Starting Velocity: 2,239
Starting Pressure: 43,600
Max Powder: 57.0 gr
Max Velocity: 2,442
Max Pressure: 53,100
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: IMR 7977 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 57.3 gr
Starting Velocity: 2,364
Starting Pressure: 48,200
Max Powder: 61.0 gr
Max Velocity: 2,521
Max Pressure: 57,200
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 208 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 42.0 gr
Starting Velocity: 2,224
Starting Pressure:
Max Powder: 44.8 gr
Max Velocity: 2,382
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 208 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 42.4 gr
Starting Velocity: 2,221
Starting Pressure:
Max Powder: 46.0 gr
Max Velocity: 2,405
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 208 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 52.5 gr
Starting Velocity: 2,356
Starting Pressure:
Max Powder: 56.3 gr
Max Velocity: 2,556
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 208 gr
Bullet Type: A-MAX (HDV) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.315"
Starting Powder: 50.5 gr
Starting Velocity: 2,333
Starting Pressure:
Max Powder: 54.9 gr
Max Velocity: 2,539
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 208 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 43.5 gr
Starting Velocity: 2,290
Starting Pressure:
Max Powder: 46.6 gr
Max Velocity: 2,480
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 208 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 45.5 gr
Starting Velocity: 2,313
Starting Pressure:
Max Powder: 49.2 gr
Max Velocity: 2,510
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.315"
Starting Powder: 46.8 gr
Starting Velocity: 2,333
Starting Pressure:
Max Powder: 50.6 gr
Max Velocity: 2,523
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.315"
Starting Powder: 54.9 gr
Starting Velocity: 2,402
Starting Pressure:
Max Powder: 59.1 gr
Max Velocity: 2,618
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter:
Powder: N565 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.315"
Starting Powder: 55.1 gr
Starting Velocity: 2,392
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,566
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 46.1 gr
Starting Velocity: 2,307
Starting Pressure: 49,300
Max Powder: 49.6 gr
Max Velocity: 2,467
Max Pressure: 58,300
Source: [Hodgdon](#) ⓘ



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: Supreme 780 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 52.2 gr
Starting Velocity: 2,314
Starting Pressure: 46,900
Max Powder: 56.8 gr
Max Velocity: 2,476
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: A-MAX (HDY) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.285"
Starting Powder: 49.8 gr
Starting Velocity: 2,428
Starting Pressure: 47,700
Max Powder: 54.2 gr
Max Velocity: 2,660
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 208 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 52.2 gr
Starting Velocity: 2,408
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,585
Max Pressure:
Source: [VihtaVuori](#)



GR.: 210 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 44.5 gr
Starting Velocity: 2,293
Starting Pressure: 53,400
Max Powder: 49.5 gr
Max Velocity: 2,496
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 210 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 41.7 gr
Starting Velocity: 2,259
Starting Pressure: 53,600
Max Powder: 46.4 gr
Max Velocity: 2,458
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 210 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 48.2 gr
Starting Velocity: 2,324
Starting Pressure: 53,300
Max Powder: 53.6 gr
Max Velocity: 2,541
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 210 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 44.3 gr
Starting Velocity: 2,292
Starting Pressure: 53,700
Max Powder: 49.3 gr
Max Velocity: 2,491
Max Pressure: 59,600
Source: [Hodgdon](#)



GR.: 210 gr
Bullet Type: VLD (Berger Bullets) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 49.5 gr
Starting Velocity: 2,384
Starting Pressure: 53,200
Max Powder: 55.0 gr
Max Velocity: 2,594
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 210 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 41.7 gr
Starting Velocity: 2,247
Starting Pressure:
Max Powder: 44.0 gr
Max Velocity: 2,365
Max Pressure:
Source: [VihtaVuori](#)



GR.: 210 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 40.1 gr
Starting Velocity: 2,198
Starting Pressure:
Max Powder: 44.4 gr
Max Velocity: 2,385
Max Pressure:
Source: [VihtaVuori](#)



GR.: 210 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 49.4 gr
Starting Velocity: 2,323
Starting Pressure:
Max Powder: 53.6 gr
Max Velocity: 2,513
Max Pressure:
Source: [VihtaVuori](#)



GR.: 210 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 44.0 gr
Starting Velocity: 2,270
Starting Pressure:
Max Powder: 47.5 gr
Max Velocity: 2,467
Max Pressure:
Source: [VihtaVuori](#)



GR.: 210 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 51.7 gr
Starting Velocity: 2,336
Starting Pressure:
Max Powder: 55.7 gr
Max Velocity: 2,539
Max Pressure:
Source: [VihtaVuori](#)



GR.: 210 gr
Bullet Type: RDF (NOS) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.338"
Starting Powder: 48.6 gr
Starting Velocity: 2,339
Starting Pressure:
Max Powder: 53.1 gr
Max Velocity: 2,539
Max Pressure:
Source: [VihtaVuori](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 44.3 gr
Starting Velocity: 2,317
Starting Pressure: 45,600
Max Powder: 48.5 gr
Max Velocity: 2,525
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 53.5 gr
Starting Velocity: 2,382
Starting Pressure: 42,800
Max Powder: 57.5 gr
Max Velocity: 2,579
Max Pressure: 53,500
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 48.0 gr
Starting Velocity: 2,388
Starting Pressure: 48,400
Max Powder: 52.2 gr
Max Velocity: 2,564
Max Pressure: 58,900
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 46.7 gr
Starting Velocity: 2,328
Starting Pressure: 47,400
Max Powder: 50.9 gr
Max Velocity: 2,527
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.400"
Starting Powder: 49.2 gr
Starting Velocity: 2,429
Starting Pressure: 47,600
Max Powder: 54.0 gr
Max Velocity: 2,614
Max Pressure: 58,900
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: H4831 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 53.4 gr
Starting Velocity: 2,427
Starting Pressure: 44,800
Max Powder: 58.7 gr
Max Velocity: 2,643
Max Pressure: 59,300
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 48.7 gr
Starting Velocity: 2,445
Starting Pressure: 46,200
Max Powder: 55.0 gr
Max Velocity: 2,667
Max Pressure: 57,900
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 41.8 gr
Starting Velocity: 2,311
Starting Pressure: 48,300
Max Powder: 46.3 gr
Max Velocity: 2,498
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 42.5 gr
Starting Velocity: 2,316
Starting Pressure: 46,800
Max Powder: 47.0 gr
Max Velocity: 2,510
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 41.5 gr
Starting Velocity: 2,319
Starting Pressure: 47,800
Max Powder: 45.9 gr
Max Velocity: 2,504
Max Pressure: 59,000
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 49.0 gr
Starting Velocity: 2,351
Starting Pressure: 43,000
Max Powder: 54.2 gr
Max Velocity: 2,607
Max Pressure: 58,700
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 47.6 gr
Starting Velocity: 2,340
Starting Pressure: 47,400
Max Powder: 52.6 gr
Max Velocity: 2,568
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 51.3 gr
Starting Velocity: 2,384
Starting Pressure: 45,000
Max Powder: 56.3 gr
Max Velocity: 2,591
Max Pressure: 57,200
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: IMR 4955 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.400"
Starting Powder: 51.8 gr
Starting Velocity: 2,364
Starting Pressure: 45,500
Max Powder: 57.0 gr
Max Velocity: 2,594
Max Pressure: 58,700
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: IMR 7828 SSC (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 52.5 gr
Starting Velocity: 2,346
Starting Pressure: 43,700
Max Powder: 57.8 gr
Max Velocity: 2,570
Max Pressure: 56,300
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: Hybrid Target (Berger Bullets) Diameter:
Powder: NI65 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 58.0 gr
Starting Velocity: 2,385
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 2,539
Max Pressure:
Source: [VihtaVuori](#)



GR.: 215 gr
Bullet Type: Hybrid Target (Berger Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 46.9 gr
Starting Velocity: 2,310
Starting Pressure:
Max Powder: 50.6 gr
Max Velocity: 2,520
Max Pressure:
Source: [VihtaVuori](#)



GR.: 215 gr
Bullet Type: Hybrid Target (Berger Bullets) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 54.8 gr
Starting Velocity: 2,359
Starting Pressure:
Max Powder: 60.8 gr
Max Velocity: 2,625
Max Pressure:
Source: [VihtaVuori](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 47.0 gr
Starting Velocity: 2,379
Starting Pressure: 46,400
Max Powder: 51.1 gr
Max Velocity: 2,595
Max Pressure: 59,100
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: HYB TGT (Berger Bullets) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 50.0 gr
Starting Velocity: 2,454
Starting Pressure: 45,800
Max Powder: 54.8 gr
Max Velocity: 2,662
Max Pressure: 58,100
Source: [Hodgdon](#)



GR.: 215 gr
Bullet Type: Hybrid Target (Berger Bullets) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 50.2 gr
Starting Velocity: 2,313
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,497
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: JRN (HDT) Diameter: 0.308"
Powder: H1000 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 58.0 gr
Starting Velocity: 2,293
Starting Pressure: 36,500
Max Powder: 61.0 gr
Max Velocity: 2,412
Max Pressure: 43,600 CUP
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDT) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 47.0 gr
Starting Velocity: 2,215
Starting Pressure: 39,000
Max Powder: 52.0 gr
Max Velocity: 2,408
Max Pressure: 49,500 CUP
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDT) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 50.0 gr
Starting Velocity: 2,318
Starting Pressure: 43,400
Max Powder: 53.0 gr
Max Velocity: 2,435
Max Pressure: 49,200 CUP
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDT) Diameter: 0.308"
Powder: H4831 (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 54.0 gr
Starting Velocity: 2,342
Starting Pressure: 43,300
Max Powder: 57.5 gr
Max Velocity: 2,458
Max Pressure: 48,600 CUP
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDT) Diameter: 0.308"
Powder: Hybrid 100V (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 47.0 gr
Starting Velocity: 2,258
Starting Pressure: 48,100
Max Powder: 52.0 gr
Max Velocity: 2,448
Max Pressure: 58,600
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDY) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 42.0 gr
Starting Velocity: 2,279
Starting Pressure: 44,000
Max Powder: 45.0 gr
Max Velocity: 2,382
Max Pressure: 49,400 CUP
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDY) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 43.0 gr
Starting Velocity: 2,241
Starting Pressure: 52,200
Max Powder: 45.5 gr
Max Velocity: 2,325
Max Pressure: 56,700
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDY) Diameter: 0.308"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 42.2 gr
Starting Velocity: 2,235
Starting Pressure: 49,300
Max Powder: 45.2 gr
Max Velocity: 2,380
Max Pressure: 58,800
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDY) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 49.0 gr
Starting Velocity: 2,287
Starting Pressure: 49,500
Max Powder: 52.5 gr
Max Velocity: 2,425
Max Pressure: 57,300
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDY) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 50.0 gr
Starting Velocity: 2,275
Starting Pressure: 47,300
Max Powder: 54.0 gr
Max Velocity: 2,438
Max Pressure: 57,200
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDV) Diameter: 0.308"
Powder: IMR 4955 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 52.8 gr
Starting Velocity: 2,306
Starting Pressure: 48,200
Max Powder: 56.8 gr
Max Velocity: 2,485
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDV) Diameter: 0.308"
Powder: IMR 7828 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 53.0 gr
Starting Velocity: 2,288
Starting Pressure: 48,600
Max Powder: 58.0 gr
Max Velocity: 2,476
Max Pressure: 59,700
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDV) Diameter: 0.308"
Powder: IMR 7977 (Improved Military Rifle)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 56.2 gr
Starting Velocity: 2,291
Starting Pressure: 48,900
Max Powder: 59.8 gr
Max Velocity: 2,445
Max Pressure: 58,500
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 41.4 gr
Starting Velocity: 2,139
Starting Pressure:
Max Powder: 44.6 gr
Max Velocity: 2,303
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: Scenar-L (Lapua) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 41.8 gr
Starting Velocity: 2,116
Starting Pressure:
Max Powder: 45.7 gr
Max Velocity: 2,300
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: Solid Shank (Rhino Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.213"
Starting Powder: 41.1 gr
Starting Velocity: 2,073
Starting Pressure:
Max Powder: 45.2 gr
Max Velocity: 2,251
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 220 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 50.9 gr
Starting Velocity: 2,274
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 2,461
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 220 gr
Bullet Type: RN (HDV) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 50.8 gr
Starting Velocity: 2,146
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,369
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 220 gr
Bullet Type: Scenar-L (Lapua) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 49.4 gr
Starting Velocity: 2,211
Starting Pressure:
Max Powder: 54.6 gr
Max Velocity: 2,408
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 220 gr
Bullet Type: Solid Shank (Rhino Bullets) Diameter:
Powder: N160 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.213"
Starting Powder: 49.4 gr
Starting Velocity: 2,205
Starting Pressure:
Max Powder: 53.2 gr
Max Velocity: 2,379
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 220 gr
Bullet Type: Scenar-L (Lapua) Diameter:
Powder: N165 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 55.6 gr
Starting Velocity: 2,297
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,493
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 44.3 gr
Starting Velocity: 2,228
Starting Pressure:
Max Powder: 48.3 gr
Max Velocity: 2,428
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: Scenar-L (Lapua) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 46.3 gr
Starting Velocity: 2,228
Starting Pressure:
Max Powder: 49.1 gr
Max Velocity: 2,411
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: Solid Shank (Rhino Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.213"
Starting Powder: 46.0 gr
Starting Velocity: 2,182
Starting Pressure:
Max Powder: 48.6 gr
Max Velocity: 2,339
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: RN (HDY) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 53.5 gr
Starting Velocity: 2,205
Starting Pressure:
Max Powder: 61.3 gr
Max Velocity: 2,516
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: Scenar-L (Lapua) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 52.8 gr
Starting Velocity: 2,244
Starting Pressure:
Max Powder: 57.3 gr
Max Velocity: 2,464
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: Solid Shank (Rhino Bullets) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.213"
Starting Powder: 53.7 gr
Starting Velocity: 2,231
Starting Pressure:
Max Powder: 59.9 gr
Max Velocity: 2,467
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: Solid Shank (Rhino Bullets) Diameter:
Powder: N565 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.213"
Starting Powder: 57.9 gr
Starting Velocity: 2,287
Starting Pressure:
Max Powder: 61.6 gr
Max Velocity: 2,461
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: JRN (HDT) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 47.0 gr
Starting Velocity: 2,215
Starting Pressure: 39,000
Max Powder: 52.0 gr
Max Velocity: 2,408
Max Pressure: 49,500 CUP
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDT) Diameter: 0.308"
Powder: Supreme 780 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 53.6 gr
Starting Velocity: 2,310
Starting Pressure: 47,800
Max Powder: 57.0 gr
Max Velocity: 2,458
Max Pressure: 57,200
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: JRN (HDY) Diameter: 0.308"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WLR](#)
Case: WIN
Trim Length: 2.484"
[C.O.L.](#): 3.230"
Starting Powder: 49.5 gr
Starting Velocity: 2,331
Starting Pressure: 48,300
Max Powder: 54.0 gr
Max Velocity: 2,523
Max Pressure: 59,500
Source: [Hodgdon](#)



GR.: 220 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 51.2 gr
Starting Velocity: 2,333
Starting Pressure:
Max Powder: 55.2 gr
Max Velocity: 2,516
Max Pressure:
Source: [VihtaVuori](#)



GR.: 220 gr
Bullet Type: Scenar-L (Lapua) Diameter:
Powder: N555 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.339"
Starting Powder: 48.6 gr
Starting Velocity: 2,251
Starting Pressure:
Max Powder: 52.8 gr
Max Velocity: 2,431
Max Pressure:
Source: [VihtaVuori](#)



GR.: 225 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.308"
Powder: 2700 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 43.9 gr
Starting Velocity: 2,146
Starting Pressure: 54,000
Max Powder: 48.8 gr
Max Velocity: 2,399
Max Pressure: 60,000
Source: [Hodgdon](#)



GR.: 225 gr
Bullet Type: BTHP (HDY) Diameter: 0.308"
Powder: 4064 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 41.7 gr
Starting Velocity: 2,156
Starting Pressure: 53,500
Max Powder: 46.3 gr
Max Velocity: 2,371
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 225 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 48.2 gr
Starting Velocity: 2,167
Starting Pressure: 51,300
Max Powder: 53.6 gr
Max Velocity: 2,413
Max Pressure: 57,000
Source: [Hodgdon](#)



GR.: 225 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.308"
Powder: Big Game (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 42.8 gr
Starting Velocity: 2,142
Starting Pressure: 53,300
Max Powder: 47.6 gr
Max Velocity: 2,357
Max Pressure: 59,200
Source: [Hodgdon](#)



GR.: 225 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.484"
[C.O.L.](#): 3.340"
Starting Powder: 47.1 gr
Starting Velocity: 2,232
Starting Pressure: 53,400
Max Powder: 52.4 gr
Max Velocity: 2,461
Max Pressure: 59,400
Source: [Hodgdon](#)



GR.: 240 gr
Bullet Type: Weldcore (Woodleigh) Diameter:
Powder: N165 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 53.2 gr
Starting Velocity: 2,159
Starting Pressure:
Max Powder: 60.2 gr
Max Velocity: 2,392
Max Pressure:
Source: [VihtaVuori](#)



GR.: 240 gr
Bullet Type: Weldcore (Woodleigh) Diameter:
Powder: N560 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 51.1 gr
Starting Velocity: 2,123
Starting Pressure:
Max Powder: 56.6 gr
Max Velocity: 2,382
Max Pressure:
Source: [VihtaVuori](#)



GR.: 240 gr
Bullet Type: Weldcore (Woodleigh) Diameter:
Powder: N565 (VihtaVuori)
Primer: [Large Rifle](#)
Case: Lapua
Trim Length: 2.484"
[C.O.L.](#): 3.307"
Starting Powder: 53.7 gr
Starting Velocity: 2,188
Starting Pressure:
Max Powder: 59.7 gr
Max Velocity: 2,402
Max Pressure:
Source: [VihtaVuori](#)



GR.: 100 gr
Bullet Type: Plinker SPRN (Speer) Diameter: 0.308"
Powder: Reloder 7 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.935"
Starting Powder: 43.0 gr
Starting Velocity: 2,875
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 3,239
Max Pressure:
Source: [Speer](#)



GR.: 100 gr
Bullet Type: Plinker SPRN (Speer) Diameter: 0.308"
Powder: H322 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.935"
Starting Powder: 48.0 gr
Starting Velocity: 2,985
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 3,268
Max Pressure:
Source: [Speer](#)



GR.: 100 gr
Bullet Type: Plinker SPRN (Speer) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.935"
Starting Powder: 54.0 gr
Starting Velocity: 3,147
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 3,383
Max Pressure:
Source: [Speer](#)



GR.: 100 gr
Bullet Type: Plinker SPRN (Speer) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.935"
Starting Powder: 53.0 gr
Starting Velocity: 3,251
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 3,510
Max Pressure:
Source: [Speer](#)



GR.: 100 gr
Bullet Type: Plinker SPRN (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.935"
Starting Powder: 55.0 gr
Starting Velocity: 3,202
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 3,450
Max Pressure:
Source: [Speer](#)



GR.: 100 gr
Bullet Type: Plinker SPRN (Speer) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.935"
Starting Powder: 54.0 gr
Starting Velocity: 3,044
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 3,289
Max Pressure:
Source: [Speer](#)



GR.: 100 gr
Bullet Type: Plinker SPRN (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.935"
Starting Powder: 51.0 gr
Starting Velocity: 3,073
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,323
Max Pressure:
Source: [Speer](#)



GR.: 100 gr
Bullet Type: Plinker SPRN (Speer) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.935"
Starting Powder: 56.0 gr
Starting Velocity: 3,166
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 3,369
Max Pressure:
Source: [Speer](#)



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.915"
Starting Powder: 51.0 gr
Starting Velocity: 3,129
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,349
Max Pressure:
Source: [Speer](#)



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: 2495 (Accurate)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.915"
Starting Powder: 51.0 gr
Starting Velocity: 2,950
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,218
Max Pressure:
Source: [Speer](#)



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.915"
Starting Powder: 52.0 gr
Starting Velocity: 3,144
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 3,343
Max Pressure:
Source: [Speer](#)



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.915"
Starting Powder: 56.0 gr
Starting Velocity: 3,124
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 3,363
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 110 gr
Bullet Type: Varminter HP (Speer) Diameter: 0.308"
Powder: Reloder 7 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.870"
Starting Powder: 38.0 gr
Starting Velocity: 2,541
Starting Pressure:
Max Powder: 42.0 gr
Max Velocity: 2,836
Max Pressure:
Source: [Speer](#) [A](#)



GR.: 110 gr
Bullet Type: Varminter HP (Speer) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.870"
Starting Powder: 48.0 gr
Starting Velocity: 2,537
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,766
Max Pressure:
Source: [Speer](#) [A](#)



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.915"
Starting Powder: 51.0 gr
Starting Velocity: 2,815
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,096
Max Pressure:
Source: [Speer](#)



GR.: 110 gr
Bullet Type: Varminter HP (Speer) Diameter: 0.308"
Powder: H322 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.870"
Starting Powder: 41.0 gr
Starting Velocity: 2,530
Starting Pressure:
Max Powder: 45.0 gr
Max Velocity: 2,769
Max Pressure:
Source: [Speer](#) [A](#)



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: H322 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.915"
Starting Powder: 46.0 gr
Starting Velocity: 2,789
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,941
Max Pressure:
Source: [Speer](#)



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.915"
Starting Powder: 49.0 gr
Starting Velocity: 2,855
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 3,123
Max Pressure:
Source: [Speer](#)



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.915"
Starting Powder: 55.0 gr
Starting Velocity: 3,063
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 3,312
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 110 gr
Bullet Type: Varminter HP (Speer) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.870"
Starting Powder: 42.5 gr
Starting Velocity: 2,601
Starting Pressure:
Max Powder: 46.5 gr
Max Velocity: 2,871
Max Pressure:
Source: [Speer](#) [A](#)



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.915"
Starting Powder: 54.0 gr
Starting Velocity: 2,965
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 3,264
Max Pressure:
Source: [Speer](#)



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.915"
Starting Powder: 53.0 gr
Starting Velocity: 2,931
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 3,135
Max Pressure:
Source: [Speer](#)



GR.: 110 gr
Bullet Type: Varminter HP (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.: 2.870"](#)
Starting Powder: 54.0 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,873
Max Pressure:
Source: [Speer](#) ▲



GR.: 110 gr
Bullet Type: Varminter HP (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.: 2.870"](#)
Starting Powder: 44.0 gr
Starting Velocity: 2,588
Starting Pressure:
Max Powder: 48.0 gr
Max Velocity: 2,847
Max Pressure:
Source: [Speer](#) ▲



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.: 2.915"](#)
Starting Powder: 50.5 gr
Starting Velocity: 2,908
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 3,127
Max Pressure:
Source: [Speer](#)



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: N135 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.: 2.915"](#)
Starting Powder: 51.0 gr
Starting Velocity: 3,047
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,258
Max Pressure:
Source: [Speer](#)



GR.: 110 gr
Bullet Type: Varminter HP (Speer) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.: 2.870"](#)
Starting Powder: 44.5 gr
Starting Velocity: 2,631
Starting Pressure:
Max Powder: 48.5 gr
Max Velocity: 2,888
Max Pressure:
Source: [Speer](#) ▲



GR.: 110 gr
Bullet Type: Carbine TMJ RN (Speer) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.: 2.915"](#)
Starting Powder: 58.0 gr
Starting Velocity: 3,201
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 3,414
Max Pressure:
Source: [Speer](#) C



GR.: 110 gr
Bullet Type: Varminter HP (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 2.870"
Starting Powder: 52.0 gr
Starting Velocity: 2,682
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,904
Max Pressure:
Source: [Speed](#) ▲



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: 2015 (Accurate)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.100"
Starting Powder: 46.0 gr
Starting Velocity: 2,905
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 3,111
Max Pressure:
Source: [Speed](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: 2230 (Accurate)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.100"
Starting Powder: 47.0 gr
Starting Velocity: 2,887
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity: 3,103
Max Pressure:
Source: [Speed](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.100"
Starting Powder: 49.0 gr
Starting Velocity: 2,974
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 3,178
Max Pressure:
Source: [Speed](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: 2495 (Accurate)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.100"
Starting Powder: 50.0 gr
Starting Velocity: 2,876
Starting Pressure:
Max Powder: 54.0 gr
Max Velocity: 3,105
Max Pressure:
Source: [Speed](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 48.0 gr
Starting Velocity: 2,867
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 3,085
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: 1200-R (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 38.5 gr
Starting Velocity: 2,812
Starting Pressure:
Max Powder: 42.5 gr
Max Velocity: 3,025
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 48.6 gr
Starting Velocity: 3,037
Starting Pressure:
Max Powder: 53.7 gr
Max Velocity: 3,261
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: Reloder 10x (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 46.3 gr
Starting Velocity: 2,959
Starting Pressure:
Max Powder: 51.3 gr
Max Velocity: 3,210
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: Varmint (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 48.4 gr
Starting Velocity: 2,964
Starting Pressure:
Max Powder: 53.6 gr
Max Velocity: 3,228
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 51.0 gr
Starting Velocity: 2,874
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,106
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: H322 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 44.0 gr
Starting Velocity: 2,720
Starting Pressure:
Max Powder: 48.0 gr
Max Velocity: 2,916
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 51.0 gr
Starting Velocity: 2,872
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,093
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 47.0 gr
Starting Velocity: 2,741
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity: 3,025
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 51.5 gr
Starting Velocity: 2,763
Starting Pressure:
Max Powder: 55.5 gr
Max Velocity: 3,037
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 48.4 gr
Starting Velocity: 3,048
Starting Pressure:
Max Powder: 52.6 gr
Max Velocity: 3,222
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 50.0 gr
Starting Velocity: 2,862
Starting Pressure:
Max Powder: 54.0 gr
Max Velocity: 3,167
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 51.0 gr
Starting Velocity: 2,762
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,011
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 48.0 gr
Starting Velocity: 2,777
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 3,002
Max Pressure:
Source: [Speer](#)



GR.: 125 gr
Bullet Type: TNT HP (Speer) Diameter: 0.308"
Powder: N135 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.100"
Starting Powder: 49.0 gr
Starting Velocity: 2,844
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 3,116
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: 2015 (Accurate)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 45.0 gr
Starting Velocity: 2,803
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 3,004
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: 2015 (Accurate)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 45.0 gr
Starting Velocity: 2,803
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 3,004
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 47.5 gr
Starting Velocity: 2,805
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity: 3,031
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 47.5 gr
Starting Velocity: 2,805
Starting Pressure:
Max Powder: 51.0 gr
Max Velocity: 3,031
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 51.2 gr
Starting Velocity: 2,928
Starting Pressure:
Max Powder: 56.6 gr
Max Velocity: 3,192
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 51.2 gr
Starting Velocity: 2,928
Starting Pressure:
Max Powder: 56.6 gr
Max Velocity: 3,192
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 46.5 gr
Starting Velocity: 2,915
Starting Pressure:
Max Powder: 51.4 gr
Max Velocity: 3,146
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 46.5 gr
Starting Velocity: 2,915
Starting Pressure:
Max Powder: 51.4 gr
Max Velocity: 3,146
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 49.5 gr
Starting Velocity: 2,862
Starting Pressure:
Max Powder: 54.7 gr
Max Velocity: 3,165
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.: 3.060"](#)
Starting Powder: 49.5 gr
Starting Velocity: 2,862
Starting Pressure:
Max Powder: 54.7 gr
Max Velocity: 3,165
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: Varmint (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.: 3.060"](#)
Starting Powder: 44.6 gr
Starting Velocity: 2,841
Starting Pressure:
Max Powder: 49.3 gr
Max Velocity: 3,064
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: Varmint (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.: 3.045"](#)
Starting Powder: 44.6 gr
Starting Velocity: 2,841
Starting Pressure:
Max Powder: 49.3 gr
Max Velocity: 3,064
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.: 3.060"](#)
Starting Powder: 49.0 gr
Starting Velocity: 2,699
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,894
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.: 3.045"](#)
Starting Powder: 49.0 gr
Starting Velocity: 2,699
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,894
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: H322 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 43.0 gr
Starting Velocity: 2,546
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 2,757
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: H322 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 43.0 gr
Starting Velocity: 2,546
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 2,757
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 50.0 gr
Starting Velocity: 2,758
Starting Pressure:
Max Powder: 54.0 gr
Max Velocity: 2,979
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: H 335 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 50.0 gr
Starting Velocity: 2,758
Starting Pressure:
Max Powder: 54.0 gr
Max Velocity: 2,979
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 56.0 gr
Starting Velocity: 2,787
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 3,012
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 56.0 gr
Starting Velocity: 2,787
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 3,012
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 45.0 gr
Starting Velocity: 2,654
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,764
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 45.0 gr
Starting Velocity: 2,654
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,764
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 51.0 gr
Starting Velocity: 2,771
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,006
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 51.0 gr
Starting Velocity: 2,771
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,006
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 45.5 gr
Starting Velocity: 2,905
Starting Pressure:
Max Powder: 50.6 gr
Max Velocity: 3,120
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 45.5 gr
Starting Velocity: 2,905
Starting Pressure:
Max Powder: 50.6 gr
Max Velocity: 3,120
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 48.5 gr
Starting Velocity: 2,678
Starting Pressure:
Max Powder: 52.5 gr
Max Velocity: 3,003
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 48.5 gr
Starting Velocity: 2,678
Starting Pressure:
Max Powder: 52.5 gr
Max Velocity: 3,003
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 51.0 gr
Starting Velocity: 2,802
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,022
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 51.0 gr
Starting Velocity: 2,802
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 3,022
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 47.5 gr
Starting Velocity: 2,728
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,937
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 47.5 gr
Starting Velocity: 2,728
Starting Pressure:
Max Powder: 51.5 gr
Max Velocity: 2,937
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: N140 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 48.0 gr
Starting Velocity: 2,671
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,868
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: N140 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 48.0 gr
Starting Velocity: 2,671
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,868
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: HP (Speer) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.060"
Starting Powder: 51.0 gr
Starting Velocity: 2,728
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,910
Max Pressure:
Source: [Speer](#)



GR.: 130 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: 748 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 51.0 gr
Starting Velocity: 2,728
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,910
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 44.0 gr
Starting Velocity: 2,585
Starting Pressure:
Max Powder: 48.0 gr
Max Velocity: 2,750
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 44.0 gr
Starting Velocity: 2,585
Starting Pressure:
Max Powder: 48.0 gr
Max Velocity: 2,750
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 44.0 gr
Starting Velocity: 2,585
Starting Pressure:
Max Powder: 48.0 gr
Max Velocity: 2,750
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 2460 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.160"
Starting Powder: 44.0 gr
Starting Velocity: 2,585
Starting Pressure:
Max Powder: 48.0 gr
Max Velocity: 2,750
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.:](#) 3.045"
Starting Powder: 46.6 gr
Starting Velocity: 2,685
Starting Pressure:
Max Powder: 51.4 gr
Max Velocity: 2,906
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 46.6 gr
Starting Velocity: 2,685
Starting Pressure:
Max Powder: 51.4 gr
Max Velocity: 2,906
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 46.6 gr
Starting Velocity: 2,685
Starting Pressure:
Max Powder: 51.4 gr
Max Velocity: 2,906
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 46.6 gr
Starting Velocity: 2,685
Starting Pressure:
Max Powder: 51.4 gr
Max Velocity: 2,906
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 42.6 gr
Starting Velocity: 2,656
Starting Pressure:
Max Powder: 47.1 gr
Max Velocity: 2,859
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 42.6 gr
Starting Velocity: 2,656
Starting Pressure:
Max Powder: 47.1 gr
Max Velocity: 2,859
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 42.6 gr
Starting Velocity: 2,656
Starting Pressure:
Max Powder: 47.1 gr
Max Velocity: 2,859
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 42.6 gr
Starting Velocity: 2,656
Starting Pressure:
Max Powder: 47.1 gr
Max Velocity: 2,859
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 48.0 gr
Starting Velocity: 2,550
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,762
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 48.0 gr
Starting Velocity: 2,550
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,762
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 48.0 gr
Starting Velocity: 2,550
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,762
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 48.0 gr
Starting Velocity: 2,550
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,762
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 53.3 gr
Starting Velocity: 2,754
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 3,013
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 53.3 gr
Starting Velocity: 2,754
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 3,013
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 51.7 gr
Starting Velocity: 2,716
Starting Pressure:
Max Powder: 56.7 gr
Max Velocity: 2,958
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 51.7 gr
Starting Velocity: 2,716
Starting Pressure:
Max Powder: 56.7 gr
Max Velocity: 2,958
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 51.7 gr
Starting Velocity: 2,716
Starting Pressure:
Max Powder: 56.7 gr
Max Velocity: 2,958
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 51.7 gr
Starting Velocity: 2,716
Starting Pressure:
Max Powder: 56.7 gr
Max Velocity: 2,958
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 58.0 gr
Starting Velocity: 2,548
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,756
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 58.0 gr
Starting Velocity: 2,548
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,756
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 58.0 gr
Starting Velocity: 2,548
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,756
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 58.0 gr
Starting Velocity: 2,548
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,756
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 54.0 gr
Starting Velocity: 2,690
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,885
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 54.0 gr
Starting Velocity: 2,690
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,885
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 54.0 gr
Starting Velocity: 2,690
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,885
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 54.0 gr
Starting Velocity: 2,690
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,885
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 54.0 gr
Starting Velocity: 2,633
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,840
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 54.0 gr
Starting Velocity: 2,633
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,840
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 54.0 gr
Starting Velocity: 2,633
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,840
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.160"
Starting Powder: 54.0 gr
Starting Velocity: 2,633
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,840
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.045"
Starting Powder: 55.0 gr
Starting Velocity: 2,541
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,800
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 55.0 gr
Starting Velocity: 2,541
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,800
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 55.0 gr
Starting Velocity: 2,541
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,800
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 55.0 gr
Starting Velocity: 2,541
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,800
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 42.0 gr
Starting Velocity: 2,451
Starting Pressure:
Max Powder: 46.0 gr
Max Velocity: 2,601
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 42.0 gr
Starting Velocity: 2,451
Starting Pressure:
Max Powder: 46.0 gr
Max Velocity: 2,601
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 42.0 gr
Starting Velocity: 2,451
Starting Pressure:
Max Powder: 46.0 gr
Max Velocity: 2,601
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: H4895 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 42.0 gr
Starting Velocity: 2,451
Starting Pressure:
Max Powder: 46.0 gr
Max Velocity: 2,601
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 49.0 gr
Starting Velocity: 2,587
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,817
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 49.0 gr
Starting Velocity: 2,587
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,817
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 49.0 gr
Starting Velocity: 2,587
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,817
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 49.0 gr
Starting Velocity: 2,587
Starting Pressure:
Max Powder: 53.0 gr
Max Velocity: 2,817
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 48.0 gr
Starting Velocity: 2,547
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,772
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 48.0 gr
Starting Velocity: 2,547
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,772
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 48.0 gr
Starting Velocity: 2,547
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,772
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 48.0 gr
Starting Velocity: 2,547
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 2,772
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 55.0 gr
Starting Velocity: 2,620
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,872
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 55.0 gr
Starting Velocity: 2,620
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,872
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 55.0 gr
Starting Velocity: 2,620
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,872
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 55.0 gr
Starting Velocity: 2,620
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,872
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 54.5 gr
Starting Velocity: 2,700
Starting Pressure:
Max Powder: 60.4 gr
Max Velocity: 2,933
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 54.5 gr
Starting Velocity: 2,700
Starting Pressure:
Max Powder: 60.4 gr
Max Velocity: 2,933
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 54.5 gr
Starting Velocity: 2,700
Starting Pressure:
Max Powder: 60.4 gr
Max Velocity: 2,933
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 54.5 gr
Starting Velocity: 2,700
Starting Pressure:
Max Powder: 60.4 gr
Max Velocity: 2,933
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 45.5 gr
Starting Velocity: 2,543
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,756
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 45.5 gr
Starting Velocity: 2,543
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,756
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 45.5 gr
Starting Velocity: 2,543
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,756
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.160"
Starting Powder: 45.5 gr
Starting Velocity: 2,543
Starting Pressure:
Max Powder: 49.5 gr
Max Velocity: 2,756
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: N540 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.045"
Starting Powder: 45.0 gr
Starting Velocity: 2,664
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,767
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: N540 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 45.0 gr
Starting Velocity: 2,664
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,767
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: N540 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 45.0 gr
Starting Velocity: 2,664
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,767
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: N540 (Vihtavuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 45.0 gr
Starting Velocity: 2,664
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,767
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: SPFN Hot-Cor (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.045"
Starting Powder: 53.0 gr
Starting Velocity: 2,558
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,814
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 53.0 gr
Starting Velocity: 2,558
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,814
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 53.0 gr
Starting Velocity: 2,558
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,814
Max Pressure:
Source: [Speer](#)



GR.: 150 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 53.0 gr
Starting Velocity: 2,558
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,814
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 42.0 gr
Starting Velocity: 2,354
Starting Pressure:
Max Powder: 46.0 gr
Max Velocity: 2,624
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 42.0 gr
Starting Velocity: 2,354
Starting Pressure:
Max Powder: 46.0 gr
Max Velocity: 2,624
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 2520 (Accurate)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 42.0 gr
Starting Velocity: 2,354
Starting Pressure:
Max Powder: 46.0 gr
Max Velocity: 2,624
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 53.6 gr
Starting Velocity: 2,622
Starting Pressure:
Max Powder: 59.5 gr
Max Velocity: 2,870
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 53.6 gr
Starting Velocity: 2,622
Starting Pressure:
Max Powder: 59.5 gr
Max Velocity: 2,870
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 53.6 gr
Starting Velocity: 2,622
Starting Pressure:
Max Powder: 59.5 gr
Max Velocity: 2,870
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 57.4 gr
Starting Velocity: 2,803
Starting Pressure:
Max Powder: 63.4 gr
Max Velocity: 2,974
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 57.4 gr
Starting Velocity: 2,803
Starting Pressure:
Max Powder: 63.4 gr
Max Velocity: 2,974
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 57.4 gr
Starting Velocity: 2,803
Starting Pressure:
Max Powder: 63.4 gr
Max Velocity: 2,974
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 47.2 gr
Starting Velocity: 2,628
Starting Pressure:
Max Powder: 52.2 gr
Max Velocity: 2,851
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 47.2 gr
Starting Velocity: 2,628
Starting Pressure:
Max Powder: 52.2 gr
Max Velocity: 2,851
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 47.2 gr
Starting Velocity: 2,628
Starting Pressure:
Max Powder: 52.2 gr
Max Velocity: 2,851
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 54.8 gr
Starting Velocity: 2,705
Starting Pressure:
Max Powder: 60.8 gr
Max Velocity: 2,943
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 54.8 gr
Starting Velocity: 2,705
Starting Pressure:
Max Powder: 60.8 gr
Max Velocity: 2,943
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 54.8 gr
Starting Velocity: 2,705
Starting Pressure:
Max Powder: 60.8 gr
Max Velocity: 2,943
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 52.0 gr
Starting Velocity: 2,733
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,936
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 52.0 gr
Starting Velocity: 2,733
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,936
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 52.0 gr
Starting Velocity: 2,733
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,936
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 51.9 gr
Starting Velocity: 2,678
Starting Pressure:
Max Powder: 56.5 gr
Max Velocity: 2,879
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 51.9 gr
Starting Velocity: 2,678
Starting Pressure:
Max Powder: 56.5 gr
Max Velocity: 2,879
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.:](#) 3.165"
Starting Powder: 51.9 gr
Starting Velocity: 2,678
Starting Pressure:
Max Powder: 56.5 gr
Max Velocity: 2,879
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 55.0 gr
Starting Velocity: 2,372
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,644
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 55.0 gr
Starting Velocity: 2,372
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,644
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.165"
Starting Powder: 55.0 gr
Starting Velocity: 2,372
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,644
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 22 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 58.0 gr
Starting Velocity: 2,530
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,759
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 22 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 58.0 gr
Starting Velocity: 2,530
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,759
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder 22 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 58.0 gr
Starting Velocity: 2,530
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,759
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 51.0 gr
Starting Velocity: 2,544
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,740
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 51.0 gr
Starting Velocity: 2,544
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,740
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 51.0 gr
Starting Velocity: 2,544
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,740
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 52.0 gr
Starting Velocity: 2,520
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,757
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 52.0 gr
Starting Velocity: 2,520
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,757
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 52.0 gr
Starting Velocity: 2,520
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,757
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 54.0 gr
Starting Velocity: 2,489
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,758
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 54.0 gr
Starting Velocity: 2,489
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,758
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 54.0 gr
Starting Velocity: 2,489
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,758
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: H4831SC (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 60.0 gr
Starting Velocity: 2,534
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,808
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: H4831SC (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 60.0 gr
Starting Velocity: 2,534
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,808
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: H4831SC (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 60.0 gr
Starting Velocity: 2,534
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,808
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 46.0 gr
Starting Velocity: 2,462
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,703
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 46.0 gr
Starting Velocity: 2,462
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,703
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 46.0 gr
Starting Velocity: 2,462
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,703
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 46.5 gr
Starting Velocity: 2,433
Starting Pressure:
Max Powder: 50.5 gr
Max Velocity: 2,671
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 46.5 gr
Starting Velocity: 2,433
Starting Pressure:
Max Powder: 50.5 gr
Max Velocity: 2,671
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 46.5 gr
Starting Velocity: 2,433
Starting Pressure:
Max Powder: 50.5 gr
Max Velocity: 2,671
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 54.0 gr
Starting Velocity: 2,501
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,782
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 54.0 gr
Starting Velocity: 2,501
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,782
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 54.0 gr
Starting Velocity: 2,501
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,782
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 55.0 gr
Starting Velocity: 2,442
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,702
Max Pressure:
Source: [Speed](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 55.0 gr
Starting Velocity: 2,442
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,702
Max Pressure:
Source: [Speed](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.165"
Starting Powder: 55.0 gr
Starting Velocity: 2,442
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,702
Max Pressure:
Source: [Speed](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: N140 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 46.0 gr
Starting Velocity: 2,490
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,695
Max Pressure:
Source: [Speed](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: N140 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.:](#) 3.250"
Starting Powder: 46.0 gr
Starting Velocity: 2,490
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,695
Max Pressure:
Source: [Speed](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: N140 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 46.0 gr
Starting Velocity: 2,490
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,695
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: N540 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 43.0 gr
Starting Velocity: 2,598
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 2,774
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: N540 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 43.0 gr
Starting Velocity: 2,598
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 2,774
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: N540 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 43.0 gr
Starting Velocity: 2,598
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 2,774
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 53.0 gr
Starting Velocity: 2,631
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,840
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 53.0 gr
Starting Velocity: 2,631
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,840
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.165"
Starting Powder: 53.0 gr
Starting Velocity: 2,631
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,840
Max Pressure:
Source: [Speer](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 43.1 gr
Starting Velocity: 2,590
Starting Pressure:
Max Powder: 47.7 gr
Max Velocity: 2,787
Max Pressure:
Source: [Speer](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 52.9 gr
Starting Velocity: 2,725
Starting Pressure:
Max Powder: 58.6 gr
Max Velocity: 2,952
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 51.0 gr
Starting Velocity: 2,626
Starting Pressure:
Max Powder: 56.7 gr
Max Velocity: 2,886
Max Pressure:
Source: [Speer](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 57.0 gr
Starting Velocity: 2,489
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 2,730
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: H380 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 51.0 gr
Starting Velocity: 2,479
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,770
Max Pressure:
Source: [Speer](#) [A](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 50.0 gr
Starting Velocity: 2,453
Starting Pressure:
Max Powder: 54.0 gr
Max Velocity: 2,664
Max Pressure:
Source: [Speer](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 56.0 gr
Starting Velocity: 2,591
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,831
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: H4831 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 57.0 gr
Starting Velocity: 2,450
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 2,693
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 45.0 gr
Starting Velocity: 2,389
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,577
Max Pressure:
Source: [Speer](#) [A](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 55.0 gr
Starting Velocity: 2,586
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,818
Max Pressure:
Source: [Speer](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: IMR 4451 (Improved Military Rifle)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.295"
Starting Powder: 52.3 gr
Starting Velocity: 2,633
Starting Pressure:
Max Powder: 58.1 gr
Max Velocity: 2,857
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.: 3.295"](#)
Starting Powder: 56.0 gr
Starting Velocity: 2,398
Starting Pressure:
Max Powder: 60.0 gr
Max Velocity: 2,664
Max Pressure:
Source: [Speer](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.: 3.295"](#)
Starting Powder: 44.0 gr
Starting Velocity: 2,461
Starting Pressure:
Max Powder: 48.0 gr
Max Velocity: 2,635
Max Pressure:
Source: [Speer](#) ▲



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: IMR 7828 (Improved Military Rifle)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.: 3.295"](#)
Starting Powder: 58.0 gr
Starting Velocity: 2,575
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,739
Max Pressure:
Source: [Speer](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: NI60 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.: 3.295"](#)
Starting Powder: 57.0 gr
Starting Velocity: 2,610
Starting Pressure:
Max Powder: 61.0 gr
Max Velocity: 2,863
Max Pressure:
Source: [Speer](#)



GR.: 168 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.: 3.295"](#)
Starting Powder: 50.0 gr
Starting Velocity: 2,411
Starting Pressure:
Max Powder: 54.0 gr
Max Velocity: 2,658
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.: 3.250"](#)
Starting Powder: 53.0 gr
Starting Velocity: 2,469
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,645
Max Pressure:
Source: [Speer](#) C



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.: 3.160"](#)
Starting Powder: 53.0 gr
Starting Velocity: 2,469
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,645
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 4350 (Accurate)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.: 3.160"](#)
Starting Powder: 53.0 gr
Starting Velocity: 2,469
Starting Pressure:
Max Powder: 57.0 gr
Max Velocity: 2,645
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.: 3.250"](#)
Starting Powder: 54.1 gr
Starting Velocity: 2,592
Starting Pressure:
Max Powder: 59.2 gr
Max Velocity: 2,797
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.: 3.160"](#)
Starting Powder: 54.1 gr
Starting Velocity: 2,592
Starting Pressure:
Max Powder: 59.2 gr
Max Velocity: 2,797
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Hunter (Ramshot)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.: 3.160"](#)
Starting Powder: 54.1 gr
Starting Velocity: 2,592
Starting Pressure:
Max Powder: 59.2 gr
Max Velocity: 2,797
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 45.0 gr
Starting Velocity: 2,445
Starting Pressure:
Max Powder: 49.8 gr
Max Velocity: 2,666
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 45.0 gr
Starting Velocity: 2,445
Starting Pressure:
Max Powder: 49.8 gr
Max Velocity: 2,666
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 45.0 gr
Starting Velocity: 2,445
Starting Pressure:
Max Powder: 49.8 gr
Max Velocity: 2,666
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 51.4 gr
Starting Velocity: 2,552
Starting Pressure:
Max Powder: 57.1 gr
Max Velocity: 2,764
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 51.4 gr
Starting Velocity: 2,552
Starting Pressure:
Max Powder: 57.1 gr
Max Velocity: 2,764
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 51.4 gr
Starting Velocity: 2,552
Starting Pressure:
Max Powder: 57.1 gr
Max Velocity: 2,764
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 45.0 gr
Starting Velocity: 2,434
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,579
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 45.0 gr
Starting Velocity: 2,434
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,579
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 45.0 gr
Starting Velocity: 2,434
Starting Pressure:
Max Powder: 49.0 gr
Max Velocity: 2,579
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 49.8 gr
Starting Velocity: 2,545
Starting Pressure:
Max Powder: 55.2 gr
Max Velocity: 2,770
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 49.8 gr
Starting Velocity: 2,545
Starting Pressure:
Max Powder: 55.2 gr
Max Velocity: 2,770
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder 16 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 49.8 gr
Starting Velocity: 2,545
Starting Pressure:
Max Powder: 55.2 gr
Max Velocity: 2,770
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 49.0 gr
Starting Velocity: 2,522
Starting Pressure:
Max Powder: 54.4 gr
Max Velocity: 2,732
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 49.0 gr
Starting Velocity: 2,522
Starting Pressure:
Max Powder: 54.4 gr
Max Velocity: 2,732
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder 17 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 49.0 gr
Starting Velocity: 2,522
Starting Pressure:
Max Powder: 54.4 gr
Max Velocity: 2,732
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 55.0 gr
Starting Velocity: 2,483
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,671
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 55.0 gr
Starting Velocity: 2,483
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,671
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder 19 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 55.0 gr
Starting Velocity: 2,483
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,671
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder Z2 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 58.0 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,755
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder Z2 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 58.0 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,755
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder Z2 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 58.0 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,755
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: Reloder Z3 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 53.2 gr
Starting Velocity: 2,503
Starting Pressure:
Max Powder: 59.9 gr
Max Velocity: 2,769
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: Reloder Z3 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 53.2 gr
Starting Velocity: 2,503
Starting Pressure:
Max Powder: 59.9 gr
Max Velocity: 2,769
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: Reloder Z3 (Alliant Powder)
Primer: [FED 210](#)
Case: FED
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 53.2 gr
Starting Velocity: 2,503
Starting Pressure:
Max Powder: 59.9 gr
Max Velocity: 2,769
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.: 3.250"](#)
Starting Powder: 51.0 gr
Starting Velocity: 2,573
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,705
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.: 3.160"](#)
Starting Powder: 51.0 gr
Starting Velocity: 2,573
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,705
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: H414 (Hodgdon)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.: 3.160"](#)
Starting Powder: 51.0 gr
Starting Velocity: 2,573
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,705
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.: 3.250"](#)
Starting Powder: 54.0 gr
Starting Velocity: 2,671
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,791
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.: 3.160"](#)
Starting Powder: 54.0 gr
Starting Velocity: 2,671
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,791
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: H4350 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 54.0 gr
Starting Velocity: 2,671
Starting Pressure:
Max Powder: 58.0 gr
Max Velocity: 2,791
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: H4831SC (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 60.0 gr
Starting Velocity: 2,610
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,753
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: H4831SC (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 60.0 gr
Starting Velocity: 2,610
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,753
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: H4831SC (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 60.0 gr
Starting Velocity: 2,610
Starting Pressure:
Max Powder: 62.0 gr
Max Velocity: 2,753
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 46.0 gr
Starting Velocity: 2,612
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,791
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 46.0 gr
Starting Velocity: 2,612
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,791
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 46.0 gr
Starting Velocity: 2,612
Starting Pressure:
Max Powder: 50.0 gr
Max Velocity: 2,791
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 52.0 gr
Starting Velocity: 2,523
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,670
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 52.0 gr
Starting Velocity: 2,523
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,670
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: IMR 4350 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 52.0 gr
Starting Velocity: 2,523
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,670
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 55.0 gr
Starting Velocity: 2,572
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,716
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 55.0 gr
Starting Velocity: 2,572
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,716
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: IMR 4831 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 55.0 gr
Starting Velocity: 2,572
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 2,716
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 43.0 gr
Starting Velocity: 2,387
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 2,564
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 43.0 gr
Starting Velocity: 2,387
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 2,564
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 43.0 gr
Starting Velocity: 2,387
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 2,564
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: NI60 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 52.0 gr
Starting Velocity: 2,351
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,584
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: NI60 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 52.0 gr
Starting Velocity: 2,351
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,584
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: N160 (VihtaVuori)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 52.0 gr
Starting Velocity: 2,351
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 2,584
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer BTSP (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.250"
Starting Powder: 51.0 gr
Starting Velocity: 2,567
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,709
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Spitzer SP Hot-Cor (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 51.0 gr
Starting Velocity: 2,567
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,709
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: Grand Slam SP/CANN (Speer) Diameter: 0.308"
Powder: 760 (Winchester)
Primer: [CCI 250 Mag](#)
Case: WIN
Trim Length:
[C.O.L.](#): 3.160"
Starting Powder: 51.0 gr
Starting Velocity: 2,567
Starting Pressure:
Max Powder: 55.0 gr
Max Velocity: 2,709
Max Pressure:
Source: [Speer](#)