

.357 Magnum - Published Manufacturer Loading Data

Shellholders:	Lee #1	Lyman #1	RCBS #6
Recipe Type: ☒ Pistol ☐ Rifle ☐ Cowboy			
Bullet Weight: ☒ ALL ☒ 90 gr ☒ 105 gr ☒ 110 gr ☒ 120 gr ☒ 125 gr ☒ 130 gr ☒ 135 gr ☒ 140 gr ...		GR.: 90 gr Bullet Type: LRNFP (CPB) Diameter: 0.359" Powder: Clays (Hodgdon) Primer: WIN WSPM Case: WIN Trim Length: 1.285" C.O.L. : 1.560" Starting Powder: 2.7 gr Starting Velocity: 780 Starting Pressure: 6,000 Max Powder: 3.5 gr Max Velocity: 1,106 Max Pressure: 12,500 CUP Source: Hodgdon 	
Powder: ☒ ALL ☒ Accurate 4100 ☒ Accurate No. 11 FS ☒ Accurate No. 2 ☒ Accurate No. 5 ☒ Accurate No. 7 ☒ Accurate No. 9 ☒ Accurate Solo 1000 ☒ Accurate TCM		GR.: 90 gr Bullet Type: LRNFP (CPB) Diameter: 0.359" Powder: Tite Group (Hodgdon) Primer: WIN WSPM Case: WIN Trim Length: 1.285" C.O.L. : 1.560" Starting Powder: 3.0 gr Starting Velocity: 850 Starting Pressure: 6,300 Max Powder: 4.0 gr Max Velocity: 1,107 Max Pressure: 9,000 CUP Source: Hodgdon 	
Recipe Source: ☒ ALL ☒ Alliant Powder ☒ Barnes ☒ Campro ☒ Hodgdon ☒ Shooters World ☒ Speer ☒ VihtaVuori		GR.: 90 gr Bullet Type: LRNFP (CPB) Diameter: 0.359" Powder: Trail Boss (Hodgdon) Primer: WIN WSPM Case: WIN Trim Length: 1.285" C.O.L. : 1.560" Starting Powder: 3.5 gr Starting Velocity: 969 Starting Pressure: 6,800 Max Powder: 5.0 gr Max Velocity: 1,121 Max Pressure: 10,700 CUP Source: Hodgdon 	
			
		GR.: 105 gr Bullet Type: RAPTOR (CEB) Diameter: 0.357" Powder: CFE Pistol (Hodgdon) Primer: WIN WSPM Case: WIN Trim Length: 1.285" C.O.L. : 1.570" Starting Powder: 6.8 gr Starting Velocity: 1,268 Starting Pressure: 22,800 Max Powder: 8.2 gr Max Velocity: 1,526 Max Pressure: 32,500 Source: Hodgdon 	
			
		GR.: 105 gr Bullet Type: RAPTOR (CEB) Diameter: 0.357" Powder: H110 (Hodgdon) Primer: WIN WSPM Case: WIN Trim Length: 1.285" C.O.L. : 1.570" Starting Powder: 15.0 gr Starting Velocity: 1,460 Starting Pressure: 22,800 Max Powder: 18.0 gr Max Velocity: 1,763 Max Pressure: 29,400 Source: Hodgdon 	



GR.: 105 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 8.8 gr
Starting Velocity: 1,234
Starting Pressure: 22,100
Max Powder: 10.4 gr
Max Velocity: 1,563
Max Pressure: 32,000
Source: [Hodgdon](#)



GR.: 105 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.357"
Powder: Lil'Gun (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 16.0 gr
Starting Velocity: 1,559
Starting Pressure: 19,600
Max Powder: 18.0 gr
Max Velocity: 1,663
Max Pressure: 22,100
Source: [Hodgdon](#)



GR.: 105 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 7.8 gr
Starting Velocity: 1,372
Starting Pressure: 25,600
Max Powder: 8.9 gr
Max Velocity: 1,562
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 105 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 5.1 gr
Starting Velocity: 1,023
Starting Pressure: 24,900
Max Powder: 6.1 gr
Max Velocity: 1,295
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 105 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.357"
Powder: IMR 4227 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 14.0 gr
Starting Velocity: 1,124
Starting Pressure: 23,500
Max Powder: 17.0 gr
Max Velocity: 1,449
Max Pressure: 31,000
Source: [Hodgdon](#)



GR.: 105 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 15.0 gr
Starting Velocity: 1,460
Starting Pressure: 22,800
Max Powder: 18.0 gr
Max Velocity: 1,763
Max Pressure: 29,400
Source: [Hodgdon](#)



GR.: 105 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 7.0 gr
Starting Velocity: 1,263
Starting Pressure: 23,100
Max Powder: 8.2 gr
Max Velocity: 1,534
Max Pressure: 31,800
Source: [Hodgdon](#)



GR.: 105 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.357"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 7.1 gr
Starting Velocity: 1,255
Starting Pressure: 22,400
Max Powder: 8.4 gr
Max Velocity: 1,504
Max Pressure: 31,800
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: No. 2 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 7.2 gr
Starting Velocity: 1,227
Starting Pressure: 29,600
Max Powder: 8.4 gr
Max Velocity: 1,374
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: No. 5 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 9.9 gr
Starting Velocity: 1,355
Starting Pressure: 29,200
Max Powder: 11.0 gr
Max Velocity: 1,540
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 11.6 gr
Starting Velocity: 1,362
Starting Pressure: 29,200
Max Powder: 12.9 gr
Max Velocity: 1,548
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.357"
Powder: No. 9 (Accurate)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.630"
Starting Powder: 14.5 gr
Starting Velocity: 1,758
Starting Pressure:
Max Powder: 16.0 gr
Max Velocity: 1,890
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 15.3 gr
Starting Velocity: 1,478
Starting Pressure: 30,900
Max Powder: 16.9 gr
Max Velocity: 1,677
Max Pressure: 34,100
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.357"
Powder: Enforcer (Ramshot)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.630"
Starting Powder: 18.7 gr
Starting Velocity: 1,947
Starting Pressure:
Max Powder: 20.2 gr
Max Velocity: 2,099
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: Zip (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.578"
Starting Powder: 7.7 gr
Starting Velocity: 1,373
Starting Pressure: 28,700
Max Powder: 8.6 gr
Max Velocity: 1,525
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.357"
Powder: 2400 (Alliant Powder)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.630"
Starting Powder: 14.7 gr
Starting Velocity: 1,760
Starting Pressure:
Max Powder: 16.2 gr
Max Velocity: 1,878
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 110 gr
Bullet Type: UCHP (Speer) Diameter:
Powder: 2400 (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 17.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 19.5 gr
Max Velocity: 1,670
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 110 gr
Bullet Type: JHP Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.550"
Starting Powder: 8.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.6 gr
Max Velocity: 1,324
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 110 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.357"
Powder: Blue Dot (Alliant Powder)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.630"
Starting Powder: 10.9 gr
Starting Velocity: 1,654
Starting Pressure:
Max Powder: 12.4 gr
Max Velocity: 1,810
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 110 gr
Bullet Type: UCHP (Speer) Diameter:
Powder: Blue Dot (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 14.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 16.0 gr
Max Velocity: 1,680
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 110 gr
Bullet Type: UCHP (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 7.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.7 gr
Max Velocity: 1,403
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 110 gr
Bullet Type: UCHP (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 9.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 10.5 gr
Max Velocity: 1,451
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 110 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.357"
Powder: Steel (Alliant Powder)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.630"
Starting Powder: 11.9 gr
Starting Velocity: 1,698
Starting Pressure:
Max Powder: 13.4 gr
Max Velocity: 1,862
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 110 gr
Bullet Type: UCHP (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 8.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.7 gr
Max Velocity: 1,447
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 110 gr
Bullet Type: XTP (HDT) Diameter: 0.357"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 5.0 gr
Starting Velocity: 1,254
Starting Pressure: 18,600
Max Powder: 7.0 gr
Max Velocity: 1,556
Max Pressure: 30,600
Source: [Hodgdon](#) ⓘ



GR.: 110 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.357"
Powder: 800-X (Hodgdon)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.630"
Starting Powder: 8.5 gr
Starting Velocity: 1,507
Starting Pressure:
Max Powder: 10.0 gr
Max Velocity: 1,777
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 7.3 gr
Starting Velocity: 1,452
Starting Pressure: 23,300
Max Powder: 8.5 gr
Max Velocity: 1,641
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.630"
Starting Powder: 20.5 gr
Starting Velocity: 1,984
Starting Pressure:
Max Powder: 22.0 gr
Max Velocity: 2,071
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 22.0 gr
Starting Velocity: 1,992
Starting Pressure: 32,400
Max Powder: 23.0 gr
Max Velocity: 2,078
Max Pressure: 37,200 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: H4227 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 18.9 gr
Starting Velocity: 1,774
Starting Pressure: 29,600
Max Powder: 21.0 gr
Max Velocity: 1,900
Max Pressure: 35,500 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 8.0 gr
Starting Velocity: 1,541
Starting Pressure: 36,200
Max Powder: 9.0 gr
Max Velocity: 1,652
Max Pressure: 42,500 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 10.3 gr
Starting Velocity: 1,614
Starting Pressure: 32,600
Max Powder: 11.5 gr
Max Velocity: 1,776
Max Pressure: 42,300 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.357"
Powder: Lil'Gun (Hodgdon)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.630"
Starting Powder: 19.3 gr
Starting Velocity: 1,950
Starting Pressure:
Max Powder: 20.8 gr
Max Velocity: 2,096
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 9.5 gr
Starting Velocity: 1,676
Starting Pressure: 33,700
Max Powder: 10.5 gr
Max Velocity: 1,800
Max Pressure: 42,400 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 7.2 gr
Starting Velocity: 1,509
Starting Pressure: 35,000
Max Powder: 8.0 gr
Max Velocity: 1,614
Max Pressure: 41,500 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 7.5 gr
Starting Velocity: 1,465
Starting Pressure: 35,100
Max Powder: 8.0 gr
Max Velocity: 1,536
Max Pressure: 40,000 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 4.5 gr
Starting Velocity: 1,087
Starting Pressure: 15,200
Max Powder: 6.5 gr
Max Velocity: 1,418
Max Pressure: 32,200
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.5 gr
Starting Velocity: 1,292
Starting Pressure: 18,500
Max Powder: 8.5 gr
Max Velocity: 1,574
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.0 gr
Starting Velocity: 1,272
Starting Pressure: 18,800
Max Powder: 8.2 gr
Max Velocity: 1,544
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: HP/XTP (HDY) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 10.5 gr
Starting Velocity: 1,627
Starting Pressure:
Max Powder: 11.3 gr
Max Velocity: 1,701
Max Pressure:
Source: [VihtaVuori](#)



GR.: 110 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 9.6 gr
Starting Velocity: 1,555
Starting Pressure:
Max Powder: 11.8 gr
Max Velocity: 1,775
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 110 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: N105 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 12.3 gr
Starting Velocity: 1,693
Starting Pressure:
Max Powder: 16.7 gr
Max Velocity: 1,995
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 110 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.357"
Powder: N110 (VihtaVuori)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.630"
Starting Powder: 15.5 gr
Starting Velocity: 1,829
Starting Pressure:
Max Powder: 17.0 gr
Max Velocity: 1,952
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 110 gr
Bullet Type: HP/XTP (HBT) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 18.5 gr
Starting Velocity: 1,716
Starting Pressure:
Max Powder: 20.8 gr
Max Velocity: 2,006
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲ ⓘ



GR.: 110 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 18.2 gr
Starting Velocity: 1,765
Starting Pressure:
Max Powder: 19.0 gr
Max Velocity: 1,854
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲ ⓘ



GR.: 110 gr
Bullet Type: HP/XTP (HDT) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 6.6 gr
Starting Velocity: 1,355
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 1,402
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 110 gr
Bullet Type: HP/XTP (HDT) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 7.9 gr
Starting Velocity: 1,460
Starting Pressure:
Max Powder: 8.3 gr
Max Velocity: 1,516
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 110 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 7.4 gr
Starting Velocity: 1,424
Starting Pressure:
Max Powder: 8.8 gr
Max Velocity: 1,604
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 110 gr
Bullet Type: HP/XTP (HDT) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 9.3 gr
Starting Velocity: 1,558
Starting Pressure:
Max Powder: 9.8 gr
Max Velocity: 1,639
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 110 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 8.6 gr
Starting Velocity: 1,506
Starting Pressure:
Max Powder: 10.3 gr
Max Velocity: 1,713
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 110 gr
Bullet Type: HP/XTP (HDV) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 10.6 gr
Starting Velocity: 1,631
Starting Pressure:
Max Powder: 11.2 gr
Max Velocity: 1,697
Max Pressure:
Source: [VihtaVuori](#)



GR.: 110 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: 231 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 8.0 gr
Starting Velocity: 1,541
Starting Pressure: 36,200
Max Powder: 9.0 gr
Max Velocity: 1,652
Max Pressure: 42,500 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.8 gr
Starting Velocity: 1,413
Starting Pressure: 25,500
Max Powder: 7.9 gr
Max Velocity: 1,577
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.630"
Starting Powder: 20.5 gr
Starting Velocity: 1,931
Starting Pressure:
Max Powder: 22.0 gr
Max Velocity: 2,036
Max Pressure:
Source: [Barnes](#)



GR.: 110 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 22.0 gr
Starting Velocity: 1,992
Starting Pressure: 32,400
Max Powder: 23.0 gr
Max Velocity: 2,078
Max Pressure: 37,200 CUP
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 8.1 gr
Starting Velocity: 1,500
Starting Pressure: 23,100
Max Powder: 9.8 gr
Max Velocity: 1,744
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 7.7 gr
Starting Velocity: 1,483
Starting Pressure: 23,900
Max Powder: 8.6 gr
Max Velocity: 1,631
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 110 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 4.0 gr
Starting Velocity: 1,006
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 1,619
Max Pressure: 33,641
Source: [ShootersWorld](#)



GR.: 110 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 4.0 gr
Starting Velocity: 884
Starting Pressure:
Max Powder: 8.9 gr
Max Velocity: 1,684
Max Pressure: 34,351
Source: [ShootersWorld](#)



GR.: 110 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 5.5 gr
Starting Velocity: 984
Starting Pressure:
Max Powder: 10.9 gr
Max Velocity: 1,739
Max Pressure: 34,780
Source: [ShootersWorld](#)



GR.: 110 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.570"
Starting Powder: 7.0 gr
Starting Velocity: 1,113
Starting Pressure:
Max Powder: 12.8 gr
Max Velocity: 1,793
Max Pressure: 34,564
Source: [Shooters World](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.357"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.8 gr
Starting Velocity: 1,149
Starting Pressure: 23,300
Max Powder: 8.2 gr
Max Velocity: 1,419
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 16.0 gr
Starting Velocity: 1,492
Starting Pressure: 25,300
Max Powder: 18.3 gr
Max Velocity: 1,736
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 9.3 gr
Starting Velocity: 1,242
Starting Pressure: 23,800
Max Powder: 10.8 gr
Max Velocity: 1,522
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.357"
Powder: Lil'Gun (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 17.0 gr
Starting Velocity: 1,496
Starting Pressure: 22,200
Max Powder: 19.0 gr
Max Velocity: 1,660
Max Pressure: 24,100
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 7.5 gr
Starting Velocity: 1,202
Starting Pressure: 24,000
Max Powder: 9.0 gr
Max Velocity: 1,492
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.2 gr
Starting Velocity: 905
Starting Pressure: 24,100
Max Powder: 6.2 gr
Max Velocity: 1,159
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.357"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.2 gr
Starting Velocity: 1,008
Starting Pressure: 24,800
Max Powder: 7.3 gr
Max Velocity: 1,278
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.357"
Powder: IMR 4227 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 15.0 gr
Starting Velocity: 1,205
Starting Pressure: 25,900
Max Powder: 17.4 gr
Max Velocity: 1,452
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.357"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.5 gr
Starting Velocity: 996
Starting Pressure: 22,400
Max Powder: 6.8 gr
Max Velocity: 1,292
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 16.0 gr
Starting Velocity: 1,492
Starting Pressure: 25,300
Max Powder: 18.3 gr
Max Velocity: 1,736
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.8 gr
Starting Velocity: 1,121
Starting Pressure: 22,800
Max Powder: 8.4 gr
Max Velocity: 1,428
Max Pressure: 32,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.0 gr
Starting Velocity: 1,069
Starting Pressure: 13,500
Max Powder: 5.5 gr
Max Velocity: 1,311
Max Pressure: 21,800
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.6 gr
Starting Velocity: 1,375
Starting Pressure: 22,400
Max Powder: 7.6 gr
Max Velocity: 1,514
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.0 gr
Starting Velocity: 1,034
Starting Pressure: 13,900
Max Powder: 6.0 gr
Max Velocity: 1,325
Max Pressure: 29,900
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.0 gr
Starting Velocity: 1,034
Starting Pressure: 11,700
Max Powder: 7.0 gr
Max Velocity: 1,378
Max Pressure: 24,500
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.0 gr
Starting Velocity: 1,110
Starting Pressure: 15,000
Max Powder: 6.5 gr
Max Velocity: 1,339
Max Pressure: 24,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.0 gr
Starting Velocity: 1,308
Starting Pressure: 21,100
Max Powder: 7.0 gr
Max Velocity: 1,451
Max Pressure: 27,200
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 7.0 gr
Starting Velocity: 1,352
Starting Pressure: 19,900
Max Powder: 8.0 gr
Max Velocity: 1,516
Max Pressure: 26,600
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.5 gr
Starting Velocity: 1,311
Starting Pressure: 20,600
Max Powder: 7.5 gr
Max Velocity: 1,456
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Lead LC coated (ACME) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.500"
Starting Powder: 4.0 gr
Starting Velocity: 1,059
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 1,524
Max Pressure: 34,190
Source: [ShootersWorld](#)



GR.: 125 gr
Bullet Type: Lead LC COATED (ACME) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.500"
Starting Powder: 4.0 gr
Starting Velocity: 953
Starting Pressure:
Max Powder: 8.4 gr
Max Velocity: 1,600
Max Pressure: 34,411
Source: [ShootersWorld](#)



GR.: 125 gr
Bullet Type: Lead LC COATED (ACME) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.500"
Starting Powder: 5.5 gr
Starting Velocity: 1,045
Starting Pressure:
Max Powder: 11.0 gr
Max Velocity: 1,732
Max Pressure: 32,097
Source: [ShootersWorld](#)



GR.: 125 gr
Bullet Type: Lead LC COATED (ACME) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.500"
Starting Powder: 6.5 gr
Starting Velocity: 956
Starting Pressure:
Max Powder: 11.7 gr
Max Velocity: 1,693
Max Pressure: 34,523
Source: [ShootersWorld](#)



GR.: 125 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.357"
Powder: No. 2 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.560"
Starting Powder: 6.7 gr
Starting Velocity: 1,125
Starting Pressure: 29,200
Max Powder: 7.9 gr
Max Velocity: 1,270
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.357"
Powder: No. 5 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.560"
Starting Powder: 8.4 gr
Starting Velocity: 1,238
Starting Pressure: 29,500
Max Powder: 9.9 gr
Max Velocity: 1,393
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.357"
Powder: Solo 1000 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.560"
Starting Powder: 6.3 gr
Starting Velocity: 1,077
Starting Pressure: 29,100
Max Powder: 7.4 gr
Max Velocity: 1,213
Max Pressure: 34,200
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.357"
Powder: Zip (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.560"
Starting Powder: 6.2 gr
Starting Velocity: 1,097
Starting Pressure: 29,600
Max Powder: 7.3 gr
Max Velocity: 1,263
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 2400 (Alliant Powder)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 14.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 16.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Blue Dot (Alliant Powder)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 10.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 12.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Unique (Alliant Powder)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 7.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.4 gr
Max Velocity:
Max Pressure:
Source: [Camparo](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: CFE Pistol (Hodgdon)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 6.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity:
Max Pressure:
Source: [Camparo](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: H110 (Hodgdon)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 19.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 21.0 gr
Max Velocity:
Max Pressure:
Source: [Camparo](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HP-38 (Hodgdon)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 7.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.5 gr
Max Velocity:
Max Pressure:
Source: [Camparo](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HS-6 (Hodgdon)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 9.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 10.9 gr
Max Velocity:
Max Pressure:
Source: [Camparo](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Tite Group (Hodgdon)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 6.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity:
Max Pressure:
Source: [Campco](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: IMR 4227 (Improved Military Rifle)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 18.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 20.0 gr
Max Velocity:
Max Pressure:
Source: [Campco](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 14.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 17.5 gr
Max Velocity:
Max Pressure:
Source: [Campco](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 8.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity:
Max Pressure:
Source: [Campco](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Ba7 1/2 (Vectan)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 8.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 10.2 gr
Max Velocity:
Max Pressure:
Source: [Campco](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Ba6 1/2 (Vectan)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 14.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 18.4 gr
Max Velocity:
Max Pressure:
Source: [Campiro](#)



GR.: 125 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: A1 (Vectan)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 6.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.6 gr
Max Velocity:
Max Pressure:
Source: [Campiro](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: 4100 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 14.7 gr
Starting Velocity: 1,372
Starting Pressure: 30,600
Max Powder: 16.4 gr
Max Velocity: 1,525
Max Pressure: 34,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 4100 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 16.1 gr
Starting Velocity: 1,485
Starting Pressure: 28,900
Max Powder: 17.9 gr
Max Velocity: 1,650
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: No. 2 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 6.8 gr
Starting Velocity: 1,096
Starting Pressure: 29,600
Max Powder: 8.0 gr
Max Velocity: 1,248
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: LFP (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.358"
Powder: No. 2 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 6.4 gr
Starting Velocity: 1,178
Starting Pressure: 29,700
Max Powder: 7.6 gr
Max Velocity: 1,307
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: No. 5 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 7.5 gr
Starting Velocity: 1,166
Starting Pressure: 30,600
Max Powder: 8.3 gr
Max Velocity: 1,295
Max Pressure: 34,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: No. 5 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 9.6 gr
Starting Velocity: 1,273
Starting Pressure: 30,200
Max Powder: 10.6 gr
Max Velocity: 1,446
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 9.0 gr
Starting Velocity: 1,220
Starting Pressure: 30,600
Max Powder: 10.0 gr
Max Velocity: 1,355
Max Pressure: 34,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 10.9 gr
Starting Velocity: 1,278
Starting Pressure: 30,000
Max Powder: 12.1 gr
Max Velocity: 1,453
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 12.6 gr
Starting Velocity: 1,399
Starting Pressure: 30,000
Max Powder: 14.0 gr
Max Velocity: 1,554
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: No. 9 (Accurate)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 12.9 gr
Starting Velocity: 1,600
Starting Pressure:
Max Powder: 14.4 gr
Max Velocity: 1,732
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: JHP (NOS) Diameter: 0.357"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 14.1 gr
Starting Velocity: 1,378
Starting Pressure: 31,600
Max Powder: 15.6 gr
Max Velocity: 1,567
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: LFP (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.358"
Powder: Solo 1000 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 5.9 gr
Starting Velocity: 1,112
Starting Pressure: 29,700
Max Powder: 7.0 gr
Max Velocity: 1,236
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Enforcer (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 14.9 gr
Starting Velocity: 1,575
Starting Pressure: 31,100
Max Powder: 16.5 gr
Max Velocity: 1,750
Max Pressure: 34,500
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Enforcer (Ramshot)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 15.3 gr
Starting Velocity: 1,741
Starting Pressure:
Max Powder: 16.8 gr
Max Velocity: 1,871
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: Enforcer (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 16.2 gr
Starting Velocity: 1,500
Starting Pressure: 29,300
Max Powder: 18.0 gr
Max Velocity: 1,667
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: JHP (Sierra) Diameter: 0.357"
Powder: Zip (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.578"
Starting Powder: 7.1 gr
Starting Velocity: 1,276
Starting Pressure: 27,600
Max Powder: 7.9 gr
Max Velocity: 1,418
Max Pressure: 30,700
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: LFP (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.358"
Powder: Zip (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 6.0 gr
Starting Velocity: 1,142
Starting Pressure: 29,700
Max Powder: 7.0 gr
Max Velocity: 1,294
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: 2400 (Alliant Powder)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 12.5 gr
Starting Velocity: 1,528
Starting Pressure:
Max Powder: 14.0 gr
Max Velocity: 1,679
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: 2400 (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.580"
Starting Powder: 15.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 17.5 gr
Max Velocity: 1,409
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 125 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: 300-MP (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.580"
Starting Powder: 20.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 22.3 gr
Max Velocity: 1,450
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 125 gr
Bullet Type: JHP Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.550"
Starting Powder: 8.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.1 gr
Max Velocity: 1,263
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Blue Dot (Alliant Powder)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 9.1 gr
Starting Velocity: 1,459
Starting Pressure:
Max Powder: 10.6 gr
Max Velocity: 1,623
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 125 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.580"
Starting Powder: 9.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 10.5 gr
Max Velocity: 1,345
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Steel (Alliant Powder)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 9.5 gr
Starting Velocity: 1,471
Starting Pressure:
Max Powder: 11.0 gr
Max Velocity: 1,677
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.580"
Starting Powder: 8.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.6 gr
Max Velocity: 1,343
Max Pressure:
Source: [Alliant Powder](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 4.5 gr
Starting Velocity: 1,093
Starting Pressure: 18,300
Max Powder: 6.4 gr
Max Velocity: 1,399
Max Pressure: 30,400
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 6.2 gr
Starting Velocity: 1,222
Starting Pressure: 24,800
Max Powder: 7.7 gr
Max Velocity: 1,454
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.9 gr
Starting Velocity: 1,340
Starting Pressure: 24,200
Max Powder: 8.0 gr
Max Velocity: 1,480
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: Clays (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 3.5 gr
Starting Velocity: 984
Starting Pressure: 11,900
Max Powder: 5.3 gr
Max Velocity: 1,260
Max Pressure: 33,000 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 13.0 gr
Starting Velocity: 1,321
Starting Pressure: 25,200
Max Powder: 15.5 gr
Max Velocity: 1,582
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 16.5 gr
Starting Velocity: 1,693
Starting Pressure:
Max Powder: 18.0 gr
Max Velocity: 1,835
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 21.0 gr
Starting Velocity: 1,881
Starting Pressure: 38,400
Max Powder: 22.0 gr
Max Velocity: 1,966
Max Pressure: 41,400 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: H4227 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 18.0 gr
Starting Velocity: 1,692
Starting Pressure: 34,400
Max Powder: 20.0 gr
Max Velocity: 1,839
Max Pressure: 42,000 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.6 gr
Starting Velocity: 1,052
Starting Pressure: 13,800
Max Powder: 5.5 gr
Max Velocity: 1,185
Max Pressure: 18,800 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 7.3 gr
Starting Velocity: 1,335
Starting Pressure: 33,800
Max Powder: 8.5 gr
Max Velocity: 1,514
Max Pressure: 42,700 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 8.8 gr
Starting Velocity: 1,342
Starting Pressure: 25,200
Max Powder: 10.1 gr
Max Velocity: 1,552
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 9.8 gr
Starting Velocity: 1,493
Starting Pressure: 34,400
Max Powder: 10.9 gr
Max Velocity: 1,629
Max Pressure: 42,100 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Lil'Gun (Hodgdon)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 15.5 gr
Starting Velocity: 1,704
Starting Pressure:
Max Powder: 17.0 gr
Max Velocity: 1,846
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Lil'Gun (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 16.7 gr
Starting Velocity: 1,539
Starting Pressure: 24,600
Max Powder: 19.4 gr
Max Velocity: 1,768
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 7.2 gr
Starting Velocity: 1,332
Starting Pressure: 24,600
Max Powder: 8.5 gr
Max Velocity: 1,502
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 8.7 gr
Starting Velocity: 1,529
Starting Pressure: 33,000
Max Powder: 9.7 gr
Max Velocity: 1,647
Max Pressure: 42,000 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 5.0 gr
Starting Velocity: 936
Starting Pressure: 24,900
Max Powder: 5.8 gr
Max Velocity: 1,177
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.0 gr
Starting Velocity: 1,055
Starting Pressure: 13,800
Max Powder: 5.4 gr
Max Velocity: 1,274
Max Pressure: 22,800 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.8 gr
Starting Velocity: 1,425
Starting Pressure: 36,500
Max Powder: 7.5 gr
Max Velocity: 1,497
Max Pressure: 41,200 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: Trail Boss (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 3.5 gr
Starting Velocity: 874
Starting Pressure: 14,900
Max Powder: 5.3 gr
Max Velocity: 1,035
Max Pressure: 17,900 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 6.0 gr
Starting Velocity: 1,131
Starting Pressure: 22,800
Max Powder: 7.5 gr
Max Velocity: 1,420
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.8 gr
Starting Velocity: 1,046
Starting Pressure: 11,000
Max Powder: 6.8 gr
Max Velocity: 1,401
Max Pressure: 34,200 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 7.1 gr
Starting Velocity: 1,394
Starting Pressure: 34,900
Max Powder: 7.6 gr
Max Velocity: 1,453
Max Pressure: 39,600 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: IMR 4227 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 12.5 gr
Starting Velocity: 1,033
Starting Pressure: 23,400
Max Powder: 15.0 gr
Max Velocity: 1,349
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: IMR 4227 (Improved Military Rifle)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 15.7 gr
Starting Velocity: 1,589
Starting Pressure:
Max Powder: 17.2 gr
Max Velocity: 1,717
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 4.5 gr
Starting Velocity: 1,053
Starting Pressure: 19,600
Max Powder: 5.9 gr
Max Velocity: 1,263
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.0 gr
Starting Velocity: 1,169
Starting Pressure: 18,600
Max Powder: 7.8 gr
Max Velocity: 1,427
Max Pressure: 30,600
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 5.8 gr
Starting Velocity: 1,178
Starting Pressure: 19,900
Max Powder: 7.5 gr
Max Velocity: 1,401
Max Pressure: 33,800
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: N105 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 12.1 gr
Starting Velocity: 1,591
Starting Pressure:
Max Powder: 14.8 gr
Max Velocity: 1,795
Max Pressure:
Source: [VihtaVuori](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: N110 (VihtaVuori)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 13.3 gr
Starting Velocity: 1,593
Starting Pressure:
Max Powder: 14.8 gr
Max Velocity: 1,755
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: FP/XTP (HDV) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 16.8 gr
Starting Velocity: 1,601
Starting Pressure:
Max Powder: 18.4 gr
Max Velocity: 1,772
Max Pressure:
Source: [VihtaVuori](#)



GR.: 125 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 17.3 gr
Starting Velocity: 1,683
Starting Pressure:
Max Powder: 18.5 gr
Max Velocity: 1,811
Max Pressure:
Source: [VihtaVuori](#)



GR.: 125 gr
Bullet Type: FP/XTP (HDV) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 6.0 gr
Starting Velocity: 1,217
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,284
Max Pressure:
Source: [VihtaVuori](#)



GR.: 125 gr
Bullet Type: FP/XTP (HDV) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 6.9 gr
Starting Velocity: 1,312
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 1,379
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 7.3 gr
Starting Velocity: 1,329
Starting Pressure:
Max Powder: 8.8 gr
Max Velocity: 1,470
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: FP/XTP (HDV) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 8.6 gr
Starting Velocity: 1,444
Starting Pressure:
Max Powder: 9.3 gr
Max Velocity: 1,517
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 8.3 gr
Starting Velocity: 1,401
Starting Pressure:
Max Powder: 9.7 gr
Max Velocity: 1,558
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: FP/XTP (HDV) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 9.6 gr
Starting Velocity: 1,496
Starting Pressure:
Max Powder: 10.2 gr
Max Velocity: 1,561
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 125 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 9.0 gr
Starting Velocity: 1,450
Starting Pressure:
Max Powder: 10.7 gr
Max Velocity: 1,614
Max Pressure:
Source: [VihtaVuori](#)



GR.: 125 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: 231 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.6 gr
Starting Velocity: 1,052
Starting Pressure: 13,800
Max Powder: 5.5 gr
Max Velocity: 1,185
Max Pressure: 18,800 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 231 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 7.3 gr
Starting Velocity: 1,335
Starting Pressure: 33,800
Max Powder: 8.5 gr
Max Velocity: 1,514
Max Pressure: 42,700 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 5.2 gr
Starting Velocity: 1,107
Starting Pressure: 22,200
Max Powder: 6.7 gr
Max Velocity: 1,363
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.8 gr
Starting Velocity: 1,321
Starting Pressure: 26,900
Max Powder: 7.5 gr
Max Velocity: 1,394
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 13.0 gr
Starting Velocity: 1,321
Starting Pressure: 25,200
Max Powder: 15.5 gr
Max Velocity: 1,582
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 16.7 gr
Starting Velocity: 1,667
Starting Pressure:
Max Powder: 18.2 gr
Max Velocity: 1,806
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 21.0 gr
Starting Velocity: 1,881
Starting Pressure: 38,400
Max Powder: 22.0 gr
Max Velocity: 1,966
Max Pressure: 41,400 CUP
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 6.5 gr
Starting Velocity: 1,266
Starting Pressure: 25,200
Max Powder: 7.8 gr
Max Velocity: 1,465
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 7.7 gr
Starting Velocity: 1,348
Starting Pressure: 24,800
Max Powder: 9.0 gr
Max Velocity: 1,526
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.585"
Starting Powder: 6.2 gr
Starting Velocity: 1,138
Starting Pressure: 20,600
Max Powder: 8.0 gr
Max Velocity: 1,466
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 7.5 gr
Starting Velocity: 1,352
Starting Pressure: 26,900
Max Powder: 8.2 gr
Max Velocity: 1,455
Max Pressure: 31,700
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: JSP (Sierra) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 4.0 gr
Starting Velocity: 972
Starting Pressure:
Max Powder: 7.6 gr
Max Velocity: 1,500
Max Pressure: 33,950
Source: [ShootersWorld](#)



GR.: 125 gr
Bullet Type: JSP (Sierra) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 4.0 gr
Starting Velocity: 849
Starting Pressure:
Max Powder: 8.6 gr
Max Velocity: 1,574
Max Pressure: 33,271
Source: [ShootersWorld](#)



GR.: 125 gr
Bullet Type: JSP (Sierra) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 5.5 gr
Starting Velocity: 960
Starting Pressure:
Max Powder: 12.3 gr
Max Velocity: 1,804
Max Pressure: 31,883
Source: [ShootersWorld](#)



GR.: 125 gr
Bullet Type: XTP ^(H&V) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 10.5 gr
Starting Velocity: 1,378
Starting Pressure:
Max Powder: 11.9 gr
Max Velocity: 1,603
Max Pressure: 34,200
Source: [ShootersWorld](#)



GR.: 125 gr
Bullet Type: JSP ^(Sierra) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 6.5 gr
Starting Velocity: 979
Starting Pressure:
Max Powder: 12.1 gr
Max Velocity: 1,679
Max Pressure: 34,960
Source: [ShootersWorld](#)



GR.: 125 gr
Bullet Type: JSP ^(Sierra) Diameter:
Powder: HEAVY PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.580"
Starting Powder: 12.0 gr
Starting Velocity: 1,453
Starting Pressure:
Max Powder: 15.4 gr
Max Velocity: 1,817
Max Pressure: 34,725
Source: [ShootersWorld](#)



GR.: 125 gr
Bullet Type: GDHP ^(Speer) Diameter:
Powder: HEAVY PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 12.0 gr
Starting Velocity: 1,434
Starting Pressure:
Max Powder: 15.3 gr
Max Velocity: 1,814
Max Pressure: 34,800
Source: [ShootersWorld](#)



GR.: 130 gr
Bullet Type: Lead LRNFP ^(Meister) Diameter: 0.358"
Powder: 700-X ^(Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.0 gr
Starting Velocity: 1,059
Starting Pressure: 15,000
Max Powder: 5.5 gr
Max Velocity: 1,299
Max Pressure: 24,800
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.3 gr
Starting Velocity: 1,300
Starting Pressure: 19,000
Max Powder: 7.7 gr
Max Velocity: 1,497
Max Pressure: 26,700
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.0 gr
Starting Velocity: 1,028
Starting Pressure: 14,900
Max Powder: 5.7 gr
Max Velocity: 1,268
Max Pressure: 29,600
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.5 gr
Starting Velocity: 1,116
Starting Pressure: 14,000
Max Powder: 6.7 gr
Max Velocity: 1,322
Max Pressure: 22,800
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.8 gr
Starting Velocity: 1,075
Starting Pressure: 14,000
Max Powder: 6.3 gr
Max Velocity: 1,301
Max Pressure: 25,300
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.5 gr
Starting Velocity: 1,244
Starting Pressure: 19,400
Max Powder: 6.7 gr
Max Velocity: 1,421
Max Pressure: 27,400
Source: [Hodgdon](#)



GR.: 130 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.4 gr
Starting Velocity: 1,245
Starting Pressure: 18,000
Max Powder: 7.8 gr
Max Velocity: 1,464
Max Pressure: 26,900
Source: [Hodgdon](#) ⓘ



GR.: 130 gr
Bullet Type: Lead LRNFP (Meister) Diameter: 0.358"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.0 gr
Starting Velocity: 1,216
Starting Pressure: 18,700
Max Powder: 7.3 gr
Max Velocity: 1,392
Max Pressure: 25,000
Source: [Hodgdon](#) ⓘ



GR.: 135 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: 2400 (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 14.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 16.0 gr
Max Velocity: 1,377
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 135 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 8.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.6 gr
Max Velocity: 1,291
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 135 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 7.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 1,185
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 135 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: Clays (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 3.4 gr
Starting Velocity: 914
Starting Pressure: 12,200
Max Powder: 5.1 gr
Max Velocity: 1,207
Max Pressure: 30,200 CUP
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.1 gr
Starting Velocity: 946
Starting Pressure: 11,700
Max Powder: 5.3 gr
Max Velocity: 1,027
Max Pressure: 19,400 CUP
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 3.5 gr
Starting Velocity: 906
Starting Pressure: 13,100
Max Powder: 5.2 gr
Max Velocity: 1,186
Max Pressure: 24,500 CUP
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.8 gr
Starting Velocity: 986
Starting Pressure: 11,700
Max Powder: 6.5 gr
Max Velocity: 1,314
Max Pressure: 27,800 CUP
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: 231 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.1 gr
Starting Velocity: 946
Starting Pressure: 11,700
Max Powder: 5.3 gr
Max Velocity: 1,027
Max Pressure: 19,400 CUP
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.7 gr
Starting Velocity: 1,114
Starting Pressure: 16,700
Max Powder: 6.4 gr
Max Velocity: 1,360
Max Pressure: 26,400
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: LRNFP (CPB) Diameter: 0.358"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.1 gr
Starting Velocity: 1,042
Starting Pressure: 13,100
Max Powder: 7.0 gr
Max Velocity: 1,343
Max Pressure: 23,400
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: Gold Dot (Speer) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.600"
Starting Powder: 4.0 gr
Starting Velocity: 941
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 1,430
Max Pressure: 35,000
Source: [ShootersWorld](#)



GR.: 135 gr
Bullet Type: GOLD DOT (Speer) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.600"
Starting Powder: 4.0 gr
Starting Velocity: 823
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 1,484
Max Pressure: 33,489
Source: [ShootersWorld](#)



GR.: 135 gr
Bullet Type: GOLD DOT (Speer) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.600"
Starting Powder: 5.5 gr
Starting Velocity: 951
Starting Pressure:
Max Powder: 10.7 gr
Max Velocity: 1,635
Max Pressure: 34,080
Source: [ShootersWorld](#)



GR.: 135 gr
Bullet Type: GOLD DOT (Speer) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.600"
Starting Powder: 6.0 gr
Starting Velocity: 949
Starting Pressure:
Max Powder: 11.1 gr
Max Velocity: 1,584
Max Pressure: 34,335
Source: [Shooters World](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: 4100 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 13.0 gr
Starting Velocity: 1,199
Starting Pressure: 30,100
Max Powder: 14.4 gr
Max Velocity: 1,333
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: 4100 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 14.3 gr
Starting Velocity: 1,298
Starting Pressure: 30,300
Max Powder: 15.9 gr
Max Velocity: 1,442
Max Pressure: 33,700
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: No. 2 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 5.4 gr
Starting Velocity: 803
Starting Pressure: 29,500
Max Powder: 6.3 gr
Max Velocity: 914
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDT) Diameter: 0.357"
Powder: No. 2 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 6.2 gr
Starting Velocity: 992
Starting Pressure: 29,500
Max Powder: 7.3 gr
Max Velocity: 1,126
Max Pressure: 34,700
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: No. 5 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.9 gr
Starting Velocity: 1,032
Starting Pressure: 30,200
Max Powder: 7.7 gr
Max Velocity: 1,147
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: JHP (Sierra) Diameter: 0.357"
Powder: No. 5 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 9.1 gr
Starting Velocity: 1,202
Starting Pressure: 30,400
Max Powder: 10.1 gr
Max Velocity: 1,366
Max Pressure: 33,700
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 8.6 gr
Starting Velocity: 1,060
Starting Pressure: 31,100
Max Powder: 9.5 gr
Max Velocity: 1,178
Max Pressure: 34,500
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: JHP (Sierra) Diameter: 0.357"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 10.1 gr
Starting Velocity: 1,178
Starting Pressure: 30,700
Max Powder: 11.2 gr
Max Velocity: 1,339
Max Pressure: 34,000
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 11.3 gr
Starting Velocity: 1,204
Starting Pressure: 30,300
Max Powder: 12.5 gr
Max Velocity: 1,338
Max Pressure: 33,700
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: No. 9 (Accurate)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 11.7 gr
Starting Velocity: 1,397
Starting Pressure:
Max Powder: 13.2 gr
Max Velocity: 1,527
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: JHP (Sierra) Diameter: 0.357"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 12.8 gr
Starting Velocity: 1,252
Starting Pressure: 30,300
Max Powder: 14.2 gr
Max Velocity: 1,422
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Enforcer (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 13.1 gr
Starting Velocity: 1,377
Starting Pressure: 30,600
Max Powder: 14.5 gr
Max Velocity: 1,530
Max Pressure: 34,000
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Enforcer (Ramshot)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 13.5 gr
Starting Velocity: 1,521
Starting Pressure:
Max Powder: 15.0 gr
Max Velocity: 1,669
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: Enforcer (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 14.4 gr
Starting Velocity: 1,311
Starting Pressure: 30,800
Max Powder: 16.0 gr
Max Velocity: 1,457
Max Pressure: 34,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: TCM (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 11.5 gr
Starting Velocity: 1,075
Starting Pressure: 29,600
Max Powder: 13.5 gr
Max Velocity: 1,294
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: TCM (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 11.5 gr
Starting Velocity: 1,216
Starting Pressure: 28,800
Max Powder: 13.6 gr
Max Velocity: 1,446
Max Pressure: 33,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: 2400 (Alliant Powder)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 11.3 gr
Starting Velocity: 1,371
Starting Pressure:
Max Powder: 12.8 gr
Max Velocity: 1,530
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: UCHP (Speer) Diameter:
Powder: 2400 (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.560"
Starting Powder: 13.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 15.1 gr
Max Velocity: 1,298
Max Pressure:
Source: [Alliant Powder](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Blue Dot (Alliant Powder)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 8.7 gr
Starting Velocity: 1,374
Starting Pressure:
Max Powder: 10.2 gr
Max Velocity: 1,518
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: UCHP (Speer) Diameter:
Powder: Blue Dot (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.: 1.560"](#)
Starting Powder: 10.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 11.5 gr
Max Velocity: 1,324
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 140 gr
Bullet Type: UCHP (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.: 1.560"](#)
Starting Powder: 8.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.5 gr
Max Velocity: 1,288
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Steel (Alliant Powder)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.: 1.580"](#)
Starting Powder: 8.1 gr
Starting Velocity: 1,333
Starting Pressure:
Max Powder: 9.6 gr
Max Velocity: 1,515
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 140 gr
Bullet Type: UCHP (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.: 1.560"](#)
Starting Powder: 7.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 1,185
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 140 gr
Bullet Type: CBOY (H&V) Diameter: 0.358"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.: 1.550"](#)
Starting Powder: 2.6 gr
Starting Velocity: 769
Starting Pressure: 8,800
Max Powder: 3.2 gr
Max Velocity: 892
Max Pressure: 11,900
Source: [Hodgdon](#) ⓘ



GR.: 140 gr
Bullet Type: FTX (HDV) Diameter: 0.357"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 3.5 gr
Starting Velocity: 849
Starting Pressure: 19,800
Max Powder: 5.2 gr
Max Velocity: 1,205
Max Pressure: 31,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 4.0 gr
Starting Velocity: 927
Starting Pressure: 17,000
Max Powder: 6.0 gr
Max Velocity: 1,267
Max Pressure: 30,000
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: CBOY (HDV) Diameter: 0.358"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.550"
Starting Powder: 3.4 gr
Starting Velocity: 711
Starting Pressure: 9,100
Max Powder: 4.1 gr
Max Velocity: 904
Max Pressure: 9,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: FTX (HDV) Diameter: 0.357"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 5.4 gr
Starting Velocity: 1,110
Starting Pressure: 19,400
Max Powder: 6.6 gr
Max Velocity: 1,328
Max Pressure: 32,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.1 gr
Starting Velocity: 1,149
Starting Pressure: 22,600
Max Powder: 7.5 gr
Max Velocity: 1,347
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.5 gr
Starting Velocity: 1,049
Starting Pressure: 23,000
Max Powder: 8.0 gr
Max Velocity: 1,318
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 14.5 gr
Starting Velocity: 1,477
Starting Pressure:
Max Powder: 16.0 gr
Max Velocity: 1,610
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: FTX (HDV) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 12.0 gr
Starting Velocity: 1,405
Starting Pressure: 27,800
Max Powder: 14.5 gr
Max Velocity: 1,607
Max Pressure: 31,100
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 17.1 gr
Starting Velocity: 1,597
Starting Pressure: 28,400
Max Powder: 19.0 gr
Max Velocity: 1,762
Max Pressure: 40,900 CUP
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 14.4 gr
Starting Velocity: 1,331
Starting Pressure: 25,400
Max Powder: 16.7 gr
Max Velocity: 1,571
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: H4227 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 16.2 gr
Starting Velocity: 1,541
Starting Pressure: 33,100
Max Powder: 18.0 gr
Max Velocity: 1,685
Max Pressure: 42,600 CUP
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: CBOY (HDY) Diameter: 0.358"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.550"
Starting Powder: 2.9 gr
Starting Velocity: 718
Starting Pressure: 8,500
Max Powder: 3.7 gr
Max Velocity: 897
Max Pressure: 11,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.5 gr
Starting Velocity: 1,219
Starting Pressure: 30,800
Max Powder: 7.7 gr
Max Velocity: 1,378
Max Pressure: 41,900 CUP
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: FTX (HDY) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 6.0 gr
Starting Velocity: 1,046
Starting Pressure: 22,500
Max Powder: 7.7 gr
Max Velocity: 1,326
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 9.5 gr
Starting Velocity: 1,411
Starting Pressure: 35,800
Max Powder: 10.5 gr
Max Velocity: 1,539
Max Pressure: 43,000 CUP
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 8.0 gr
Starting Velocity: 1,029
Starting Pressure: 21,100
Max Powder: 9.8 gr
Max Velocity: 1,358
Max Pressure: 31,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: Lil'Gun (Hodgdon)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 13.5 gr
Starting Velocity: 1,513
Starting Pressure:
Max Powder: 15.0 gr
Max Velocity: 1,669
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: Lil'Gun (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 15.5 gr
Starting Velocity: 1,425
Starting Pressure: 23,700
Max Powder: 18.7 gr
Max Velocity: 1,639
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: FTX (HDY) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 5.5 gr
Starting Velocity: 1,091
Starting Pressure: 22,000
Max Powder: 7.0 gr
Max Velocity: 1,358
Max Pressure: 33,800
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 8.0 gr
Starting Velocity: 1,396
Starting Pressure: 31,300
Max Powder: 9.1 gr
Max Velocity: 1,534
Max Pressure: 41,000 CUP
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 7.2 gr
Starting Velocity: 1,049
Starting Pressure: 21,900
Max Powder: 8.5 gr
Max Velocity: 1,377
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: CBOY (HDV) Diameter: 0.358"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.550"
Starting Powder: 2.7 gr
Starting Velocity: 782
Starting Pressure: 8,900
Max Powder: 3.2 gr
Max Velocity: 899
Max Pressure: 10,800
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: FTX (HDV) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 3.5 gr
Starting Velocity: 895
Starting Pressure: 20,700
Max Powder: 5.0 gr
Max Velocity: 1,213
Max Pressure: 33,800
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.3 gr
Starting Velocity: 1,262
Starting Pressure: 35,600
Max Powder: 7.0 gr
Max Velocity: 1,376
Max Pressure: 41,900 CUP
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.0 gr
Starting Velocity: 799
Starting Pressure: 25,200
Max Powder: 6.0 gr
Max Velocity: 1,071
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: CBOY (HDV) Diameter: 0.358"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.550"
Starting Powder: 3.3 gr
Starting Velocity: 767
Starting Pressure: 8,800
Max Powder: 3.9 gr
Max Velocity: 902
Max Pressure: 10,600
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: FTX (HDV) Diameter: 0.357"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 4.0 gr
Starting Velocity: 922
Starting Pressure: 19,700
Max Powder: 5.3 gr
Max Velocity: 1,205
Max Pressure: 34,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.5 gr
Starting Velocity: 1,218
Starting Pressure: 34,800
Max Powder: 7.0 gr
Max Velocity: 1,299
Max Pressure: 40,200 CUP
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.2 gr
Starting Velocity: 960
Starting Pressure: 25,200
Max Powder: 7.2 gr
Max Velocity: 1,209
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: IMR 4227 (Improved Military Rifle)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 14.3 gr
Starting Velocity: 1,457
Starting Pressure:
Max Powder: 15.8 gr
Max Velocity: 1,587
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: FTX (HDY) Diameter: 0.357"
Powder: IMR 4227 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 11.0 gr
Starting Velocity: 1,176
Starting Pressure: 29,900
Max Powder: 13.0 gr
Max Velocity: 1,320
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: IMR 4227 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 13.4 gr
Starting Velocity: 1,061
Starting Pressure: 26,500
Max Powder: 15.7 gr
Max Velocity: 1,288
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 4.5 gr
Starting Velocity: 966
Starting Pressure: 20,700
Max Powder: 5.4 gr
Max Velocity: 1,122
Max Pressure: 29,800
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 5.3 gr
Starting Velocity: 974
Starting Pressure: 15,800
Max Powder: 7.3 gr
Max Velocity: 1,307
Max Pressure: 31,300
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 5.5 gr
Starting Velocity: 1,079
Starting Pressure: 21,700
Max Powder: 6.7 gr
Max Velocity: 1,249
Max Pressure: 31,300
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: HP (Speer) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 9.1 gr
Starting Velocity: 1,368
Starting Pressure:
Max Powder: 9.8 gr
Max Velocity: 1,440
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: N110 (VihtaVuori)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 11.9 gr
Starting Velocity: 1,403
Starting Pressure:
Max Powder: 13.4 gr
Max Velocity: 1,596
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 140 gr
Bullet Type: HP (Speer) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 15.7 gr
Starting Velocity: 1,499
Starting Pressure:
Max Powder: 17.1 gr
Max Velocity: 1,647
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ ⓘ



GR.: 140 gr
Bullet Type: HP (Speer) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 8.2 gr
Starting Velocity: 1,325
Starting Pressure:
Max Powder: 8.7 gr
Max Velocity: 1,385
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 140 gr
Bullet Type: HP (Speer) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 8.9 gr
Starting Velocity: 1,365
Starting Pressure:
Max Powder: 9.5 gr
Max Velocity: 1,433
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 140 gr
Bullet Type: CBOY (HDV) Diameter: 0.358"
Powder: 231 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.550"
Starting Powder: 2.9 gr
Starting Velocity: 718
Starting Pressure: 8,500
Max Powder: 3.7 gr
Max Velocity: 897
Max Pressure: 11,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: 231 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.5 gr
Starting Velocity: 1,219
Starting Pressure: 30,800
Max Powder: 7.7 gr
Max Velocity: 1,378
Max Pressure: 41,900 CUP
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: CBOY (HDV) Diameter: 0.358"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.550"
Starting Powder: 2.7 gr
Starting Velocity: 745
Starting Pressure: 10,500
Max Powder: 3.5 gr
Max Velocity: 902
Max Pressure: 12,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: FTX (HDV) Diameter: 0.357"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 4.5 gr
Starting Velocity: 998
Starting Pressure: 21,500
Max Powder: 5.7 gr
Max Velocity: 1,249
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.3 gr
Starting Velocity: 1,209
Starting Pressure: 28,100
Max Powder: 7.1 gr
Max Velocity: 1,323
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.8 gr
Starting Velocity: 991
Starting Pressure: 25,100
Max Powder: 6.7 gr
Max Velocity: 1,177
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [FED 200](#)
Case: REM
Trim Length: 1.280"
[C.O.L.](#): 1.580"
Starting Powder: 14.9 gr
Starting Velocity: 1,513
Starting Pressure:
Max Powder: 16.4 gr
Max Velocity: 1,633
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 17.1 gr
Starting Velocity: 1,597
Starting Pressure: 28,400
Max Powder: 19.0 gr
Max Velocity: 1,762
Max Pressure: 40,900 CUP
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 14.4 gr
Starting Velocity: 1,331
Starting Pressure: 25,400
Max Powder: 16.7 gr
Max Velocity: 1,571
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: CBOY (HDV) Diameter: 0.358"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.550"
Starting Powder: 3.7 gr
Starting Velocity: 811
Starting Pressure: 10,300
Max Powder: 4.2 gr
Max Velocity: 907
Max Pressure: 12,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: FTX (HDY) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 5.9 gr
Starting Velocity: 1,144
Starting Pressure: 23,200
Max Powder: 7.2 gr
Max Velocity: 1,371
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.9 gr
Starting Velocity: 1,210
Starting Pressure: 24,000
Max Powder: 8.5 gr
Max Velocity: 1,442
Max Pressure: 33,700
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.5 gr
Starting Velocity: 1,051
Starting Pressure: 23,300
Max Powder: 7.8 gr
Max Velocity: 1,314
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: CBOY (HDY) Diameter: 0.358"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.550"
Starting Powder: 3.6 gr
Starting Velocity: 793
Starting Pressure: 8,800
Max Powder: 4.3 gr
Max Velocity: 883
Max Pressure: 9,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: FTX (HDY) Diameter: 0.357"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 5.0 gr
Starting Velocity: 1,038
Starting Pressure: 22,500
Max Powder: 6.3 gr
Max Velocity: 1,279
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.5 gr
Starting Velocity: 1,164
Starting Pressure: 22,000
Max Powder: 7.6 gr
Max Velocity: 1,346
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.357"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.6 gr
Starting Velocity: 1,030
Starting Pressure: 22,700
Max Powder: 8.0 gr
Max Velocity: 1,304
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 3.5 gr
Starting Velocity: 759
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 1,381
Max Pressure: 34,020
Source: [ShootersWorld](#)



GR.: 140 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 4.0 gr
Starting Velocity: 807
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 1,487
Max Pressure: 34,350
Source: [ShootersWorld](#)



GR.: 140 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 5.5 gr
Starting Velocity: 918
Starting Pressure:
Max Powder: 10.2 gr
Max Velocity: 1,563
Max Pressure: 33,819
Source: [ShootersWorld](#)



GR.: 140 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 6.0 gr
Starting Velocity: 900
Starting Pressure:
Max Powder: 11.0 gr
Max Velocity: 1,553
Max Pressure: 33,240
Source: [ShootersWorld](#)



GR.: 140 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: HEAVY PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.580"
Starting Powder: 11.0 gr
Starting Velocity: 1,318
Starting Pressure:
Max Powder: 14.8 gr
Max Velocity: 1,724
Max Pressure: 34,215
Source: [ShootersWorld](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 4.5 gr
Starting Velocity: 1,025
Starting Pressure: 21,500
Max Powder: 5.7 gr
Max Velocity: 1,233
Max Pressure: 30,300
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 6.0 gr
Starting Velocity: 1,157
Starting Pressure: 23,200
Max Powder: 6.9 gr
Max Velocity: 1,338
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 15.5 gr
Starting Velocity: 1,512
Starting Pressure: 29,200
Max Powder: 17.2 gr
Max Velocity: 1,691
Max Pressure: 42,600 CUP
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: H4227 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 14.5 gr
Starting Velocity: 1,440
Starting Pressure: 34,300
Max Powder: 16.0 gr
Max Velocity: 1,566
Max Pressure: 42,700 CUP
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 6.0 gr
Starting Velocity: 1,176
Starting Pressure: 32,100
Max Powder: 7.1 gr
Max Velocity: 1,330
Max Pressure: 42,200 CUP
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 8.5 gr
Starting Velocity: 1,330
Starting Pressure: 32,900
Max Powder: 9.5 gr
Max Velocity: 1,461
Max Pressure: 41,800 CUP
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 7.5 gr
Starting Velocity: 1,358
Starting Pressure: 33,400
Max Powder: 8.6 gr
Max Velocity: 1,483
Max Pressure: 42,600 CUP
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 5.9 gr
Starting Velocity: 1,223
Starting Pressure: 34,600
Max Powder: 6.6 gr
Max Velocity: 1,317
Max Pressure: 42,900 CUP
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 6.0 gr
Starting Velocity: 1,160
Starting Pressure: 33,500
Max Powder: 6.5 gr
Max Velocity: 1,261
Max Pressure: 39,900 CUP
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 3.5 gr
Starting Velocity: 804
Starting Pressure: 17,400
Max Powder: 4.7 gr
Max Velocity: 1,035
Max Pressure: 30,100
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 4.5 gr
Starting Velocity: 833
Starting Pressure: 13,700
Max Powder: 6.5 gr
Max Velocity: 1,218
Max Pressure: 27,700
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 4.0 gr
Starting Velocity: 841
Starting Pressure: 14,400
Max Powder: 6.0 gr
Max Velocity: 1,183
Max Pressure: 30,000
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: 231 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 6.0 gr
Starting Velocity: 1,176
Starting Pressure: 32,100
Max Powder: 7.1 gr
Max Velocity: 1,330
Max Pressure: 42,200 CUP
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 5.8 gr
Starting Velocity: 1,158
Starting Pressure: 24,900
Max Powder: 6.5 gr
Max Velocity: 1,296
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 15.5 gr
Starting Velocity: 1,512
Starting Pressure: 29,200
Max Powder: 17.2 gr
Max Velocity: 1,691
Max Pressure: 42,600 CUP
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 6.5 gr
Starting Velocity: 1,212
Starting Pressure: 24,300
Max Powder: 7.5 gr
Max Velocity: 1,394
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 146 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.535"
Starting Powder: 6.4 gr
Starting Velocity: 1,193
Starting Pressure: 26,000
Max Powder: 7.1 gr
Max Velocity: 1,288
Max Pressure: 32,300
Source: [Hodgdon](#)



GR.: 147 gr
Bullet Type: LFPBB (Montana Cast Bullets) Diameter: 0.358"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 9.5 gr
Starting Velocity: 1,085
Starting Pressure: 31,100
Max Powder: 10.5 gr
Max Velocity: 1,234
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 147 gr
Bullet Type: LFPBB (Montana Cast Bullets) Diameter: 0.358"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 11.9 gr
Starting Velocity: 1,151
Starting Pressure: 29,600
Max Powder: 13.2 gr
Max Velocity: 1,308
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: Plated WC (copper plated) (X-Treme Bullets) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.370"
Starting Powder: 4.2 gr
Starting Velocity: 932
Starting Pressure:
Max Powder: 4.6 gr
Max Velocity: 991
Max Pressure:
Source: [VihtaVuori](#)



GR.: 148 gr
Bullet Type: Plated WC (copper plated) (X-Treme Bullets) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.370"
Starting Powder: 4.3 gr
Starting Velocity: 797
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 1,076
Max Pressure:
Source: [VihtaVuori](#)



GR.: 148 gr
Bullet Type: Plated WC (copper plated) (X-Treme Bullets) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.370"
Starting Powder: 5.1 gr
Starting Velocity: 781
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 1,050
Max Pressure:
Source: [VihtaVuori](#)



GR.: 148 gr
Bullet Type: Plated WC (copper plated) (X-Treme Bullets) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.370"
Starting Powder: 4.9 gr
Starting Velocity: 801
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity: 1,056
Max Pressure:
Source: [VihtaVuori](#)



GR.: 148 gr
Bullet Type: LHBWC (HBY) Diameter: 0.358"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 3.0 gr
Starting Velocity: 892
Starting Pressure: 17,600
Max Powder: 3.5 gr
Max Velocity: 989
Max Pressure: 22,300
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: LHBWC (HBY) Diameter: 0.358"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 3.6 gr
Starting Velocity: 927
Starting Pressure: 17,300
Max Powder: 4.5 gr
Max Velocity: 1,085
Max Pressure: 23,000
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: LHBWC (HBY) Diameter: 0.358"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 3.0 gr
Starting Velocity: 845
Starting Pressure: 14,300
Max Powder: 3.4 gr
Max Velocity: 908
Max Pressure: 17,600 CUP
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: LHBWC (HBY) Diameter: 0.358"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 2.9 gr
Starting Velocity: 830
Starting Pressure: 14,700
Max Powder: 3.3 gr
Max Velocity: 909
Max Pressure: 18,900 CUP
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: LHBWC (HBY) Diameter: 0.358"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 3.5 gr
Starting Velocity: 880
Starting Pressure: 13,700
Max Powder: 4.0 gr
Max Velocity: 989
Max Pressure: 17,700 CUP
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: LHBWC (HDY) Diameter: 0.358"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 3.0 gr
Starting Velocity: 848
Starting Pressure: 17,000
Max Powder: 3.7 gr
Max Velocity: 958
Max Pressure: 23,500
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: LHBWC (HDY) Diameter: 0.358"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 3.8 gr
Starting Velocity: 860
Starting Pressure: 13,300
Max Powder: 4.5 gr
Max Velocity: 1,008
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: LHBWC (HDY) Diameter: 0.358"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 3.5 gr
Starting Velocity: 868
Starting Pressure: 14,800
Max Powder: 4.1 gr
Max Velocity: 976
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: LHBWC (HDY) Diameter: 0.358"
Powder: 231 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 3.0 gr
Starting Velocity: 845
Starting Pressure: 14,300
Max Powder: 3.4 gr
Max Velocity: 908
Max Pressure: 17,600 CUP
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: LHBWC (HDY) Diameter: 0.358"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 3.2 gr
Starting Velocity: 897
Starting Pressure: 18,600
Max Powder: 4.0 gr
Max Velocity: 1,032
Max Pressure: 23,900
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: LHBWC (HBY) Diameter: 0.358"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 3.7 gr
Starting Velocity: 923
Starting Pressure: 17,100
Max Powder: 4.6 gr
Max Velocity: 1,064
Max Pressure: 22,900
Source: [Hodgdon](#)



GR.: 148 gr
Bullet Type: LHBWC (HBY) Diameter: 0.358"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.290"
Starting Powder: 4.0 gr
Starting Velocity: 943
Starting Pressure: 18,000
Max Powder: 4.7 gr
Max Velocity: 1,064
Max Pressure: 24,300
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: Lead RNFP (CPB) Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.570"
Starting Powder: 7.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 1,156
Max Pressure:
Source: [Alliant Powder](#)



GR.: 158 gr
Bullet Type: Lead RNFP (CPB) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.570"
Starting Powder: 5.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 1,041
Max Pressure:
Source: [Alliant Powder](#)



GR.: 158 gr
Bullet Type: Lead LSWC (Meister) Diameter: 0.357"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 3.4 gr
Starting Velocity: 867
Starting Pressure: 13,100
Max Powder: 4.9 gr
Max Velocity: 1,137
Max Pressure: 24,400
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: Lead LSWC (Meister) Diameter: 0.358"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 5.3 gr
Starting Velocity: 1,123
Starting Pressure: 18,100
Max Powder: 6.6 gr
Max Velocity: 1,321
Max Pressure: 28,500
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: Lead LSWC (Meister) Diameter: 0.357"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 3.5 gr
Starting Velocity: 845
Starting Pressure: 12,200
Max Powder: 5.0 gr
Max Velocity: 1,098
Max Pressure: 28,800
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: Lead LSWC (Meister) Diameter: 0.357"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 5.0 gr
Starting Velocity: 968
Starting Pressure: 13,800
Max Powder: 6.5 gr
Max Velocity: 1,214
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: Lead LSWC (Meister) Diameter: 0.357"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 4.5 gr
Starting Velocity: 965
Starting Pressure: 15,400
Max Powder: 6.1 gr
Max Velocity: 1,186
Max Pressure: 28,400
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: Lead LSWC/HP Diameter:
Powder: N330 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 3.9 gr
Starting Velocity: 791
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity: 997
Max Pressure:
Source: [VihtaVuori](#)



GR.: 158 gr
Bullet Type: Lead LSWC/HP Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 4.5 gr
Starting Velocity: 804
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity: 1,050
Max Pressure:
Source: [VihtaVuori](#) ▲ ●



GR.: 158 gr
Bullet Type: Lead LSWC (Meister) Diameter: 0.358"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 3.9 gr
Starting Velocity: 922
Starting Pressure: 14,800
Max Powder: 6.0 gr
Max Velocity: 1,250
Max Pressure: 27,800
Source: [Hodgdon](#) ●



GR.: 158 gr
Bullet Type: Lead LSWC (Meister) Diameter: 0.358"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 5.6 gr
Starting Velocity: 1,112
Starting Pressure: 18,600
Max Powder: 6.7 gr
Max Velocity: 1,275
Max Pressure: 27,000
Source: [Hodgdon](#) ●



GR.: 158 gr
Bullet Type: Lead LSWC (Meister) Diameter: 0.358"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 5.0 gr
Starting Velocity: 1,025
Starting Pressure: 17,600
Max Powder: 6.5 gr
Max Velocity: 1,237
Max Pressure: 27,000
Source: [Hodgdon](#) ●



GR.: 158 gr
Bullet Type: Lead SWC (Laser Cast, Oregon Trail Bullet Company) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.600"
Starting Powder: 3.5 gr
Starting Velocity: 941
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 1,321
Max Pressure: 33,920
Source: [ShootersWorld](#)



GR.: 158 gr
Bullet Type: Lead SWC (Laser Cast, Oregon Trail Bullet Company) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.600"
Starting Powder: 4.0 gr
Starting Velocity: 935
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 1,399
Max Pressure: 33,130
Source: [ShootersWorld](#)



GR.: 158 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.357"
Powder: No. 2 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.9 gr
Starting Velocity: 912
Starting Pressure: 29,700
Max Powder: 7.0 gr
Max Velocity: 1,029
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.357"
Powder: Solo 1000 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.6 gr
Starting Velocity: 897
Starting Pressure: 29,700
Max Powder: 6.5 gr
Max Velocity: 1,013
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.357"
Powder: Zip (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.5 gr
Starting Velocity: 905
Starting Pressure: 29,600
Max Powder: 6.5 gr
Max Velocity: 1,057
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 2400 (Alliant Powder)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 11.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 13.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Blue Dot (Alliant Powder)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 8.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.8 gr
Max Velocity:
Max Pressure:
Source: [Camparo](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 6.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity:
Max Pressure:
Source: [Camparo](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Unique (Alliant Powder)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 6.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.6 gr
Max Velocity:
Max Pressure:
Source: [Camparo](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: CFE Pistol (Hodgdon)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 6.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity:
Max Pressure:
Source: [Camparo](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: H110 (Hodgdon)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 15.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 16.7 gr
Max Velocity:
Max Pressure:
Source: [Camparo](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HP-38 (Hodgdon)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 6.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HS-6 (Hodgdon)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 8.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Tite Group (Hodgdon)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.1 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: IMR 4227 (Improved Military Rifle)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 14.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 16.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated Flat Point (Berry's Bullets) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 7.1 gr
Starting Velocity: 1,148
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 1,263
Max Pressure:
Source: [VihtaVuori](#)



GR.: 158 gr
Bullet Type: Plated Flat Point (Berry's Bullets) Diameter:
Powder: N105 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 8.5 gr
Starting Velocity: 1,076
Starting Pressure:
Max Powder: 9.3 gr
Max Velocity: 1,253
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: Plated Flat Point (Berry's Bullets) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 11.6 gr
Starting Velocity: 1,175
Starting Pressure:
Max Powder: 12.3 gr
Max Velocity: 1,257
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 11.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 14.6 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated RNFP copper plated (Los) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 5.9 gr
Starting Velocity: 1,050
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity: 1,158
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 5.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated RN FF, copper plated (Los) Diameter:
Powder: N32C (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 7.3 gr
Starting Velocity: 1,056
Starting Pressure:
Max Powder: 8.6 gr
Max Velocity: 1,227
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: Plated RN FF, copper plated (Los) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 6.9 gr
Starting Velocity: 1,165
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 1,247
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: Plated Flat Point (Berry's Bullets) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 7.1 gr
Starting Velocity: 1,188
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,240
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: Plated RN FF, copper plated (Los) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 6.8 gr
Starting Velocity: 1,125
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 1,270
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 7.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated FN (Berry's Bullets) Diameter:
Powder: HEAVY PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 10.0 gr
Starting Velocity: 1,149
Starting Pressure:
Max Powder: 14.2 gr
Max Velocity: 1,651
Max Pressure: 34,945
Source: [Shooters World](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Ba9 1/2 (Vectan)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Ba9 (Vectan)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 6.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Ba7 1/2 (Vectan)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 7.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Sp 3 (Vectan)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 13.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 16.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: A1 (Vectan)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 6.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity:
Max Pressure:
Source: [Campco](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: RS24 (Reload Swiss)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 8.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 10.5 gr
Max Velocity:
Max Pressure:
Source: [Campco](#)



GR.: 158 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: RS30 (Reload Swiss)
Primer: [Small Pistol Magnum](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 12.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 15.0 gr
Max Velocity:
Max Pressure:
Source: [Campco](#)



GR.: 158 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: 4100 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 12.5 gr
Starting Velocity: 1,176
Starting Pressure: 30,100
Max Powder: 13.9 gr
Max Velocity: 1,307
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: No. 11 FS (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 14.2 gr
Starting Velocity: 1,183
Starting Pressure: 29,200
Max Powder: 16.7 gr
Max Velocity: 1,407
Max Pressure: 34,400
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: JSP (Sierra) Diameter: 0.357"
Powder: No. 2 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 5.9 gr
Starting Velocity: 889
Starting Pressure: 29,600
Max Powder: 6.9 gr
Max Velocity: 1,015
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: No. 5 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 8.6 gr
Starting Velocity: 1,097
Starting Pressure: 29,400
Max Powder: 9.7 gr
Max Velocity: 1,256
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.358"
Powder: No. 5 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 8.0 gr
Starting Velocity: 1,100
Starting Pressure: 30,700
Max Powder: 9.0 gr
Max Velocity: 1,220
Max Pressure: 34,500
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: JHP (NOS) Diameter: 0.357"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 9.5 gr
Starting Velocity: 1,196
Starting Pressure: 31,000
Max Powder: 10.5 gr
Max Velocity: 1,360
Max Pressure: 34,200
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.358"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 9.1 gr
Starting Velocity: 1,041
Starting Pressure: 29,900
Max Powder: 10.1 gr
Max Velocity: 1,183
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 12.4 gr
Starting Velocity: 1,202
Starting Pressure: 31,500
Max Powder: 13.8 gr
Max Velocity: 1,367
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.358"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 11.2 gr
Starting Velocity: 1,104
Starting Pressure: 29,100
Max Powder: 12.4 gr
Max Velocity: 1,255
Max Pressure: 32,200
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: Enforcer (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 12.5 gr
Starting Velocity: 1,206
Starting Pressure: 30,400
Max Powder: 14.0 gr
Max Velocity: 1,320
Max Pressure: 34,000
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: JHP (NOS) Diameter: 0.357"
Powder: Zip (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.0 gr
Starting Velocity: 1,105
Starting Pressure: 28,400
Max Powder: 6.7 gr
Max Velocity: 1,228
Max Pressure: 31,700
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: LRNB (Montana Cast Bullets) Diameter: 0.358"
Powder: Zip (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.3 gr
Starting Velocity: 1,176
Starting Pressure: 27,500
Max Powder: 7.0 gr
Max Velocity: 1,307
Max Pressure: 30,600
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: JHP (Speer) Diameter: 0.357"
Powder: TCM (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 10.3 gr
Starting Velocity: 982
Starting Pressure: 28,800
Max Powder: 12.1 gr
Max Velocity: 1,232
Max Pressure: 33,800
Source: [Hodgdon](#) ⓘ



GR.: 158 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: 2400 (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 13.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 14.8 gr
Max Velocity: 1,265
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 158 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: 300-MP (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 16.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 18.6 gr
Max Velocity: 1,690
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 158 gr
Bullet Type: JHP Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.570"
Starting Powder: 7.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 1,075
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 158 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Blue Dot (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 9.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 10.2 gr
Max Velocity: 1,188
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 158 gr
Bullet Type: LSWC (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.570"
Starting Powder: 4.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.8 gr
Max Velocity: 939
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 158 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 7.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.5 gr
Max Velocity: 1,078
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 158 gr
Bullet Type: LSWC (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.570"
Starting Powder: 5.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 1,062
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 158 gr
Bullet Type: LSWC (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.570"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 1,034
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 158 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.575"
Starting Powder: 6.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,040
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.5 gr
Starting Velocity: 949
Starting Pressure: 21,900
Max Powder: 5.7 gr
Max Velocity: 1,149
Max Pressure: 31,200
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.1 gr
Starting Velocity: 1,107
Starting Pressure: 26,100
Max Powder: 6.9 gr
Max Velocity: 1,233
Max Pressure: 33,700
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: LSWC (CPB) Diameter: 0.358"
Powder: Clays (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 3.2 gr
Starting Velocity: 867
Starting Pressure: 14,400
Max Powder: 4.6 gr
Max Velocity: 1,079
Max Pressure: 33,600 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 15.0 gr
Starting Velocity: 1,418
Starting Pressure: 28,600
Max Powder: 16.7 gr
Max Velocity: 1,591
Max Pressure: 40,700 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: H4227 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 14.5 gr
Starting Velocity: 1,402
Starting Pressure: 34,600
Max Powder: 16.0 gr
Max Velocity: 1,520
Max Pressure: 42,600 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: LSWC (CPB) Diameter: 0.358"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 3.4 gr
Starting Velocity: 796
Starting Pressure: 12,600
Max Powder: 5.0 gr
Max Velocity: 1,109
Max Pressure: 23,900 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.2 gr
Starting Velocity: 1,108
Starting Pressure: 33,700
Max Powder: 6.9 gr
Max Velocity: 1,220
Max Pressure: 40,000 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: LSWC (CPB) Diameter: 0.358"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 6.0 gr
Starting Velocity: 990
Starting Pressure: 12,900
Max Powder: 7.0 gr
Max Velocity: 1,106
Max Pressure: 15,500 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 8.0 gr
Starting Velocity: 1,182
Starting Pressure: 28,000
Max Powder: 9.5 gr
Max Velocity: 1,375
Max Pressure: 41,900 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDV) Diameter: 0.357"
Powder: Lil'Gun (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 16.0 gr
Starting Velocity: 1,504
Starting Pressure: 24,100
Max Powder: 18.0 gr
Max Velocity: 1,577
Max Pressure: 25,800 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 7.3 gr
Starting Velocity: 1,258
Starting Pressure: 31,700
Max Powder: 8.4 gr
Max Velocity: 1,394
Max Pressure: 43,200 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: LSWC (CPB) Diameter: 0.358"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 4.5 gr
Starting Velocity: 1,028
Starting Pressure: 19,300
Max Powder: 5.0 gr
Max Velocity: 1,108
Max Pressure: 24,900 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.4 gr
Starting Velocity: 1,135
Starting Pressure: 32,600
Max Powder: 6.1 gr
Max Velocity: 1,229
Max Pressure: 41,900 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: LSWC (CPB) Diameter: 0.357"
Powder: Trail Boss (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 3.2 gr
Starting Velocity: 754
Starting Pressure: 16,500
Max Powder: 4.2 gr
Max Velocity: 865
Max Pressure: 20,400 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: LSWC (CPB) Diameter: 0.358"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 4.0 gr
Starting Velocity: 890
Starting Pressure: 15,700
Max Powder: 6.2 gr
Max Velocity: 1,247
Max Pressure: 33,400 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: Universal (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.8 gr
Starting Velocity: 1,026
Starting Pressure: 32,100
Max Powder: 6.3 gr
Max Velocity: 1,133
Max Pressure: 39,300 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 3.7 gr
Starting Velocity: 747
Starting Pressure: 18,800
Max Powder: 4.9 gr
Max Velocity: 984
Max Pressure: 31,700
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.0 gr
Starting Velocity: 896
Starting Pressure: 17,500
Max Powder: 6.5 gr
Max Velocity: 1,146
Max Pressure: 29,900
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.3 gr
Starting Velocity: 812
Starting Pressure: 16,700
Max Powder: 5.8 gr
Max Velocity: 1,075
Max Pressure: 29,600
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: SJSP (CBC) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 7.9 gr
Starting Velocity: 1,247
Starting Pressure:
Max Powder: 9.6 gr
Max Velocity: 1,421
Max Pressure:
Source: [VihtaVuori](#)



GR.: 158 gr
Bullet Type: HP (Speer) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 8.2 gr
Starting Velocity: 1,237
Starting Pressure:
Max Powder: 8.8 gr
Max Velocity: 1,305
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: HP/XTP (HDV) Diameter:
Powder: 3N38 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 8.8 gr
Starting Velocity: 1,247
Starting Pressure:
Max Powder: 11.1 gr
Max Velocity: 1,493
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: SJSP (CBC) Diameter:
Powder: N105 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 9.8 gr
Starting Velocity: 1,332
Starting Pressure:
Max Powder: 12.4 gr
Max Velocity: 1,549
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: FP/XTP (HDV) Diameter:
Powder: N105 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 11.7 gr
Starting Velocity: 1,401
Starting Pressure:
Max Powder: 12.4 gr
Max Velocity: 1,466
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: SJSP (CBC) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 14.1 gr
Starting Velocity: 1,430
Starting Pressure:
Max Powder: 17.2 gr
Max Velocity: 1,667
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: HP/XTP (HVR) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 13.5 gr
Starting Velocity: 1,398
Starting Pressure:
Max Powder: 16.3 gr
Max Velocity: 1,637
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: HP (Speer) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 15.1 gr
Starting Velocity: 1,480
Starting Pressure:
Max Powder: 15.9 gr
Max Velocity: 1,569
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: SJSP (CBC) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 5.9 gr
Starting Velocity: 1,106
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 1,250
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: HP (Speer) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 6.2 gr
Starting Velocity: 1,099
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 1,160
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: SJSP (CBC) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 6.9 gr
Starting Velocity: 1,178
Starting Pressure:
Max Powder: 8.6 gr
Max Velocity: 1,358
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: HP/XTP (HDT) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 7.1 gr
Starting Velocity: 1,178
Starting Pressure:
Max Powder: 8.6 gr
Max Velocity: 1,365
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: HP (Speer) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 7.3 gr
Starting Velocity: 1,184
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,239
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: SJSP (CBC) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 7.4 gr
Starting Velocity: 1,204
Starting Pressure:
Max Powder: 9.4 gr
Max Velocity: 1,404
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: HP (Speer) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 8.3 gr
Starting Velocity: 1,263
Starting Pressure:
Max Powder: 8.9 gr
Max Velocity: 1,314
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 158 gr
Bullet Type: LSWC (CPB) Diameter: 0.358"
Powder: 231 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 3.4 gr
Starting Velocity: 796
Starting Pressure: 12,600
Max Powder: 5.0 gr
Max Velocity: 1,109
Max Pressure: 23,900 CUP
Source: [Hodgdon](#) ⓘ



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 231 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.2 gr
Starting Velocity: 1,108
Starting Pressure: 33,700
Max Powder: 6.9 gr
Max Velocity: 1,220
Max Pressure: 40,000 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.5 gr
Starting Velocity: 1,061
Starting Pressure: 26,200
Max Powder: 6.2 gr
Max Velocity: 1,204
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 15.0 gr
Starting Velocity: 1,418
Starting Pressure: 28,600
Max Powder: 16.7 gr
Max Velocity: 1,591
Max Pressure: 40,700 CUP
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.5 gr
Starting Velocity: 1,092
Starting Pressure: 26,800
Max Powder: 7.4 gr
Max Velocity: 1,241
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.2 gr
Starting Velocity: 1,058
Starting Pressure: 25,700
Max Powder: 7.0 gr
Max Velocity: 1,181
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 158 gr
Bullet Type: JHP (NOS) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
C.O.L.: 1.600"
Starting Powder: 3.5 gr
Starting Velocity: 762
Starting Pressure:
Max Powder: 6.5 gr
Max Velocity: 1,294
Max Pressure: 34,400
Source: [ShootersWorld](#)



GR.: 158 gr
Bullet Type: JSP (Sierra) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
C.O.L.: 1.575"
Starting Powder: 3.5 gr
Starting Velocity: 783
Starting Pressure:
Max Powder: 6.5 gr
Max Velocity: 1,305
Max Pressure: 34,015
Source: [ShootersWorld](#)



GR.: 158 gr
Bullet Type: JSP (Sierra) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
C.O.L.: 1.575"
Starting Powder: 4.0 gr
Starting Velocity: 810
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 1,378
Max Pressure: 33,238
Source: [ShootersWorld](#)



GR.: 158 gr
Bullet Type: JHC (Sierra) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
C.O.L.: 1.575"
Starting Powder: 5.0 gr
Starting Velocity: 822
Starting Pressure:
Max Powder: 9.5 gr
Max Velocity: 1,456
Max Pressure: 33,440
Source: [ShootersWorld](#)



GR.: 158 gr
Bullet Type: JHC (Sierra) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
C.O.L.: 1.575"
Starting Powder: 6.0 gr
Starting Velocity: 749
Starting Pressure:
Max Powder: 10.7 gr
Max Velocity: 1,484
Max Pressure: 34,303
Source: [ShootersWorld](#)



GR.: 158 gr
Bullet Type: JHP (NOS) Diameter:
Powder: HEAVY PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 10.0 gr
Starting Velocity: 1,191
Starting Pressure:
Max Powder: 13.7 gr
Max Velocity: 1,600
Max Pressure: 35,000
Source: [Shooters World](#)



GR.: 158 gr
Bullet Type: JHC (Sierra) Diameter:
Powder: HEAVY PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.580"
Starting Powder: 10.0 gr
Starting Velocity: 1,182
Starting Pressure:
Max Powder: 13.7 gr
Max Velocity: 1,600
Max Pressure: 33,645
Source: [Shooters World](#)



GR.: 165 gr
Bullet Type: SOLID (CEB) Diameter: 0.357"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 5.7 gr
Starting Velocity: 671
Starting Pressure: 24,000
Max Powder: 6.6 gr
Max Velocity: 956
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SOLID (CEB) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 12.5 gr
Starting Velocity: 1,071
Starting Pressure: 25,200
Max Powder: 14.1 gr
Max Velocity: 1,277
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SOLID (CEB) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 6.8 gr
Starting Velocity: 751
Starting Pressure: 24,200
Max Powder: 7.9 gr
Max Velocity: 1,038
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SOLID (CEB) Diameter: 0.357"
Powder: Lil'Gun (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 14.0 gr
Starting Velocity: 1,259
Starting Pressure: 25,800
Max Powder: 17.0 gr
Max Velocity: 1,444
Max Pressure: 28,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SOLID (CEB) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 6.0 gr
Starting Velocity: 740
Starting Pressure: 23,300
Max Powder: 7.0 gr
Max Velocity: 1,032
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SOLID (CEB) Diameter: 0.357"
Powder: IMR 4227 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 12.0 gr
Starting Velocity: 773
Starting Pressure: 25,600
Max Powder: 14.4 gr
Max Velocity: 1,082
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SOLID (CEB) Diameter: 0.357"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 5.0 gr
Starting Velocity: 598
Starting Pressure: 25,400
Max Powder: 5.8 gr
Max Velocity: 865
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SOLID (CEB) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 12.5 gr
Starting Velocity: 1,071
Starting Pressure: 25,200
Max Powder: 14.1 gr
Max Velocity: 1,277
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SOLID (CEB) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 5.9 gr
Starting Velocity: 681
Starting Pressure: 25,700
Max Powder: 6.8 gr
Max Velocity: 999
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: SOLID (CEB) Diameter: 0.357"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.570"
Starting Powder: 5.8 gr
Starting Velocity: 681
Starting Pressure: 23,500
Max Powder: 6.7 gr
Max Velocity: 971
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: FMJ (Sierra) Diameter: 0.357"
Powder: No. 11 FS (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 13.7 gr
Starting Velocity: 1,134
Starting Pressure: 28,800
Max Powder: 16.1 gr
Max Velocity: 1,364
Max Pressure: 33,900
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: FMJ (Sierra) Diameter: 0.357"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.565"
Starting Powder: 8.7 gr
Starting Velocity: 1,010
Starting Pressure: 31,200
Max Powder: 9.7 gr
Max Velocity: 1,147
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: FMJ (Sierra) Diameter: 0.357"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.565"
Starting Powder: 11.2 gr
Starting Velocity: 1,092
Starting Pressure: 31,700
Max Powder: 12.4 gr
Max Velocity: 1,241
Max Pressure: 35,100
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: GDHP (Speer) Diameter: 0.357"
Powder: Enforcer (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 12.2 gr
Starting Velocity: 1,150
Starting Pressure: 31,200
Max Powder: 13.5 gr
Max Velocity: 1,258
Max Pressure: 34,500
Source: [Hodgdon](#) ⓘ



GR.: 170 gr
Bullet Type: FMJ (Sierra) Diameter: 0.357"
Powder: TCM (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 10.2 gr
Starting Velocity: 992
Starting Pressure: 28,400
Max Powder: 12.0 gr
Max Velocity: 1,201
Max Pressure: 33,400
Source: [Hodgdon](#) ⓘ



GR.: 170 gr
Bullet Type: GDSP (Speer) Diameter:
Powder: 2400 (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 13.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 14.5 gr
Max Velocity: 1,166
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 170 gr
Bullet Type: GDSP (Speer) Diameter:
Powder: 300-MP (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 15.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 17.5 gr
Max Velocity: 1,620
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 170 gr
Bullet Type: GDSP (Speer) Diameter:
Powder: Blue Dot (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 8.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.4 gr
Max Velocity: 1,002
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 170 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.0 gr
Starting Velocity: 833
Starting Pressure: 22,100
Max Powder: 5.2 gr
Max Velocity: 1,107
Max Pressure: 32,200
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 14.0 gr
Starting Velocity: 1,328
Starting Pressure: 25,900
Max Powder: 15.5 gr
Max Velocity: 1,497
Max Pressure: 40,800 CUP
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: H4227 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 13.0 gr
Starting Velocity: 1,272
Starting Pressure: 32,300
Max Powder: 14.5 gr
Max Velocity: 1,395
Max Pressure: 41,200 CUP
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 8.0 gr
Starting Velocity: 1,181
Starting Pressure: 30,900
Max Powder: 9.2 gr
Max Velocity: 1,321
Max Pressure: 42,900 CUP
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: Lil'Gun (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 15.0 gr
Starting Velocity: 1,422
Starting Pressure: 25,100
Max Powder: 17.0 gr
Max Velocity: 1,576
Max Pressure: 35,500 CUP
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 6.8 gr
Starting Velocity: 1,182
Starting Pressure: 32,700
Max Powder: 7.9 gr
Max Velocity: 1,322
Max Pressure: 42,600 CUP
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.4 gr
Starting Velocity: 1,031
Starting Pressure: 34,700
Max Powder: 6.0 gr
Max Velocity: 1,156
Max Pressure: 41,800 CUP
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 3.5 gr
Starting Velocity: 670
Starting Pressure: 17,500
Max Powder: 4.6 gr
Max Velocity: 920
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 5.0 gr
Starting Velocity: 863
Starting Pressure: 18,800
Max Powder: 6.2 gr
Max Velocity: 1,085
Max Pressure: 30,200
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 4.5 gr
Starting Velocity: 808
Starting Pressure: 19,400
Max Powder: 5.6 gr
Max Velocity: 1,027
Max Pressure: 31,500
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: JHC (Sierra) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.580"
Starting Powder: 14.0 gr
Starting Velocity: 1,328
Starting Pressure: 25,900
Max Powder: 15.5 gr
Max Velocity: 1,497
Max Pressure: 40,800 CUP
Source: [Hodgdon](#) ⓘ



GR.: 180 gr
Bullet Type: Plated HP Copper Plated (Los) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 7.2 gr
Starting Velocity: 1,115
Starting Pressure:
Max Powder: 8.7 gr
Max Velocity: 1,273
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Plated HP Copper Plated (Los) Diameter:
Powder: N105 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 9.3 gr
Starting Velocity: 1,214
Starting Pressure:
Max Powder: 10.9 gr
Max Velocity: 1,378
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Plated HP Copper Plated (Los) Diameter:
Powder: N110 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 12.0 gr
Starting Velocity: 1,260
Starting Pressure:
Max Powder: 14.6 gr
Max Velocity: 1,483
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Plated HP Copper Plated (Los) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 6.3 gr
Starting Velocity: 1,053
Starting Pressure:
Max Powder: 7.6 gr
Max Velocity: 1,191
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Plated HP Copper Plated (Los) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length: 1.283"
[C.O.L.](#): 1.575"
Starting Powder: 6.8 gr
Starting Velocity: 1,076
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 1,240
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: LWFNGC (CPB) Diameter: 0.358"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 8.3 gr
Starting Velocity: 938
Starting Pressure: 30,500
Max Powder: 9.2 gr
Max Velocity: 1,067
Max Pressure: 33,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: FPJ (Sierra) Diameter: 0.357"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.590"
Starting Powder: 8.2 gr
Starting Velocity: 980
Starting Pressure: 30,800
Max Powder: 9.2 gr
Max Velocity: 1,100
Max Pressure: 34,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: LWFNGC (CPB) Diameter: 0.358"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 10.4 gr
Starting Velocity: 1,008
Starting Pressure: 28,100
Max Powder: 11.6 gr
Max Velocity: 1,145
Max Pressure: 31,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.357"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 10.8 gr
Starting Velocity: 1,059
Starting Pressure: 30,200
Max Powder: 12.0 gr
Max Velocity: 1,202
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: LWFNGC (CPB) Diameter: 0.358"
Powder: Zip (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.565"
Starting Powder: 5.6 gr
Starting Velocity: 1,042
Starting Pressure: 29,500
Max Powder: 6.2 gr
Max Velocity: 1,158
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: 700-X (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 4.0 gr
Starting Velocity: 668
Starting Pressure: 25,500
Max Powder: 4.7 gr
Max Velocity: 846
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 5.2 gr
Starting Velocity: 903
Starting Pressure: 27,200
Max Powder: 5.8 gr
Max Velocity: 1,018
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: H110 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 13.0 gr
Starting Velocity: 1,352
Starting Pressure: 36,800
Max Powder: 13.5 gr
Max Velocity: 1,396
Max Pressure: 39,100 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: H4227 (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 12.7 gr
Starting Velocity: 1,247
Starting Pressure: 36,900
Max Powder: 13.7 gr
Max Velocity: 1,308
Max Pressure: 40,900 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: Lil'Gun (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 13.0 gr
Starting Velocity: 1,279
Starting Pressure: 27,500
Max Powder: 15.0 gr
Max Velocity: 1,422
Max Pressure: 34,500 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: Longshot (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 6.1 gr
Starting Velocity: 1,025
Starting Pressure: 32,700
Max Powder: 7.2 gr
Max Velocity: 1,167
Max Pressure: 41,700 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 5.0 gr
Starting Velocity: 948
Starting Pressure: 38,100
Max Powder: 5.5 gr
Max Velocity: 1,020
Max Pressure: 40,300 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 4.5 gr
Starting Velocity: 620
Starting Pressure: 20,800
Max Powder: 5.7 gr
Max Velocity: 888
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 4.1 gr
Starting Velocity: 611
Starting Pressure: 22,300
Max Powder: 5.1 gr
Max Velocity: 838
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: 244 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 4.4 gr
Starting Velocity: 763
Starting Pressure: 25,800
Max Powder: 5.2 gr
Max Velocity: 934
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: 296 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 13.0 gr
Starting Velocity: 1,352
Starting Pressure: 36,800
Max Powder: 13.5 gr
Max Velocity: 1,396
Max Pressure: 39,100 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: 572 (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 5.4 gr
Starting Velocity: 882
Starting Pressure: 27,100
Max Powder: 6.1 gr
Max Velocity: 1,024
Max Pressure: 33,700
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: PART (NOS) Diameter: 0.357"
Powder: AutoComp (Winchester)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.575"
Starting Powder: 5.3 gr
Starting Velocity: 869
Starting Pressure: 27,700
Max Powder: 5.9 gr
Max Velocity: 997
Max Pressure: 33,700
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter:
Powder: HEAVY PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.590"
Starting Powder: 9.0 gr
Starting Velocity: 1,084
Starting Pressure:
Max Powder: 12.3 gr
Max Velocity: 1,468
Max Pressure: 34,035
Source: [ShootersWorld](#)



GR.: 187 gr
Bullet Type: LFNGC (CPB) Diameter: 0.358"
Powder: 4100 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 11.7 gr
Starting Velocity: 1,074
Starting Pressure: 29,700
Max Powder: 13.8 gr
Max Velocity: 1,222
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 187 gr
Bullet Type: LFNGC (CPB) Diameter: 0.358"
Powder: No. 2 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 5.2 gr
Starting Velocity: 855
Starting Pressure: 29,700
Max Powder: 6.1 gr
Max Velocity: 963
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 187 gr
Bullet Type: LFNGC (CPB) Diameter: 0.358"
Powder: No. 5 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 6.8 gr
Starting Velocity: 922
Starting Pressure: 29,600
Max Powder: 8.0 gr
Max Velocity: 1,064
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 187 gr
Bullet Type: LFNGC (CPB) Diameter: 0.358"
Powder: No. 7 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 7.4 gr
Starting Velocity: 935
Starting Pressure: 29,700
Max Powder: 8.7 gr
Max Velocity: 1,091
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 187 gr
Bullet Type: LFNGC (CPB) Diameter: 0.358"
Powder: No. 9 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 9.5 gr
Starting Velocity: 1,047
Starting Pressure: 29,700
Max Powder: 11.1 gr
Max Velocity: 1,195
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 187 gr
Bullet Type: LFNGC (CPB) Diameter: 0.358"
Powder: Solo 1000 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 4.6 gr
Starting Velocity: 791
Starting Pressure: 29,300
Max Powder: 5.4 gr
Max Velocity: 886
Max Pressure: 34,500
Source: [Hodgdon](#)



GR.: 187 gr
Bullet Type: LFNGC (CPB) Diameter: 0.358"
Powder: Enforcer (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 11.7 gr
Starting Velocity: 1,074
Starting Pressure: 29,700
Max Powder: 13.8 gr
Max Velocity: 1,222
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 187 gr
Bullet Type: LFNGC (CPB) Diameter: 0.358"
Powder: Zip (Ramshot)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.600"
Starting Powder: 4.8 gr
Starting Velocity: 827
Starting Pressure: 29,100
Max Powder: 5.6 gr
Max Velocity: 945
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LWLNGC (CPB) Diameter: 0.358"
Powder: No. 11 FS (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.610"
Starting Powder: 12.0 gr
Starting Velocity: 1,092
Starting Pressure: 29,300
Max Powder: 14.1 gr
Max Velocity: 1,272
Max Pressure: 34,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LWLNGC (CPB) Diameter: 0.358"
Powder: No. 2 (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.620"
Starting Powder: 4.6 gr
Starting Velocity: 781
Starting Pressure: 29,700
Max Powder: 5.4 gr
Max Velocity: 884
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LWLNGC (CPB) Diameter: 0.358"
Powder: TCM (Accurate)
Primer: [WIN WSPM](#)
Case: WIN
Trim Length: 1.285"
[C.O.L.](#): 1.610"
Starting Powder: 9.3 gr
Starting Velocity: 997
Starting Pressure: 28,800
Max Powder: 10.9 gr
Max Velocity: 1,158
Max Pressure: 33,900
Source: [Hodgdon](#)
