

.40 Smith & Wesson - Published Manufacturer Loading Data

Shellholders:	Lee #19	Lyman #15	RCBS #27
Recipe Type: ☒ Pistol			
Bullet Weight: ☒ ALL ☒ 88 gr ☒ 97 gr ☒ 105 gr ☒ 115 gr ☒ 120 gr ☒ 125 gr ☒ 135 gr ☒ 140 gr			GR.: 88 gr Bullet Type: ARX (Inceptor) Diameter: 0.400" Powder: CFE Pistol (Hodgdon) Primer: WIN WSP Case: HDY Trim Length: 0.845" C.O.L. : 1.135" Starting Powder: 8.0 gr Starting Velocity: 1,503 Starting Pressure: 27,200 Max Powder: 9.2 gr Max Velocity: 1,668 Max Pressure: 33,200 Source: Hodgdon
Powder: ☒ ALL ☒ Accurate Nitro 100 NF ☒ Accurate No. 2 ☒ Accurate No. 5 ☒ Accurate No. 7 ☒ Accurate Solo 1000 ☒ Alliant Powder American Select ☒ Alliant Powder BE-86 ☒ Alliant Powder Blue Dot			
Recipe Source: ☒ ALL ☒ Alliant Powder ☒ Barnes ☒ Campro ☒ Hodgdon ☒ Shooters World ☒ Speer ☒ VihtaVuori			GR.: 88 gr Bullet Type: ARX (Inceptor) Diameter: 0.400" Powder: HP-38 (Hodgdon) Primer: WIN WSP Case: HDY Trim Length: 0.845" C.O.L. : 1.135" Starting Powder: 5.6 gr Starting Velocity: 1,307 Starting Pressure: 25,800 Max Powder: 6.6 gr Max Velocity: 1,465 Max Pressure: 33,700 Source: Hodgdon
			GR.: 88 gr Bullet Type: ARX (Inceptor) Diameter: 0.400" Powder: Tite Group (Hodgdon) Primer: WIN WSP Case: HDY Trim Length: 0.845" C.O.L. : 1.135" Starting Powder: 5.4 gr Starting Velocity: 1,360 Starting Pressure: 26,000 Max Powder: 6.3 gr Max Velocity: 1,511 Max Pressure: 33,100 Source: Hodgdon
			GR.: 88 gr Bullet Type: ARX (Inceptor) Diameter: 0.400" Powder: Universal (Hodgdon) Primer: WIN WSP Case: HDY Trim Length: 0.845" C.O.L. : 1.135" Starting Powder: 6.6 gr Starting Velocity: 1,424 Starting Pressure: 26,300 Max Powder: 7.8 gr Max Velocity: 1,607 Max Pressure: 32,400 Source: Hodgdon
			GR.: 88 gr Bullet Type: ARX (Inceptor) Diameter: 0.400" Powder: IMR Target (Improved Military Rifle) Primer: WIN WSP Case: HDY Trim Length: 0.845" C.O.L. : 1.135" Starting Powder: 5.7 gr Starting Velocity: 1,339 Starting Pressure: 24,900 Max Powder: 6.7 gr Max Velocity: 1,543 Max Pressure: 33,000 Source: Hodgdon



GR.: 88 gr
Bullet Type: ARX (Inceptor) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.8 gr
Starting Velocity: 1,332
Starting Pressure: 24,900
Max Powder: 6.8 gr
Max Velocity: 1,520
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 88 gr
Bullet Type: ARX (Inceptor) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 9.1 gr
Starting Velocity: 1,469
Starting Pressure: 25,200
Max Powder: 10.8 gr
Max Velocity: 1,673
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 88 gr
Bullet Type: ARX (Inceptor) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 8.0 gr
Starting Velocity: 1,440
Starting Pressure: 25,500
Max Powder: 9.3 gr
Max Velocity: 1,652
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 97 gr
Bullet Type: RNP (Inceptor) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 7.5 gr
Starting Velocity: 1,397
Starting Pressure: 25,400
Max Powder: 8.8 gr
Max Velocity: 1,597
Max Pressure: 33,900
Source: [Hodgdon](#)



GR.: 97 gr
Bullet Type: RNP (Inceptor) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.6 gr
Starting Velocity: 1,240
Starting Pressure: 24,300
Max Powder: 6.6 gr
Max Velocity: 1,420
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 97 gr
Bullet Type: RNP (Inceptor) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.3 gr
Starting Velocity: 1,295
Starting Pressure: 24,700
Max Powder: 6.3 gr
Max Velocity: 1,476
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 97 gr
Bullet Type: RNP (Inceptor) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 6.5 gr
Starting Velocity: 1,370
Starting Pressure: 26,700
Max Powder: 7.7 gr
Max Velocity: 1,540
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 97 gr
Bullet Type: RNP (Inceptor) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.7 gr
Starting Velocity: 1,304
Starting Pressure: 25,500
Max Powder: 6.7 gr
Max Velocity: 1,496
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 97 gr
Bullet Type: RNP (Inceptor) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.6 gr
Starting Velocity: 1,285
Starting Pressure: 25,000
Max Powder: 6.6 gr
Max Velocity: 1,458
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 97 gr
Bullet Type: RNP (Inceptor) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 9.0 gr
Starting Velocity: 1,426
Starting Pressure: 25,700
Max Powder: 10.4 gr
Max Velocity: 1,626
Max Pressure: 33,800
Source: [Hodgdon](#)



GR.: 97 gr
Bullet Type: RNP (Inceptor) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 7.6 gr
Starting Velocity: 1,416
Starting Pressure: 27,400
Max Powder: 9.1 gr
Max Velocity: 1,575
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 105 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.6 gr
Starting Velocity: 1,136
Starting Pressure: 30,900
Max Powder: 6.2 gr
Max Velocity: 1,262
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 105 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 8.1 gr
Starting Velocity: 1,201
Starting Pressure: 29,900
Max Powder: 9.0 gr
Max Velocity: 1,334
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 105 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 8.3 gr
Starting Velocity: 1,306
Starting Pressure: 30,800
Max Powder: 9.2 gr
Max Velocity: 1,451
Max Pressure: 34,200
Source: [Hodgdon](#)



GR.: 105 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 7.4 gr
Starting Velocity: 1,168
Starting Pressure: 29,800
Max Powder: 8.2 gr
Max Velocity: 1,298
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.126"
Starting Powder: 6.8 gr
Starting Velocity: 998
Starting Pressure: 29,400
Max Powder: 8.0 gr
Max Velocity: 1,164
Max Pressure: 34,600
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.126"
Starting Powder: 7.0 gr
Starting Velocity: 1,161
Starting Pressure: 29,500
Max Powder: 8.3 gr
Max Velocity: 1,297
Max Pressure: 34,700
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.126"
Starting Powder: 6.2 gr
Starting Velocity: 975
Starting Pressure: 29,600
Max Powder: 7.3 gr
Max Velocity: 1,147
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.1 gr
Starting Velocity: 1,240
Starting Pressure: 25,300
Max Powder: 8.0 gr
Max Velocity: 1,398
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.5 gr
Starting Velocity: 1,110
Starting Pressure: 26,300
Max Powder: 6.2 gr
Max Velocity: 1,240
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 8.2 gr
Starting Velocity: 1,176
Starting Pressure: 26,800
Max Powder: 9.2 gr
Max Velocity: 1,307
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.8 gr
Starting Velocity: 1,245
Starting Pressure: 24,200
Max Powder: 8.5 gr
Max Velocity: 1,367
Max Pressure: 30,300
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.3 gr
Starting Velocity: 1,165
Starting Pressure: 26,500
Max Powder: 6.0 gr
Max Velocity: 1,301
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.0 gr
Starting Velocity: 1,157
Starting Pressure: 24,700
Max Powder: 6.8 gr
Max Velocity: 1,325
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.8 gr
Starting Velocity: 1,178
Starting Pressure: 26,300
Max Powder: 6.5 gr
Max Velocity: 1,333
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.8 gr
Starting Velocity: 1,173
Starting Pressure: 27,200
Max Powder: 6.6 gr
Max Velocity: 1,315
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.5 gr
Starting Velocity: 1,293
Starting Pressure: 28,500
Max Powder: 8.2 gr
Max Velocity: 1,377
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.1 gr
Starting Velocity: 1,219
Starting Pressure: 26,200
Max Powder: 8.0 gr
Max Velocity: 1,386
Max Pressure: 33,800
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.400"
Powder: WSP (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.8 gr
Starting Velocity: 1,177
Starting Pressure: 25,900
Max Powder: 7.7 gr
Max Velocity: 1,329
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 115 gr
Bullet Type: TC frangible (Ervin) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 4.5 gr
Starting Velocity: 1,087
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 1,225
Max Pressure: 32,543
Source: [ShootersWorld](#)



GR.: 115 gr
Bullet Type: TC frangible (Ervin) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 5.0 gr
Starting Velocity: 1,045
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 1,250
Max Pressure: 34,467
Source: [ShootersWorld](#)



GR.: 120 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.9 gr
Starting Velocity: 1,107
Starting Pressure: 26,800
Max Powder: 6.7 gr
Max Velocity: 1,259
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.5 gr
Starting Velocity: 951
Starting Pressure: 26,700
Max Powder: 5.1 gr
Max Velocity: 1,080
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 6.7 gr
Starting Velocity: 925
Starting Pressure: 23,600
Max Powder: 7.9 gr
Max Velocity: 1,178
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 7.0 gr
Starting Velocity: 1,135
Starting Pressure: 26,000
Max Powder: 8.5 gr
Max Velocity: 1,291
Max Pressure: 31,300
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.4 gr
Starting Velocity: 1,019
Starting Pressure: 27,500
Max Powder: 4.9 gr
Max Velocity: 1,134
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.2 gr
Starting Velocity: 1,024
Starting Pressure: 25,600
Max Powder: 5.9 gr
Max Velocity: 1,230
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.9 gr
Starting Velocity: 1,050
Starting Pressure: 26,100
Max Powder: 5.5 gr
Max Velocity: 1,189
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.8 gr
Starting Velocity: 1,035
Starting Pressure: 26,900
Max Powder: 5.4 gr
Max Velocity: 1,151
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 6.4 gr
Starting Velocity: 1,168
Starting Pressure: 28,600
Max Powder: 7.2 gr
Max Velocity: 1,257
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.9 gr
Starting Velocity: 1,048
Starting Pressure: 25,100
Max Powder: 6.7 gr
Max Velocity: 1,240
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.400"
Powder: WSP (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.5 gr
Starting Velocity: 1,027
Starting Pressure: 26,200
Max Powder: 6.2 gr
Max Velocity: 1,166
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.6 gr
Starting Velocity: 949
Starting Pressure: 31,300
Max Powder: 5.1 gr
Max Velocity: 1,054
Max Pressure: 34,700
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 7.5 gr
Starting Velocity: 1,042
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 1,139
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 6.5 gr
Starting Velocity: 1,013
Starting Pressure: 30,900
Max Powder: 7.2 gr
Max Velocity: 1,125
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 9.7 gr
Starting Velocity: 1,051
Starting Pressure:
Max Powder: 10.4 gr
Max Velocity: 1,113
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 5.9 gr
Starting Velocity: 849
Starting Pressure:
Max Powder: 7.6 gr
Max Velocity: 1,183
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 6.2 gr
Starting Velocity: 1,040
Starting Pressure: 29,400
Max Powder: 6.9 gr
Max Velocity: 1,156
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 7.3 gr
Starting Velocity: 1,059
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 1,137
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.8 gr
Starting Velocity: 970
Starting Pressure: 29,800
Max Powder: 6.4 gr
Max Velocity: 1,078
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Power Pistol (Alliant Powder)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 7.7 gr
Starting Velocity: 1,172
Starting Pressure:
Max Powder: 8.4 gr
Max Velocity: 1,250
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Unique (Alliant Powder)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 5.9 gr
Starting Velocity: 1,111
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 1,183
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 5.5 gr
Starting Velocity: 1,104
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 1,225
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.6 gr
Starting Velocity: 1,069
Starting Pressure: 27,900
Max Powder: 5.2 gr
Max Velocity: 1,143
Max Pressure: 31,200
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.6 gr
Starting Velocity: 1,077
Starting Pressure: 21,800
Max Powder: 6.4 gr
Max Velocity: 1,237
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.8 gr
Starting Velocity: 1,060
Starting Pressure: 29,500
Max Powder: 5.4 gr
Max Velocity: 1,132
Max Pressure: 31,500
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 8.1 gr
Starting Velocity: 1,057
Starting Pressure:
Max Powder: 8.8 gr
Max Velocity: 1,136
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.3 gr
Starting Velocity: 1,041
Starting Pressure: 24,700
Max Powder: 4.8 gr
Max Velocity: 1,145
Max Pressure: 31,300
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 5.5 gr
Starting Velocity: 989
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 1,202
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.7 gr
Starting Velocity: 1,059
Starting Pressure: 23,500
Max Powder: 5.3 gr
Max Velocity: 1,172
Max Pressure: 32,300
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.8 gr
Starting Velocity: 1,077
Starting Pressure: 26,200
Max Powder: 5.6 gr
Max Velocity: 1,220
Max Pressure: 32,000
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.400"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.8 gr
Starting Velocity: 1,057
Starting Pressure: 23,800
Max Powder: 5.3 gr
Max Velocity: 1,127
Max Pressure: 26,500
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [REM 1 1/4](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 5.1 gr
Starting Velocity: 1,042
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 1,160
Max Pressure:
Source: [Barnes](#)



GR.: 125 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.8 gr
Starting Velocity: 1,060
Starting Pressure: 29,500
Max Powder: 5.4 gr
Max Velocity: 1,132
Max Pressure: 31,500
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.8 gr
Starting Velocity: 1,100
Starting Pressure: 26,100
Max Powder: 5.5 gr
Max Velocity: 1,221
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 125 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.8 gr
Starting Velocity: 1,120
Starting Pressure: 28,300
Max Powder: 6.8 gr
Max Velocity: 1,229
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.400"
Powder: Nitro 100 NF (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.105"
Starting Powder: 4.3 gr
Starting Velocity: 1,017
Starting Pressure: 29,600
Max Powder: 5.0 gr
Max Velocity: 1,121
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 5.7 gr
Starting Velocity: 1,106
Starting Pressure: 29,500
Max Powder: 6.7 gr
Max Velocity: 1,204
Max Pressure: 34,700
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 8.1 gr
Starting Velocity: 1,102
Starting Pressure: 29,600
Max Powder: 9.5 gr
Max Velocity: 1,270
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 9.4 gr
Starting Velocity: 1,148
Starting Pressure: 29,100
Max Powder: 11.1 gr
Max Velocity: 1,293
Max Pressure: 34,200
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.400"
Powder: Solo 1000 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.105"
Starting Powder: 5.2 gr
Starting Velocity: 1,072
Starting Pressure: 29,500
Max Powder: 6.1 gr
Max Velocity: 1,184
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.400"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.105"
Starting Powder: 4.2 gr
Starting Velocity: 1,015
Starting Pressure: 29,100
Max Powder: 5.0 gr
Max Velocity: 1,109
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 7.4 gr
Starting Velocity: 1,139
Starting Pressure: 29,600
Max Powder: 8.7 gr
Max Velocity: 1,309
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 7.2 gr
Starting Velocity: 1,087
Starting Pressure: 29,700
Max Powder: 8.4 gr
Max Velocity: 1,250
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.400"
Powder: Zip (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.105"
Starting Powder: 5.3 gr
Starting Velocity: 1,045
Starting Pressure: 29,200
Max Powder: 6.3 gr
Max Velocity: 1,204
Max Pressure: 34,400
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.8 gr
Starting Velocity: 1,097
Starting Pressure: 31,000
Max Powder: 7.6 gr
Max Velocity: 1,247
Max Pressure: 34,700
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 8.4 gr
Starting Velocity: 1,114
Starting Pressure: 31,500
Max Powder: 9.3 gr
Max Velocity: 1,266
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 10.1 gr
Starting Velocity: 1,089
Starting Pressure: 30,600
Max Powder: 11.2 gr
Max Velocity: 1,237
Max Pressure: 33,900
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 8.3 gr
Starting Velocity: 1,149
Starting Pressure: 29,100
Max Powder: 9.2 gr
Max Velocity: 1,277
Max Pressure: 32,200
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 8.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.9 gr
Max Velocity: 1,343
Max Pressure:
Source: [Alliant Powder](#)



GR.: 135 gr
Bullet Type: JHP Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.: 1.120"](#)
Starting Powder: 6.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 1,253
Max Pressure:
Source: [Alliant Powder](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.: 1.125"](#)
Starting Powder: 6.0 gr
Starting Velocity: 1,172
Starting Pressure: 27,500
Max Powder: 6.6 gr
Max Velocity: 1,263
Max Pressure: 32,200
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.: 1.125"](#)
Starting Powder: 8.0 gr
Starting Velocity: 1,303
Starting Pressure: 29,500
Max Powder: 8.9 gr
Max Velocity: 1,392
Max Pressure: 33,800
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: Clays (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.: 1.125"](#)
Starting Powder: 4.0 gr
Starting Velocity: 940
Starting Pressure: 22,600
Max Powder: 4.5 gr
Max Velocity: 1,071
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.: 1.125"](#)
Starting Powder: 6.3 gr
Starting Velocity: 1,152
Starting Pressure: 29,900
Max Powder: 7.0 gr
Max Velocity: 1,244
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 9.0 gr
Starting Velocity: 1,180
Starting Pressure: 27,400
Max Powder: 10.2 gr
Max Velocity: 1,321
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 8.5 gr
Starting Velocity: 1,241
Starting Pressure: 25,100
Max Powder: 11.5 gr
Max Velocity: 1,434
Max Pressure: 31,900
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.8 gr
Starting Velocity: 1,155
Starting Pressure: 27,300
Max Powder: 6.4 gr
Max Velocity: 1,251
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.2 gr
Starting Velocity: 1,109
Starting Pressure: 22,000
Max Powder: 6.8 gr
Max Velocity: 1,250
Max Pressure: 32,000
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.8 gr
Starting Velocity: 1,134
Starting Pressure: 25,900
Max Powder: 6.7 gr
Max Velocity: 1,275
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.7 gr
Starting Velocity: 1,111
Starting Pressure: 27,300
Max Powder: 6.2 gr
Max Velocity: 1,183
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.1 gr
Starting Velocity: 1,173
Starting Pressure: 26,500
Max Powder: 7.8 gr
Max Velocity: 1,273
Max Pressure: 32,000
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: HP-XTP (HDY) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 7.3 gr
Starting Velocity: 1,171
Starting Pressure:
Max Powder: 7.6 gr
Max Velocity: 1,210
Max Pressure:
Source: [VihtaVuori](#)



GR.: 135 gr
Bullet Type: HP (NOS) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 8.3 gr
Starting Velocity: 1,322
Starting Pressure:
Max Powder: 8.6 gr
Max Velocity: 1,367
Max Pressure:
Source: [VihtaVuori](#)



GR.: 135 gr
Bullet Type: HP-XTP (HDY) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 5.2 gr
Starting Velocity: 1,106
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 1,134
Max Pressure:
Source: [VihtaVuori](#)



GR.: 135 gr
Bullet Type: HP (NOS) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 6.0 gr
Starting Velocity: 1,224
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 1,259
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 135 gr
Bullet Type: HP-XTP (HDV) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 6.0 gr
Starting Velocity: 1,142
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 1,172
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 135 gr
Bullet Type: HP-XTP (HDV) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 6.0 gr
Starting Velocity: 1,132
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 1,171
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 135 gr
Bullet Type: HP (NOS) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 7.4 gr
Starting Velocity: 1,322
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 1,364
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 135 gr
Bullet Type: HP-XTP (HDV) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 6.6 gr
Starting Velocity: 1,152
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 1,189
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.3 gr
Starting Velocity: 1,152
Starting Pressure: 29,900
Max Powder: 7.0 gr
Max Velocity: 1,244
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.2 gr
Starting Velocity: 1,180
Starting Pressure: 26,000
Max Powder: 6.8 gr
Max Velocity: 1,282
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.3 gr
Starting Velocity: 1,188
Starting Pressure: 26,800
Max Powder: 8.1 gr
Max Velocity: 1,302
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 8.0 gr
Starting Velocity: 1,236
Starting Pressure: 26,600
Max Powder: 8.8 gr
Max Velocity: 1,342
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: WSF (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.1 gr
Starting Velocity: 1,166
Starting Pressure: 26,000
Max Powder: 7.8 gr
Max Velocity: 1,273
Max Pressure: 32,200
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: WST (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.5 gr
Starting Velocity: 1,089
Starting Pressure: 27,900
Max Powder: 5.9 gr
Max Velocity: 1,143
Max Pressure: 31,200
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 6.0 gr
Starting Velocity: 1,132
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 1,225
Max Pressure: 34,400
Source: [ShootersWorld](#)



GR.: 135 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 5.5 gr
Starting Velocity: 477
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 1,303
Max Pressure: 32,300
Source: [ShootersWorld](#)



GR.: 140 gr
Bullet Type: LTCBB (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 5.9 gr
Starting Velocity: 1,016
Starting Pressure: 29,900
Max Powder: 6.6 gr
Max Velocity: 1,155
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.7 gr
Starting Velocity: 873
Starting Pressure: 29,300
Max Powder: 6.3 gr
Max Velocity: 970
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.:](#) 1.135"
Starting Powder: 6.7 gr
Starting Velocity: 915
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 1,003
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: LTCBB (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.:](#) 1.115"
Starting Powder: 7.2 gr
Starting Velocity: 1,038
Starting Pressure: 31,400
Max Powder: 8.0 gr
Max Velocity: 1,179
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.:](#) 1.135"
Starting Powder: 8.1 gr
Starting Velocity: 987
Starting Pressure:
Max Powder: 8.6 gr
Max Velocity: 940
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: LTCBB (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.:](#) 1.115"
Starting Powder: 9.0 gr
Starting Velocity: 1,030
Starting Pressure: 30,300
Max Powder: 10.0 gr
Max Velocity: 1,171
Max Pressure: 33,700
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: LTCBB (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.:](#) 1.105"
Starting Powder: 4.1 gr
Starting Velocity: 1,039
Starting Pressure: 29,000
Max Powder: 4.9 gr
Max Velocity: 1,119
Max Pressure: 34,100
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.5 gr
Starting Velocity: 918
Starting Pressure: 29,600
Max Powder: 6.5 gr
Max Velocity: 1,080
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [REM 1 1/4](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 5.9 gr
Starting Velocity: 967
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,053
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: LTCBB (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 7.3 gr
Starting Velocity: 1,132
Starting Pressure: 29,900
Max Powder: 8.1 gr
Max Velocity: 1,258
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: XPB (Barnes) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.2 gr
Starting Velocity: 872
Starting Pressure: 28,800
Max Powder: 5.8 gr
Max Velocity: 969
Max Pressure: 32,000
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [REM 1 1/4](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 6.3 gr
Starting Velocity: 927
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity: 995
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: LTCBB (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.130"
Starting Powder: 7.7 gr
Starting Velocity: 1,125
Starting Pressure: 30,300
Max Powder: 8.5 gr
Max Velocity: 1,250
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: LTCBB (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Zip (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.8 gr
Starting Velocity: 1,113
Starting Pressure: 30,700
Max Powder: 6.4 gr
Max Velocity: 1,237
Max Pressure: 33,800
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Power Pistol (Alliant Powder)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 6.5 gr
Starting Velocity: 1,021
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 1,079
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Unique (Alliant Powder)
Primer: [REM 1½](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 4.9 gr
Starting Velocity: 970
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 1,052
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 3.3 gr
Starting Velocity: 820
Starting Pressure: 26,900
Max Powder: 3.9 gr
Max Velocity: 933
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [REM-UMC](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 4.9 gr
Starting Velocity: 1,009
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 1,075
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.6 gr
Starting Velocity: 1,095
Starting Pressure: 28,600
Max Powder: 6.1 gr
Max Velocity: 1,159
Max Pressure: 33,800
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Clays (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 2.6 gr
Starting Velocity: 713
Starting Pressure: 24,800
Max Powder: 3.0 gr
Max Velocity: 783
Max Pressure: 31,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.4 gr
Starting Velocity: 965
Starting Pressure: 27,300
Max Powder: 4.8 gr
Max Velocity: 1,016
Max Pressure: 30,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 6.8 gr
Starting Velocity: 1,025
Starting Pressure: 28,500
Max Powder: 7.2 gr
Max Velocity: 1,096
Max Pressure: 33,700
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [REM-UMC](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 7.3 gr
Starting Velocity: 1,006
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 1,065
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 6.4 gr
Starting Velocity: 1,090
Starting Pressure: 25,800
Max Powder: 7.0 gr
Max Velocity: 1,185
Max Pressure: 31,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 3.5 gr
Starting Velocity: 848
Starting Pressure: 27,800
Max Powder: 4.0 gr
Max Velocity: 937
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.3 gr
Starting Velocity: 958
Starting Pressure: 23,100
Max Powder: 4.8 gr
Max Velocity: 1,070
Max Pressure: 31,200
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [REM-UMC](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 4.9 gr
Starting Velocity: 1,011
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 1,084
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.3 gr
Starting Velocity: 961
Starting Pressure: 26,700
Max Powder: 5.0 gr
Max Velocity: 1,096
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 6.5 gr
Starting Velocity: 1,095
Starting Pressure: 28,300
Max Powder: 7.0 gr
Max Velocity: 1,166
Max Pressure: 31,700
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.6 gr
Starting Velocity: 912
Starting Pressure: 28,900
Max Powder: 5.0 gr
Max Velocity: 972
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.4 gr
Starting Velocity: 965
Starting Pressure: 27,300
Max Powder: 4.8 gr
Max Velocity: 1,016
Max Pressure: 30,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [REM 1 1/4](#)
Case: REM
Trim Length: 0.840"
[C.O.L.](#): 1.135"
Starting Powder: 4.5 gr
Starting Velocity: 933
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity: 1,014
Max Pressure:
Source: [Barnes](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.5 gr
Starting Velocity: 1,016
Starting Pressure: 26,100
Max Powder: 5.0 gr
Max Velocity: 1,103
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.5 gr
Starting Velocity: 1,033
Starting Pressure: 27,900
Max Powder: 6.0 gr
Max Velocity: 1,117
Max Pressure: 33,900
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.9 gr
Starting Velocity: 1,089
Starting Pressure: 27,400
Max Powder: 6.3 gr
Max Velocity: 1,154
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: WSF (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.3 gr
Starting Velocity: 995
Starting Pressure: 26,700
Max Powder: 6.2 gr
Max Velocity: 1,109
Max Pressure: 34,000
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: WST (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 3.6 gr
Starting Velocity: 819
Starting Pressure: 28,200
Max Powder: 4.0 gr
Max Velocity: 863
Max Pressure: 31,200
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.9 gr
Starting Velocity: 988
Starting Pressure: 31,200
Max Powder: 6.6 gr
Max Velocity: 1,098
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 7.5 gr
Starting Velocity: 1,030
Starting Pressure: 31,600
Max Powder: 8.3 gr
Max Velocity: 1,170
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 9.2 gr
Starting Velocity: 1,000
Starting Pressure: 30,900
Max Powder: 10.2 gr
Max Velocity: 1,136
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 7.0 gr
Starting Velocity: 1,110
Starting Pressure: 30,600
Max Powder: 7.5 gr
Max Velocity: 1,190
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.3 gr
Starting Velocity: 1,052
Starting Pressure: 29,300
Max Powder: 8.1 gr
Max Velocity: 1,169
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.2 gr
Starting Velocity: 1,080
Starting Pressure: 27,100
Max Powder: 5.5 gr
Max Velocity: 1,143
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.0 gr
Starting Velocity: 1,141
Starting Pressure: 25,000
Max Powder: 7.8 gr
Max Velocity: 1,267
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: Clays (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.8 gr
Starting Velocity: 923
Starting Pressure: 28,400
Max Powder: 4.0 gr
Max Velocity: 960
Max Pressure: 31,700
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.2 gr
Starting Velocity: 1,024
Starting Pressure: 26,900
Max Powder: 5.8 gr
Max Velocity: 1,116
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.8 gr
Starting Velocity: 1,076
Starting Pressure: 25,700
Max Powder: 8.7 gr
Max Velocity: 1,201
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.5 gr
Starting Velocity: 1,184
Starting Pressure: 26,400
Max Powder: 9.3 gr
Max Velocity: 1,320
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 1,079
Starting Pressure: 27,700
Max Powder: 5.5 gr
Max Velocity: 1,147
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.4 gr
Starting Velocity: 1,066
Starting Pressure: 25,700
Max Powder: 5.9 gr
Max Velocity: 1,165
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.2 gr
Starting Velocity: 1,051
Starting Pressure: 26,300
Max Powder: 6.0 gr
Max Velocity: 1,170
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 1,048
Starting Pressure: 29,500
Max Powder: 5.4 gr
Max Velocity: 1,090
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.8 gr
Starting Velocity: 1,189
Starting Pressure: 28,700
Max Powder: 8.3 gr
Max Velocity: 1,248
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.1 gr
Starting Velocity: 1,083
Starting Pressure: 26,800
Max Powder: 6.5 gr
Max Velocity: 1,159
Max Pressure: 31,700
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.2 gr
Starting Velocity: 1,024
Starting Pressure: 26,900
Max Powder: 5.8 gr
Max Velocity: 1,116
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.6 gr
Starting Velocity: 1,086
Starting Pressure: 26,800
Max Powder: 6.3 gr
Max Velocity: 1,183
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.5 gr
Starting Velocity: 1,117
Starting Pressure: 26,700
Max Powder: 7.3 gr
Max Velocity: 1,194
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.6 gr
Starting Velocity: 1,105
Starting Pressure: 24,300
Max Powder: 7.3 gr
Max Velocity: 1,220
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: WSP (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.6 gr
Starting Velocity: 1,137
Starting Pressure: 29,800
Max Powder: 6.8 gr
Max Velocity: 1,185
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: WST (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.5 gr
Starting Velocity: 1,047
Starting Pressure: 29,400
Max Powder: 5.8 gr
Max Velocity: 1,088
Max Pressure: 32,300
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 5.5 gr
Starting Velocity: 1,012
Starting Pressure:
Max Powder: 6.1 gr
Max Velocity: 1,119
Max Pressure: 34,722
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 7.0 gr
Starting Velocity: 920
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 1,201
Max Pressure: 33,380
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 9.1 gr
Starting Velocity: 985
Starting Pressure:
Max Powder: 11.4 gr
Max Velocity: 1,244
Max Pressure: 31,600
Source: [Shooters World](#)



GR.: 155 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.400"
Powder: Nitro 100 NF (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 3.6 gr
Starting Velocity: 875
Starting Pressure: 28,600
Max Powder: 4.2 gr
Max Velocity: 960
Max Pressure: 33,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.0 gr
Starting Velocity: 953
Starting Pressure: 29,700
Max Powder: 5.9 gr
Max Velocity: 1,112
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated RS (Berry's Bullets) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.6 gr
Starting Velocity: 968
Starting Pressure: 31,600
Max Powder: 6.2 gr
Max Velocity: 1,100
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.0 gr
Starting Velocity: 975
Starting Pressure: 29,700
Max Powder: 8.2 gr
Max Velocity: 1,139
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.:](#) 1.125"
Starting Powder: 6.9 gr
Starting Velocity: 963
Starting Pressure: 28,800
Max Powder: 7.7 gr
Max Velocity: 1,095
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.:](#) 1.125"
Starting Powder: 8.2 gr
Starting Velocity: 1,005
Starting Pressure: 29,400
Max Powder: 9.6 gr
Max Velocity: 1,161
Max Pressure: 34,600
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.:](#) 1.125"
Starting Powder: 9.3 gr
Starting Velocity: 998
Starting Pressure: 31,000
Max Powder: 10.3 gr
Max Velocity: 1,135
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.400"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.:](#) 1.115"
Starting Powder: 3.8 gr
Starting Velocity: 884
Starting Pressure: 29,200
Max Powder: 4.5 gr
Max Velocity: 969
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated RS (Berry's Bullets) Diameter: 0.400"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.:](#) 1.115"
Starting Powder: 4.0 gr
Starting Velocity: 923
Starting Pressure: 29,700
Max Powder: 4.7 gr
Max Velocity: 1,015
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.400"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 4.0 gr
Starting Velocity: 914
Starting Pressure: 28,400
Max Powder: 4.7 gr
Max Velocity: 1,008
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.4 gr
Starting Velocity: 1,008
Starting Pressure: 29,500
Max Powder: 7.6 gr
Max Velocity: 1,175
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.4 gr
Starting Velocity: 979
Starting Pressure: 29,700
Max Powder: 7.5 gr
Max Velocity: 1,153
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Green Dot (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 155 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Unique (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 6.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.9 gr
Starting Velocity: 1,010
Starting Pressure: 23,300
Max Powder: 5.5 gr
Max Velocity: 1,134
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 700-X (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.2 gr
Starting Velocity: 1,162
Starting Pressure: 26,400
Max Powder: 7.8 gr
Max Velocity: 1,232
Max Pressure: 31,900
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Clays (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.7 gr
Starting Velocity: 879
Starting Pressure: 23,500
Max Powder: 4.1 gr
Max Velocity: 959
Max Pressure: 31,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Clays (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 3.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 979
Starting Pressure: 24,100
Max Powder: 6.0 gr
Max Velocity: 1,130
Max Pressure: 33,900
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HP-38 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.8 gr
Starting Velocity: 1,054
Starting Pressure: 24,300
Max Powder: 8.8 gr
Max Velocity: 1,200
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HS-6 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 7.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 1,051
Starting Pressure: 26,200
Max Powder: 5.7 gr
Max Velocity: 1,151
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Tite Group (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.5 gr
Starting Velocity: 1,049
Starting Pressure: 26,000
Max Powder: 6.0 gr
Max Velocity: 1,145
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 9.0 gr
Starting Velocity: 1,088
Starting Pressure: 26,800
Max Powder: 10.5 gr
Max Velocity: 1,222
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.3 gr
Starting Velocity: 1,063
Starting Pressure: 27,400
Max Powder: 6.1 gr
Max Velocity: 1,167
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.4 gr
Starting Velocity: 1,020
Starting Pressure: 24,900
Max Powder: 6.2 gr
Max Velocity: 1,132
Max Pressure: 32,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.2 gr
Starting Velocity: 1,147
Starting Pressure: 29,700
Max Powder: 8.0 gr
Max Velocity: 1,195
Max Pressure: 30,400
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.3 gr
Starting Velocity: 1,082
Starting Pressure: 27,300
Max Powder: 7.0 gr
Max Velocity: 1,183
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 155 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 6.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 979
Starting Pressure: 24,100
Max Powder: 6.0 gr
Max Velocity: 1,130
Max Pressure: 33,900
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 231 (Winchester)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.5 gr
Starting Velocity: 1,058
Starting Pressure: 25,700
Max Powder: 6.2 gr
Max Velocity: 1,156
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.5 gr
Starting Velocity: 1,087
Starting Pressure: 25,900
Max Powder: 7.2 gr
Max Velocity: 1,174
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.7 gr
Starting Velocity: 1,091
Starting Pressure: 24,800
Max Powder: 7.3 gr
Max Velocity: 1,200
Max Pressure: 31,600
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: WSP (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.2 gr
Starting Velocity: 1,030
Starting Pressure: 23,500
Max Powder: 7.1 gr
Max Velocity: 1,164
Max Pressure: 32,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: WST (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 996
Starting Pressure: 27,400
Max Powder: 5.9 gr
Max Velocity: 1,091
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.9 gr
Starting Velocity: 966
Starting Pressure: 31,200
Max Powder: 6.5 gr
Max Velocity: 1,073
Max Pressure: 34,400
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LRNSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.130"
Starting Powder: 5.7 gr
Starting Velocity: 982
Starting Pressure: 30,900
Max Powder: 6.3 gr
Max Velocity: 1,116
Max Pressure: 34,100
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XPB (Barnes) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.6 gr
Starting Velocity: 736
Starting Pressure: 28,800
Max Powder: 5.1 gr
Max Velocity: 818
Max Pressure: 32,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.2 gr
Starting Velocity: 1,010
Starting Pressure: 31,300
Max Powder: 8.0 gr
Max Velocity: 1,128
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LRNSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.130"
Starting Powder: 6.8 gr
Starting Velocity: 1,019
Starting Pressure: 31,700
Max Powder: 7.5 gr
Max Velocity: 1,158
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDV) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 9.0 gr
Starting Velocity: 995
Starting Pressure: 31,100
Max Powder: 10.0 gr
Max Velocity: 1,124
Max Pressure: 34,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (Montana Cast Bullets) Diameter: 0.401"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.130"
Starting Powder: 8.7 gr
Starting Velocity: 1,008
Starting Pressure: 31,000
Max Powder: 9.7 gr
Max Velocity: 1,146
Max Pressure: 34,600
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LRNSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.126"
Starting Powder: 3.6 gr
Starting Velocity: 941
Starting Pressure: 29,100
Max Powder: 4.2 gr
Max Velocity: 1,015
Max Pressure: 34,200
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XPB (Barnes) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.4 gr
Starting Velocity: 774
Starting Pressure: 27,100
Max Powder: 4.9 gr
Max Velocity: 860
Max Pressure: 30,100
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 6.9 gr
Starting Velocity: 1,100
Starting Pressure: 31,200
Max Powder: 7.4 gr
Max Velocity: 1,170
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LRNSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 6.5 gr
Starting Velocity: 1,036
Starting Pressure: 30,700
Max Powder: 7.2 gr
Max Velocity: 1,151
Max Pressure: 34,100
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XPB (Barnes) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.2 gr
Starting Velocity: 730
Starting Pressure: 29,300
Max Powder: 4.7 gr
Max Velocity: 811
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LRNSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.095"
Starting Powder: 6.5 gr
Starting Velocity: 963
Starting Pressure: 30,200
Max Powder: 7.2 gr
Max Velocity: 1,070
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Zip (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.130"
Starting Powder: 5.4 gr
Starting Velocity: 1,008
Starting Pressure: 29,300
Max Powder: 6.0 gr
Max Velocity: 1,120
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LRNSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Zip (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.1 gr
Starting Velocity: 1,005
Starting Pressure: 28,400
Max Powder: 5.7 gr
Max Velocity: 1,117
Max Pressure: 31,700
Source: [Hodgdon](#) ⓘ



GR.: 155 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: American Select (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 1,001
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 155 gr
Bullet Type: JHP Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 6.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 1,193
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 155 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Blue Dot (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 9.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 11.0 gr
Max Velocity: 1,221
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 155 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 1,023
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 155 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.: 1.120"](#)
Starting Powder: 8.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 1,213
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 155 gr
Bullet Type: JHP Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.: 1.120"](#)
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 1,101
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 155 gr
Bullet Type: TMJ FN (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.: 1.120"](#)
Starting Powder: 5.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity: 1,107
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 155 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.: 1.120"](#)
Starting Powder: 7.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 1,207
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.: 1.125"](#)
Starting Powder: 5.2 gr
Starting Velocity: 1,054
Starting Pressure: 26,600
Max Powder: 5.8 gr
Max Velocity: 1,138
Max Pressure: 33,700
Source: [Hodgdon](#) ⓘ



GR.: 155 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.8 gr
Starting Velocity: 956
Starting Pressure: 25,700
Max Powder: 5.3 gr
Max Velocity: 1,065
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.6 gr
Starting Velocity: 1,103
Starting Pressure: 25,800
Max Powder: 7.4 gr
Max Velocity: 1,219
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Clays (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.6 gr
Starting Velocity: 854
Starting Pressure: 23,300
Max Powder: 4.0 gr
Max Velocity: 942
Max Pressure: 30,900
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 3.7 gr
Starting Velocity: 825
Starting Pressure: 26,300
Max Powder: 4.2 gr
Max Velocity: 909
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.0 gr
Starting Velocity: 937
Starting Pressure: 22,900
Max Powder: 6.0 gr
Max Velocity: 1,103
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.7 gr
Starting Velocity: 877
Starting Pressure: 26,100
Max Powder: 6.3 gr
Max Velocity: 984
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.7 gr
Starting Velocity: 1,035
Starting Pressure: 26,500
Max Powder: 8.5 gr
Max Velocity: 1,137
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.9 gr
Starting Velocity: 1,042
Starting Pressure: 28,500
Max Powder: 6.6 gr
Max Velocity: 1,090
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.5 gr
Starting Velocity: 1,129
Starting Pressure: 24,900
Max Powder: 9.3 gr
Max Velocity: 1,283
Max Pressure: 31,900
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 3.5 gr
Starting Velocity: 850
Starting Pressure: 25,700
Max Powder: 4.0 gr
Max Velocity: 967
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.4 gr
Starting Velocity: 1,058
Starting Pressure: 28,400
Max Powder: 5.9 gr
Max Velocity: 1,139
Max Pressure: 31,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.3 gr
Starting Velocity: 921
Starting Pressure: 27,100
Max Powder: 4.8 gr
Max Velocity: 1,028
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.7 gr
Starting Velocity: 1,056
Starting Pressure: 23,900
Max Powder: 6.2 gr
Max Velocity: 1,138
Max Pressure: 31,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 9.5 gr
Starting Velocity: 1,085
Starting Pressure: 24,700
Max Powder: 10.5 gr
Max Velocity: 1,188
Max Pressure: 28,100
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.4 gr
Starting Velocity: 958
Starting Pressure: 28,300
Max Powder: 5.0 gr
Max Velocity: 1,059
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 1,042
Starting Pressure: 27,000
Max Powder: 5.9 gr
Max Velocity: 1,176
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.2 gr
Starting Velocity: 1,030
Starting Pressure: 28,100
Max Powder: 5.7 gr
Max Velocity: 1,084
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.9 gr
Starting Velocity: 1,139
Starting Pressure: 25,900
Max Powder: 8.4 gr
Max Velocity: 1,223
Max Pressure: 31,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.4 gr
Starting Velocity: 1,087
Starting Pressure: 26,800
Max Powder: 7.0 gr
Max Velocity: 1,153
Max Pressure: 30,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.0 gr
Starting Velocity: 937
Starting Pressure: 22,900
Max Powder: 6.0 gr
Max Velocity: 1,103
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 3.8 gr
Starting Velocity: 863
Starting Pressure: 26,400
Max Powder: 4.3 gr
Max Velocity: 955
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 1,032
Starting Pressure: 24,800
Max Powder: 6.0 gr
Max Velocity: 1,155
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.1 gr
Starting Velocity: 973
Starting Pressure: 26,800
Max Powder: 5.6 gr
Max Velocity: 1,065
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.0 gr
Starting Velocity: 1,034
Starting Pressure: 26,000
Max Powder: 6.9 gr
Max Velocity: 1,161
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.8 gr
Starting Velocity: 945
Starting Pressure: 25,900
Max Powder: 5.3 gr
Max Velocity: 1,028
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.0 gr
Starting Velocity: 1,109
Starting Pressure: 25,800
Max Powder: 7.8 gr
Max Velocity: 1,223
Max Pressure: 33,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.400"
Powder: WSF (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.7 gr
Starting Velocity: 892
Starting Pressure: 26,300
Max Powder: 5.2 gr
Max Velocity: 987
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: WSF (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.2 gr
Starting Velocity: 1,070
Starting Pressure: 26,100
Max Powder: 6.8 gr
Max Velocity: 1,159
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: WST (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.6 gr
Starting Velocity: 957
Starting Pressure: 25,400
Max Powder: 5.3 gr
Max Velocity: 1,039
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: XTP (HDY) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 5.2 gr
Starting Velocity: 1,000
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 1,100
Max Pressure: 34,706
Source: [ShootersWorld](#)



GR.: 155 gr
Bullet Type: XTP (HDV) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 4.6 gr
Starting Velocity: 682
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,232
Max Pressure: 31,800
Source: [ShootersWorld](#)



GR.: 155 gr
Bullet Type: XTP (HDV) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 6.9 gr
Starting Velocity: 963
Starting Pressure:
Max Powder: 8.3 gr
Max Velocity: 1,159
Max Pressure: 32,613
Source: [ShootersWorld](#)



GR.: 165 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.400"
Powder: Nitro 100 NF (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 3.4 gr
Starting Velocity: 837
Starting Pressure: 29,300
Max Powder: 4.0 gr
Max Velocity: 923
Max Pressure: 34,500
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated RNFP (Rainier) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.6 gr
Starting Velocity: 915
Starting Pressure: 29,600
Max Powder: 5.4 gr
Max Velocity: 1,014
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated RNFP (Rainier) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.5 gr
Starting Velocity: 912
Starting Pressure: 29,700
Max Powder: 7.6 gr
Max Velocity: 1,066
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated RNFP (Rainier) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.9 gr
Starting Velocity: 965
Starting Pressure: 29,100
Max Powder: 9.3 gr
Max Velocity: 1,107
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.400"
Powder: Solo 1000 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 4.4 gr
Starting Velocity: 917
Starting Pressure: 29,600
Max Powder: 5.1 gr
Max Velocity: 1,009
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.123"
Starting Powder: 3.5 gr
Starting Velocity: 869
Starting Pressure: 29,400
Max Powder: 4.2 gr
Max Velocity: 943
Max Pressure: 34,600
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.400"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 3.6 gr
Starting Velocity: 844
Starting Pressure: 29,400
Max Powder: 4.2 gr
Max Velocity: 943
Max Pressure: 34,600
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated RNFP (Rainier) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.1 gr
Starting Velocity: 978
Starting Pressure: 29,300
Max Powder: 7.2 gr
Max Velocity: 1,118
Max Pressure: 34,500
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated RNFP (Rainier) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.9 gr
Starting Velocity: 924
Starting Pressure: 29,500
Max Powder: 6.9 gr
Max Velocity: 1,056
Max Pressure: 34,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.400"
Powder: Zip (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 4.3 gr
Starting Velocity: 901
Starting Pressure: 29,500
Max Powder: 5.1 gr
Max Velocity: 1,016
Max Pressure: 34,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Green Dot (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: Green Dot (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Unique (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: Unique (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.6 gr
Starting Velocity: 994
Starting Pressure: 28,100
Max Powder: 5.0 gr
Max Velocity: 1,043
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 700-X (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: 700-X (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.9 gr
Starting Velocity: 1,124
Starting Pressure: 28,000
Max Powder: 7.5 gr
Max Velocity: 1,205
Max Pressure: 33,900
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Clays (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.4 gr
Starting Velocity: 829
Starting Pressure: 27,500
Max Powder: 3.7 gr
Max Velocity: 888
Max Pressure: 32,000
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Clays (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 3.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 3.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: Clays (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 3.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 3.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.7 gr
Starting Velocity: 933
Starting Pressure: 25,200
Max Powder: 5.4 gr
Max Velocity: 1,049
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HP-38 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: HP-38 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.4 gr
Starting Velocity: 1,027
Starting Pressure: 26,900
Max Powder: 8.1 gr
Max Velocity: 1,108
Max Pressure: 31,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HS-6 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 7.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: HS-6 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 7.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.9 gr
Starting Velocity: 1,091
Starting Pressure: 24,500
Max Powder: 7.8 gr
Max Velocity: 1,199
Max Pressure: 32,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.5 gr
Starting Velocity: 960
Starting Pressure: 24,300
Max Powder: 5.1 gr
Max Velocity: 1,060
Max Pressure: 31,800
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Tite Group (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: Tite Group (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.8 gr
Starting Velocity: 951
Starting Pressure: 24,200
Max Powder: 5.4 gr
Max Velocity: 1,051
Max Pressure: 30,500
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 9.0 gr
Starting Velocity: 1,036
Starting Pressure: 24,400
Max Powder: 10.0 gr
Max Velocity: 1,152
Max Pressure: 29,500
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.0 gr
Starting Velocity: 996
Starting Pressure: 25,500
Max Powder: 5.8 gr
Max Velocity: 1,116
Max Pressure: 33,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 982
Starting Pressure: 27,000
Max Powder: 5.6 gr
Max Velocity: 1,056
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.8 gr
Starting Velocity: 1,083
Starting Pressure: 29,100
Max Powder: 7.8 gr
Max Velocity: 1,191
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.8 gr
Starting Velocity: 1,010
Starting Pressure: 27,200
Max Powder: 6.4 gr
Max Velocity: 1,103
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.1 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.1 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 6.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 6.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDV
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.7 gr
Starting Velocity: 933
Starting Pressure: 25,200
Max Powder: 5.4 gr
Max Velocity: 1,049
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 231 (Winchester)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: 231 (Winchester)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.0 gr
Starting Velocity: 986
Starting Pressure: 25,400
Max Powder: 5.7 gr
Max Velocity: 1,101
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.0 gr
Starting Velocity: 1,016
Starting Pressure: 25,500
Max Powder: 6.7 gr
Max Velocity: 1,124
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.3 gr
Starting Velocity: 1,051
Starting Pressure: 25,900
Max Powder: 7.0 gr
Max Velocity: 1,171
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: WSF (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.1 gr
Starting Velocity: 1,034
Starting Pressure: 27,600
Max Powder: 6.5 gr
Max Velocity: 1,081
Max Pressure: 31,000
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: WST (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.8 gr
Starting Velocity: 944
Starting Pressure: 27,600
Max Powder: 5.5 gr
Max Velocity: 1,003
Max Pressure: 30,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.5 gr
Starting Velocity: 897
Starting Pressure: 29,700
Max Powder: 5.3 gr
Max Velocity: 996
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.2 gr
Starting Velocity: 886
Starting Pressure: 29,200
Max Powder: 7.3 gr
Max Velocity: 1,049
Max Pressure: 34,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.5 gr
Starting Velocity: 940
Starting Pressure: 29,400
Max Powder: 8.8 gr
Max Velocity: 1,086
Max Pressure: 34,600
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.9 gr
Starting Velocity: 942
Starting Pressure: 29,600
Max Powder: 6.9 gr
Max Velocity: 1,101
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.8 gr
Starting Velocity: 891
Starting Pressure: 29,600
Max Powder: 6.8 gr
Max Velocity: 1,033
Max Pressure: 34,800
Source: [Hodgdon](#) ⓘ



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: Zip (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.124"
Starting Powder: 5.1 gr
Starting Velocity: 925
Starting Pressure: 26,000
Max Powder: 5.7 gr
Max Velocity: 1,028
Max Pressure: 29,100
Source: [Hodgdon](#) ⓘ



GR.: 165 gr
Bullet Type: JHP Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 5.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.5 gr
Max Velocity: 1,123
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 165 gr
Bullet Type: FMC Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 6.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 1,167
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 165 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 1,022
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 165 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 7.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 1,081
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 165 gr
Bullet Type: JHP Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity: 1,031
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 165 gr
Bullet Type: FMC Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 1,070
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 165 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 4.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.2 gr
Max Velocity: 1,042
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 165 gr
Bullet Type: TMJ FN (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 1,059
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 165 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.: 1.120"](#)
Starting Powder: 6.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 1,064
Max Pressure:
Source: [Alliant Powder](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.: 1.125"](#)
Starting Powder: 5.0 gr
Starting Velocity: 997
Starting Pressure: 28,000
Max Powder: 5.5 gr
Max Velocity: 1,066
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.: 1.125"](#)
Starting Powder: 6.0 gr
Starting Velocity: 1,038
Starting Pressure: 25,500
Max Powder: 6.8 gr
Max Velocity: 1,149
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: Clays (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.: 1.125"](#)
Starting Powder: 3.5 gr
Starting Velocity: 851
Starting Pressure: 29,900
Max Powder: 3.9 gr
Max Velocity: 897
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.: 1.125"](#)
Starting Powder: 4.8 gr
Starting Velocity: 946
Starting Pressure: 28,100
Max Powder: 5.3 gr
Max Velocity: 1,001
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.3 gr
Starting Velocity: 1,013
Starting Pressure: 28,700
Max Powder: 8.0 gr
Max Velocity: 1,098
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.3 gr
Starting Velocity: 1,139
Starting Pressure: 29,600
Max Powder: 7.8 gr
Max Velocity: 1,185
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.6 gr
Starting Velocity: 961
Starting Pressure: 27,000
Max Powder: 5.1 gr
Max Velocity: 1,047
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 976
Starting Pressure: 26,800
Max Powder: 5.6 gr
Max Velocity: 1,061
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 9.0 gr
Starting Velocity: 1,016
Starting Pressure: 23,800
Max Powder: 10.0 gr
Max Velocity: 1,133
Max Pressure: 29,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.8 gr
Starting Velocity: 983
Starting Pressure: 26,500
Max Powder: 5.6 gr
Max Velocity: 1,105
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.7 gr
Starting Velocity: 932
Starting Pressure: 26,400
Max Powder: 5.2 gr
Max Velocity: 1,007
Max Pressure: 32,200
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.2 gr
Starting Velocity: 1,075
Starting Pressure: 26,200
Max Powder: 7.9 gr
Max Velocity: 1,168
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.9 gr
Starting Velocity: 1,020
Starting Pressure: 27,400
Max Powder: 6.5 gr
Max Velocity: 1,097
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: TC-FMJ (PMC) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 7.3 gr
Starting Velocity: 1,125
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 1,166
Max Pressure:
Source: [VihtaVuori](#)



GR.: 165 gr
Bullet Type: TC-FMJ (PMC) Diameter:
Powder: 3N38 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 9.6 gr
Starting Velocity: 1,211
Starting Pressure:
Max Powder: 9.8 gr
Max Velocity: 1,252
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: TC-FMJ (PMC) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 4.9 gr
Starting Velocity: 994
Starting Pressure:
Max Powder: 5.2 gr
Max Velocity: 1,038
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: TC-FMJ (PMC) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 6.3 gr
Starting Velocity: 1,096
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 1,137
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.8 gr
Starting Velocity: 946
Starting Pressure: 28,100
Max Powder: 5.3 gr
Max Velocity: 1,001
Max Pressure: 32,500
Source: [Hodgdon](#) ⓘ



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.9 gr
Starting Velocity: 994
Starting Pressure: 26,100
Max Powder: 5.5 gr
Max Velocity: 1,092
Max Pressure: 32,600
Source: [Hodgdon](#) ⓘ



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.5 gr
Starting Velocity: 976
Starting Pressure: 26,100
Max Powder: 6.2 gr
Max Velocity: 1,111
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.5 gr
Starting Velocity: 1,037
Starting Pressure: 25,600
Max Powder: 7.1 gr
Max Velocity: 1,124
Max Pressure: 31,500
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: WSP (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.3 gr
Starting Velocity: 1,055
Starting Pressure: 28,100
Max Powder: 6.7 gr
Max Velocity: 1,115
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: WST (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.5 gr
Starting Velocity: 916
Starting Pressure: 26,400
Max Powder: 5.1 gr
Max Velocity: 995
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 4.3 gr
Starting Velocity: 647
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity: 1,139
Max Pressure: 33,900
Source: [ShootersWorld](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 6.5 gr
Starting Velocity: 964
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,123
Max Pressure: 34,551
Source: [ShootersWorld](#)



GR.: 165 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 7.6 gr
Starting Velocity: 955
Starting Pressure:
Max Powder: 10.4 gr
Max Velocity: 1,160
Max Pressure: 33,600
Source: [ShootersWorld](#)



GR.: 170 gr
Bullet Type: Lead SWCBB (Ares) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Sellier & Bellot
Trim Length:
[C.O.L.](#): 28.700mm
Starting Powder: 5.7 gr
Starting Velocity: 886
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 1,050
Max Pressure: 31,000
Source: [ShootersWorld](#)



GR.: 170 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 5.5 gr
Starting Velocity: 868
Starting Pressure: 31,600
Max Powder: 6.1 gr
Max Velocity: 986
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.136"
Starting Powder: 3.1 gr
Starting Velocity: 839
Starting Pressure: 29,500
Max Powder: 3.6 gr
Max Velocity: 917
Max Pressure: 34,700
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: FMJ (WIN) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 6.2 gr
Starting Velocity: 1,020
Starting Pressure: 31,000
Max Powder: 6.7 gr
Max Velocity: 1,085
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.5 gr
Starting Velocity: 932
Starting Pressure: 30,800
Max Powder: 6.1 gr
Max Velocity: 1,035
Max Pressure: 34,200
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.130"
Starting Powder: 5.9 gr
Starting Velocity: 878
Starting Pressure: 29,100
Max Powder: 6.6 gr
Max Velocity: 975
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Zip (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.0 gr
Starting Velocity: 873
Starting Pressure: 31,000
Max Powder: 4.4 gr
Max Velocity: 970
Max Pressure: 34,500
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: HP (HDV) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 6.0 gr
Starting Velocity: 1,056
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 1,093
Max Pressure:
Source: [VihtaVuori](#)



GR.: 170 gr
Bullet Type: HP (HDV) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 5.2 gr
Starting Velocity: 1,027
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 1,063
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 170 gr
Bullet Type: HP (HDV) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 5.9 gr
Starting Velocity: 1,056
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 1,091
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 175 gr
Bullet Type: LSWCBB (Montana Cast Bullets) Diameter: 0.401"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 4.8 gr
Starting Velocity: 858
Starting Pressure: 31,000
Max Powder: 5.3 gr
Max Velocity: 975
Max Pressure: 34,200
Source: [Hodgdon](#) ⓘ



GR.: 175 gr
Bullet Type: LSWC (Montana Cast Bullets) Diameter: 0.401"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 7.6 gr
Starting Velocity: 892
Starting Pressure: 31,700
Max Powder: 8.4 gr
Max Velocity: 1,014
Max Pressure: 35,000
Source: [Hodgdon](#) ⓘ



GR.: 180 gr
Bullet Type: Coated FP-NLG (ACME) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.160"
Starting Powder: 4.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity: 1,010
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: Lead LTC (Fiocchi) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 5.4 gr
Starting Velocity: 948
Starting Pressure:
Max Powder: 6.1 gr
Max Velocity: 1,049
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Lead LTC (Fiocchi) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 3.5 gr
Starting Velocity: 883
Starting Pressure:
Max Powder: 4.1 gr
Max Velocity: 968
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Lead LTC (Fiocchi) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 4.6 gr
Starting Velocity: 948
Starting Pressure:
Max Powder: 5.2 gr
Max Velocity: 1,034
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 180 gr
Bullet Type: Lead RNFP 10 SAECO (Laser Cast, Oregon Trail Bullet Company) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 4.5 gr
Starting Velocity: 849
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,068
Max Pressure: 32,400
Source: [ShootersWorld](#)



GR.: 180 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.400"
Powder: Nitro 100 NF (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 3.0 gr
Starting Velocity: 754
Starting Pressure: 29,600
Max Powder: 3.5 gr
Max Velocity: 834
Max Pressure: 34,800
Source: [Hodgdon](#) ⓘ



GR.: 180 gr
Bullet Type: Plated RNFP (Rainier) Diameter: 0.400"
Powder: Nitro 100 NF (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 3.0 gr
Starting Velocity: 743
Starting Pressure: 29,100
Max Powder: 3.5 gr
Max Velocity: 822
Max Pressure: 34,200
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.0 gr
Starting Velocity: 823
Starting Pressure: 29,400
Max Powder: 4.8 gr
Max Velocity: 920
Max Pressure: 34,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.3 gr
Starting Velocity: 794
Starting Pressure: 29,900
Max Powder: 4.8 gr
Max Velocity: 903
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.7 gr
Starting Velocity: 828
Starting Pressure: 29,500
Max Powder: 6.7 gr
Max Velocity: 960
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.8 gr
Starting Velocity: 865
Starting Pressure: 29,600
Max Powder: 8.0 gr
Max Velocity: 1,001
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RNFP (Rainier) Diameter: 0.400"
Powder: Solo 1000 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 3.8 gr
Starting Velocity: 830
Starting Pressure: 29,600
Max Powder: 4.5 gr
Max Velocity: 907
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.400"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 2.9 gr
Starting Velocity: 736
Starting Pressure: 26,900
Max Powder: 3.4 gr
Max Velocity: 816
Max Pressure: 31,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 3.2 gr
Starting Velocity: 791
Starting Pressure: 29,500
Max Powder: 3.7 gr
Max Velocity: 863
Max Pressure: 34,700
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RS (Berry's Bullets) Diameter: 0.400"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 3.4 gr
Starting Velocity: 807
Starting Pressure: 29,700
Max Powder: 4.0 gr
Max Velocity: 890
Max Pressure: 34,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.400"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.115"
Starting Powder: 2.9 gr
Starting Velocity: 723
Starting Pressure: 26,500
Max Powder: 3.4 gr
Max Velocity: 795
Max Pressure: 31,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RNFP (Rainier) Diameter: 0.400"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 3.0 gr
Starting Velocity: 727
Starting Pressure: 27,100
Max Powder: 3.6 gr
Max Velocity: 818
Max Pressure: 32,200
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.4 gr
Starting Velocity: 885
Starting Pressure: 29,600
Max Powder: 6.3 gr
Max Velocity: 1,032
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.2 gr
Starting Velocity: 844
Starting Pressure: 29,600
Max Powder: 6.1 gr
Max Velocity: 967
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RNFP (Rainier) Diameter: 0.400"
Powder: Zip (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 3.9 gr
Starting Velocity: 818
Starting Pressure: 29,200
Max Powder: 4.6 gr
Max Velocity: 925
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Green Dot (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: Green Dot (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Green Dot (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Unique (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: Unique (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Unique (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.2 gr
Starting Velocity: 900
Starting Pressure: 25,800
Max Powder: 4.7 gr
Max Velocity: 986
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: 700-X (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: 700-X (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 700-X (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.9 gr
Starting Velocity: 1,007
Starting Pressure: 25,500
Max Powder: 6.5 gr
Max Velocity: 1,092
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Clays (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.0 gr
Starting Velocity: 732
Starting Pressure: 25,400
Max Powder: 3.4 gr
Max Velocity: 809
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Clays (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 3.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 3.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: Clays (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 3.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 3.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Clays (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 3.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 3.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.4 gr
Starting Velocity: 872
Starting Pressure: 26,400
Max Powder: 5.1 gr
Max Velocity: 984
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: HP-38 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: HP-38 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HP-38 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.6 gr
Starting Velocity: 924
Starting Pressure: 25,400
Max Powder: 7.4 gr
Max Velocity: 1,041
Max Pressure: 31,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: HS-6 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 6.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: HS-6 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 6.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HS-6 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 6.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.3 gr
Starting Velocity: 1,013
Starting Pressure: 26,200
Max Powder: 7.5 gr
Max Velocity: 1,150
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.2 gr
Starting Velocity: 901
Starting Pressure: 27,400
Max Powder: 4.7 gr
Max Velocity: 988
Max Pressure: 31,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Tite Group (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: Tite Group (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Tite Group (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.6 gr
Starting Velocity: 925
Starting Pressure: 28,300
Max Powder: 5.1 gr
Max Velocity: 1,002
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 8.0 gr
Starting Velocity: 959
Starting Pressure: 24,000
Max Powder: 9.5 gr
Max Velocity: 1,105
Max Pressure: 31,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.7 gr
Starting Velocity: 949
Starting Pressure: 26,700
Max Powder: 5.5 gr
Max Velocity: 1,082
Max Pressure: 33,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.7 gr
Starting Velocity: 904
Starting Pressure: 27,100
Max Powder: 5.1 gr
Max Velocity: 979
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.2 gr
Starting Velocity: 999
Starting Pressure: 28,400
Max Powder: 6.7 gr
Max Velocity: 1,063
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.2 gr
Starting Velocity: 937
Starting Pressure: 26,900
Max Powder: 5.8 gr
Max Velocity: 1,018
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.4 gr
Starting Velocity: 872
Starting Pressure: 26,400
Max Powder: 5.1 gr
Max Velocity: 984
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: 231 (Winchester)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated SH FCP (CamPro) Diameter:
Powder: 231 (Winchester)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 231 (Winchester)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.8 gr
Starting Velocity: 974
Starting Pressure: 27,400
Max Powder: 5.3 gr
Max Velocity: 1,041
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.4 gr
Starting Velocity: 952
Starting Pressure: 28,000
Max Powder: 6.0 gr
Max Velocity: 1,033
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.7 gr
Starting Velocity: 971
Starting Pressure: 26,700
Max Powder: 6.2 gr
Max Velocity: 1,060
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: WSF (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.5 gr
Starting Velocity: 952
Starting Pressure: 27,600
Max Powder: 6.0 gr
Max Velocity: 1,020
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.400"
Powder: WST (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.4 gr
Starting Velocity: 868
Starting Pressure: 26,900
Max Powder: 4.9 gr
Max Velocity: 932
Max Pressure: 32,000
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.8 gr
Starting Velocity: 828
Starting Pressure: 31,200
Max Powder: 5.3 gr
Max Velocity: 920
Max Pressure: 34,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: GSBR (REM) Diameter: 0.400"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.175"
Starting Powder: 4.4 gr
Starting Velocity: 827
Starting Pressure: 29,100
Max Powder: 5.2 gr
Max Velocity: 927
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.9 gr
Starting Velocity: 849
Starting Pressure: 29,100
Max Powder: 6.6 gr
Max Velocity: 965
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: LTC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.4 gr
Starting Velocity: 858
Starting Pressure: 31,500
Max Powder: 6.0 gr
Max Velocity: 975
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 7.7 gr
Starting Velocity: 861
Starting Pressure: 31,300
Max Powder: 8.5 gr
Max Velocity: 978
Max Pressure: 34,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 7.2 gr
Starting Velocity: 870
Starting Pressure: 28,600
Max Powder: 8.5 gr
Max Velocity: 1,023
Max Pressure: 33,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: LTC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.130"
Starting Powder: 2.8 gr
Starting Velocity: 766
Starting Pressure: 26,300
Max Powder: 3.3 gr
Max Velocity: 849
Max Pressure: 31,000
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: JHP (Sierra) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.5 gr
Starting Velocity: 920
Starting Pressure: 29,500
Max Powder: 6.2 gr
Max Velocity: 1,020
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: LTC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.3 gr
Starting Velocity: 895
Starting Pressure: 30,700
Max Powder: 5.9 gr
Max Velocity: 994
Max Pressure: 34,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: JHP (NOS) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 6.3 gr
Starting Velocity: 935
Starting Pressure: 29,200
Max Powder: 7.0 gr
Max Velocity: 1,039
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: GDHP (Speer) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 4.8 gr
Starting Velocity: 794
Starting Pressure: 29,500
Max Powder: 5.7 gr
Max Velocity: 927
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: LTC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 5.1 gr
Starting Velocity: 853
Starting Pressure: 30,600
Max Powder: 5.7 gr
Max Velocity: 948
Max Pressure: 34,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Zip (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.126"
Starting Powder: 4.0 gr
Starting Velocity: 873
Starting Pressure: 31,000
Max Powder: 4.4 gr
Max Velocity: 970
Max Pressure: 34,500
Source: [Hodgdon](#) ⓘ



GR.: 180 gr
Bullet Type: LTC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Zip (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.120"
Starting Powder: 3.7 gr
Starting Velocity: 842
Starting Pressure: 30,700
Max Powder: 4.1 gr
Max Velocity: 935
Max Pressure: 34,100
Source: [Hodgdon](#) ⓘ



GR.: 180 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: American Select (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity: 865
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: CPFN (Speer) Diameter:
Powder: American Select (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 4.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 968
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: JHP Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 5.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 1,020
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: FMC Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 5.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 1,068
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: CPFN (Speer) Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 6.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 1,086
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Blue Dot (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 8.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.9 gr
Max Velocity: 1,018
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 929
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: CPFN (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 5.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity: 1,040
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 6.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 1,013
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: CPFN (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 6.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.6 gr
Max Velocity: 1,097
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: JHP Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 4.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.6 gr
Max Velocity: 958
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: FMC Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 4.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity: 978
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.120"
Starting Powder: 4.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.6 gr
Max Velocity: 942
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: CPFN (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.: 1.120"](#)
Starting Powder: 4.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity: 975
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: CPFN (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.: 1.120"](#)
Starting Powder: 5.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.5 gr
Max Velocity: 1,059
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 500](#)
Case:
Trim Length:
[C.O.L.: 1.120"](#)
Starting Powder: 6.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 1,000
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.: 1.125"](#)
Starting Powder: 4.3 gr
Starting Velocity: 904
Starting Pressure: 27,700
Max Powder: 4.8 gr
Max Velocity: 966
Max Pressure: 32,500
Source: [Hodgdon](#) ⓘ



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.: 1.125"](#)
Starting Powder: 5.4 gr
Starting Velocity: 949
Starting Pressure: 25,800
Max Powder: 6.0 gr
Max Velocity: 1,051
Max Pressure: 32,200
Source: [Hodgdon](#) ⓘ



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Clays (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.0 gr
Starting Velocity: 727
Starting Pressure: 26,000
Max Powder: 3.5 gr
Max Velocity: 847
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.1 gr
Starting Velocity: 797
Starting Pressure: 23,800
Max Powder: 5.0 gr
Max Velocity: 947
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.1 gr
Starting Velocity: 876
Starting Pressure: 25,900
Max Powder: 6.9 gr
Max Velocity: 976
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.5 gr
Starting Velocity: 1,009
Starting Pressure: 25,000
Max Powder: 8.0 gr
Max Velocity: 1,159
Max Pressure: 32,300
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.2 gr
Starting Velocity: 877
Starting Pressure: 26,500
Max Powder: 4.7 gr
Max Velocity: 978
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.0 gr
Starting Velocity: 973
Starting Pressure: 26,500
Max Powder: 5.8 gr
Max Velocity: 1,046
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.7 gr
Starting Velocity: 949
Starting Pressure: 25,500
Max Powder: 9.2 gr
Max Velocity: 1,094
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.4 gr
Starting Velocity: 911
Starting Pressure: 27,500
Max Powder: 5.1 gr
Max Velocity: 1,049
Max Pressure: 33,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.1 gr
Starting Velocity: 851
Starting Pressure: 26,200
Max Powder: 4.5 gr
Max Velocity: 917
Max Pressure: 30,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.1 gr
Starting Velocity: 957
Starting Pressure: 25,200
Max Powder: 6.6 gr
Max Velocity: 1,018
Max Pressure: 28,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.2 gr
Starting Velocity: 935
Starting Pressure: 27,900
Max Powder: 5.7 gr
Max Velocity: 999
Max Pressure: 31,700
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: HP (Speer) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 5.9 gr
Starting Velocity: 994
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 1,035
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: HP (Speer) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 5.4 gr
Starting Velocity: 1,001
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity: 1,037
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: HP (Speer) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 5.9 gr
Starting Velocity: 1,047
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 1,078
Max Pressure:
Source: [VihtaVuori](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.1 gr
Starting Velocity: 797
Starting Pressure: 23,800
Max Powder: 5.0 gr
Max Velocity: 947
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.5 gr
Starting Velocity: 929
Starting Pressure: 28,000
Max Powder: 5.0 gr
Max Velocity: 1,006
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 915
Starting Pressure: 27,800
Max Powder: 5.7 gr
Max Velocity: 1,002
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.8 gr
Starting Velocity: 975
Starting Pressure: 27,700
Max Powder: 6.3 gr
Max Velocity: 1,053
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: WSP (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.4 gr
Starting Velocity: 946
Starting Pressure: 28,000
Max Powder: 5.8 gr
Max Velocity: 1,013
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: WST (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.9 gr
Starting Velocity: 830
Starting Pressure: 28,300
Max Powder: 4.3 gr
Max Velocity: 888
Max Pressure: 32,400
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: (Extreme) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 4.4 gr
Starting Velocity: 804
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity: 960
Max Pressure: 34,400
Source: [ShootersWorld](#)



GR.: 180 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: REM
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 4.4 gr
Starting Velocity: 842
Starting Pressure:
Max Powder: 4.8 gr
Max Velocity: 934
Max Pressure: 35,000
Source: [ShootersWorld](#)



GR.: 180 gr
Bullet Type: HAP (HDV) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 3.8 gr
Starting Velocity: 630
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 1,027
Max Pressure: 31,800
Source: [ShootersWorld](#)



GR.: 180 gr
Bullet Type: XTP (HDV) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 4.0 gr
Starting Velocity: 618
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,081
Max Pressure: 34,700
Source: [ShootersWorld](#)



GR.: 180 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 4.0 gr
Starting Velocity: 595
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 1,049
Max Pressure: 33,500
Source: [ShootersWorld](#)



GR.: 180 gr
Bullet Type: FP (Extreme) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 6.5 gr
Starting Velocity: 875
Starting Pressure:
Max Powder: 8.4 gr
Max Velocity: 1,130
Max Pressure: 34,812
Source: [ShootersWorld](#)



GR.: 180 gr
Bullet Type: XTP (HDV) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 7.4 gr
Starting Velocity: 818
Starting Pressure:
Max Powder: 9.5 gr
Max Velocity: 1,136
Max Pressure: 34,400
Source: [ShootersWorld](#)



GR.: 180 gr
Bullet Type: JHP (Sierra) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 6.9 gr
Starting Velocity: 877
Starting Pressure:
Max Powder: 9.8 gr
Max Velocity: 1,122
Max Pressure: 35,000
Source: [ShootersWorld](#)



GR.: 180 gr
Bullet Type: FMJ Diameter:
Powder: HEAVY PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Sellier & Bellot
Trim Length:
[C.O.L.](#): 28.800mm
Starting Powder: 8.0 gr
Starting Velocity: 951
Starting Pressure:
Max Powder: 8.8 gr
Max Velocity: 1,017
Max Pressure: 32,100
Source: [ShootersWorld](#)



GR.: 185 gr
Bullet Type: LRNSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: No. 2 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.174"
Starting Powder: 4.6 gr
Starting Velocity: 829
Starting Pressure: 29,800
Max Powder: 5.1 gr
Max Velocity: 942
Max Pressure: 33,000
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LRNSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.174"
Starting Powder: 7.4 gr
Starting Velocity: 871
Starting Pressure: 31,600
Max Powder: 8.2 gr
Max Velocity: 990
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LRNSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.174"
Starting Powder: 2.9 gr
Starting Velocity: 770
Starting Pressure: 26,700
Max Powder: 3.5 gr
Max Velocity: 861
Max Pressure: 31,400
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: FPJ (Sierra) Diameter: 0.400"
Powder: No. 5 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.0 gr
Starting Velocity: 828
Starting Pressure: 31,300
Max Powder: 6.7 gr
Max Velocity: 950
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 190 gr
Bullet Type: FPJ (Sierra) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 7.7 gr
Starting Velocity: 848
Starting Pressure: 30,700
Max Powder: 8.6 gr
Max Velocity: 964
Max Pressure: 34,300
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Coated RN-NLG (ACME) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case:
Trim Length:
[C.O.L.](#): 1.100"
Starting Powder: 3.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 3.6 gr
Max Velocity: 846
Max Pressure:
Source: [Alliant Powder](#)



GR.: 200 gr
Bullet Type: Lead RN10 SAECO (Laser Cast, Oregon Trail Bullet Company) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 4.0 gr
Starting Velocity: 793
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 983
Max Pressure: 33,700
Source: [Shooters World](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Green Dot (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Unique (Alliant Powder)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 700-X (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 3.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 3.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HP-38 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 3.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HS-6 (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Tite Group (Hodgdon)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 3.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 3.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 231 (Winchester)
Primer: [Small Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.130"
Starting Powder: 3.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.130"
Starting Powder: 6.7 gr
Starting Velocity: 748
Starting Pressure: 31,700
Max Powder: 7.4 gr
Max Velocity: 850
Max Pressure: 35,000
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LTC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: No. 7 (Accurate)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.110"
Starting Powder: 6.1 gr
Starting Velocity: 777
Starting Pressure: 31,200
Max Powder: 6.8 gr
Max Velocity: 883
Max Pressure: 34,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LTC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.401"
Powder: Competition (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 2.5 gr
Starting Velocity: 711
Starting Pressure: 28,900
Max Powder: 3.0 gr
Max Velocity: 776
Max Pressure: 34,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Silhouette (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 4.8 gr
Starting Velocity: 800
Starting Pressure: 27,900
Max Powder: 5.6 gr
Max Velocity: 920
Max Pressure: 32,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: True Blue (Ramshot)
Primer: [WIN WSP](#)
Case: WIN
Trim Length: 0.845"
[C.O.L.](#): 1.135"
Starting Powder: 5.4 gr
Starting Velocity: 802
Starting Pressure: 29,000
Max Powder: 6.0 gr
Max Velocity: 891
Max Pressure: 32,200
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: RN-CTD (ACME) Diameter: 0.401"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.0 gr
Starting Velocity: 769
Starting Pressure: 24,400
Max Powder: 3.5 gr
Max Velocity: 871
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 700-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.5 gr
Starting Velocity: 744
Starting Pressure: 27,000
Max Powder: 3.9 gr
Max Velocity: 810
Max Pressure: 30,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 800-X (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.6 gr
Starting Velocity: 903
Starting Pressure: 28,300
Max Powder: 6.1 gr
Max Velocity: 951
Max Pressure: 31,000
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: RN-CTD (ACME) Diameter: 0.401"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.5 gr
Starting Velocity: 875
Starting Pressure: 26,000
Max Powder: 5.0 gr
Max Velocity: 962
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: CFE Pistol (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.4 gr
Starting Velocity: 833
Starting Pressure: 27,800
Max Powder: 4.8 gr
Max Velocity: 897
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: HP-38 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.9 gr
Starting Velocity: 737
Starting Pressure: 25,900
Max Powder: 4.7 gr
Max Velocity: 857
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: RN-CTD (ACME) Diameter: 0.401"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.6 gr
Starting Velocity: 862
Starting Pressure: 25,900
Max Powder: 6.3 gr
Max Velocity: 976
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: HS-6 (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.5 gr
Starting Velocity: 810
Starting Pressure: 27,000
Max Powder: 6.3 gr
Max Velocity: 900
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: RN-CTD (ACME) Diameter: 0.401"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.0 gr
Starting Velocity: 907
Starting Pressure: 26,800
Max Powder: 5.6 gr
Max Velocity: 990
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Longshot (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.0 gr
Starting Velocity: 836
Starting Pressure: 23,900
Max Powder: 6.0 gr
Max Velocity: 954
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: RN-CTD (ACME) Diameter: 0.401"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.6 gr
Starting Velocity: 853
Starting Pressure: 28,600
Max Powder: 4.0 gr
Max Velocity: 926
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.4 gr
Starting Velocity: 744
Starting Pressure: 27,200
Max Powder: 3.8 gr
Max Velocity: 822
Max Pressure: 31,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: RN-CTD (ACME) Diameter: 0.401"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.2 gr
Starting Velocity: 901
Starting Pressure: 28,000
Max Powder: 4.7 gr
Max Velocity: 959
Max Pressure: 32,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: Universal (Hodgdon)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.0 gr
Starting Velocity: 824
Starting Pressure: 25,000
Max Powder: 4.7 gr
Max Velocity: 903
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 6.5 gr
Starting Velocity: 821
Starting Pressure: 25,300
Max Powder: 8.0 gr
Max Velocity: 987
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: IMR Target (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.6 gr
Starting Velocity: 770
Starting Pressure: 26,200
Max Powder: 4.2 gr
Max Velocity: 886
Max Pressure: 33,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: PB (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.4 gr
Starting Velocity: 714
Starting Pressure: 26,500
Max Powder: 3.7 gr
Max Velocity: 782
Max Pressure: 32,200
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: SR 4756 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 5.1 gr
Starting Velocity: 849
Starting Pressure: 28,800
Max Powder: 5.5 gr
Max Velocity: 910
Max Pressure: 32,900
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: SR 7625 (Improved Military Rifle)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.2 gr
Starting Velocity: 787
Starting Pressure: 27,700
Max Powder: 4.8 gr
Max Velocity: 872
Max Pressure: 32,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: TMJ (Speer) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 5.1 gr
Starting Velocity: 869
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 909
Max Pressure:
Source: [VihtaVuori](#)



GR.: 200 gr
Bullet Type: TMJ (Speer) Diameter:
Powder: 3N38 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 6.9 gr
Starting Velocity: 997
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 1,038
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: TMJ (Speer) Diameter:
Powder: N105 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 7.6 gr
Starting Velocity: 1,053
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,076
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: TMJ (Speer) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 4.6 gr
Starting Velocity: 876
Starting Pressure:
Max Powder: 4.9 gr
Max Velocity: 910
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: TMJ (Speer) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Small Pistol](#)
Case: REM
Trim Length: 0.843"
[C.O.L.](#): 1.126"
Starting Powder: 5.2 gr
Starting Velocity: 892
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 925
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: RN-CTD (ACME) Diameter: 0.401"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.8 gr
Starting Velocity: 830
Starting Pressure: 27,800
Max Powder: 4.3 gr
Max Velocity: 902
Max Pressure: 32,900
Source: [Hodgdon](#) ⓘ



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 231 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.9 gr
Starting Velocity: 737
Starting Pressure: 25,900
Max Powder: 4.7 gr
Max Velocity: 857
Max Pressure: 33,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: RN-CTD (ACME) Diameter: 0.401"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.8 gr
Starting Velocity: 841
Starting Pressure: 25,900
Max Powder: 4.3 gr
Max Velocity: 938
Max Pressure: 33,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 244 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.8 gr
Starting Velocity: 809
Starting Pressure: 27,300
Max Powder: 4.3 gr
Max Velocity: 894
Max Pressure: 33,200
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: RN-CTD (ACME) Diameter: 0.401"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.7 gr
Starting Velocity: 883
Starting Pressure: 27,100
Max Powder: 5.3 gr
Max Velocity: 980
Max Pressure: 33,300
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: 572 (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.0 gr
Starting Velocity: 765
Starting Pressure: 27,300
Max Powder: 4.6 gr
Max Velocity: 871
Max Pressure: 33,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: RN-CTD (ACME) Diameter: 0.401"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.7 gr
Starting Velocity: 887
Starting Pressure: 26,600
Max Powder: 5.3 gr
Max Velocity: 972
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: AutoComp (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.8 gr
Starting Velocity: 838
Starting Pressure: 27,900
Max Powder: 5.2 gr
Max Velocity: 894
Max Pressure: 32,100
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: WSP (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 4.4 gr
Starting Velocity: 786
Starting Pressure: 27,300
Max Powder: 4.8 gr
Max Velocity: 867
Max Pressure: 33,100
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.400"
Powder: WST (Winchester)
Primer: [WIN WSP](#)
Case: HDY
Trim Length: 0.845"
[C.O.L.](#): 1.125"
Starting Powder: 3.0 gr
Starting Velocity: 654
Starting Pressure: 25,300
Max Powder: 3.4 gr
Max Velocity: 733
Max Pressure: 31,100
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Small Pistol Magnum](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.125"
Starting Powder: 6.5 gr
Starting Velocity: 740
Starting Pressure:
Max Powder: 8.5 gr
Max Velocity: 1,012
Max Pressure: 33,600
Source: [ShootersWorld](#)



GR.: 165 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.401"
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 6.0 gr
Starting Velocity: 1,034
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity: 1,144
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: GDHP (Speer) Diameter: 0.401"
Powder: BE-86 (Alliant Powder)
Primer: [FED 100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 6.0 gr
Starting Velocity: 1,034
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity: 1,144
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.401"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 4.1 gr
Starting Velocity: 888
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity: 1,033
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: GDHP (Speer) Diameter: 0.401"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 4.1 gr
Starting Velocity: 888
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity: 1,033
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.401"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 5.4 gr
Starting Velocity: 951
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,103
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: GDHP (Speer) Diameter: 0.401"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 5.4 gr
Starting Velocity: 951
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,103
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.401"
Powder: AutoComp (Winchester)
Primer: [FED100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 5.8 gr
Starting Velocity: 992
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 1,107
Max Pressure:
Source: [Speer](#)



GR.: 165 gr
Bullet Type: GDHP (Speer) Diameter: 0.401"
Powder: AutoComp (Winchester)
Primer: [FED100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 5.8 gr
Starting Velocity: 992
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 1,107
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: GDHP (Speer) Diameter: 0.401"
Powder: BE-86 (Alliant Powder)
Primer: [FED100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 4.9 gr
Starting Velocity: 879
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 1,026
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.401"
Powder: BE-86 (Alliant Powder)
Primer: [FED100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 4.9 gr
Starting Velocity: 879
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 1,026
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: GDHP (Speer) Diameter: 0.401"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 3.8 gr
Starting Velocity: 829
Starting Pressure:
Max Powder: 4.4 gr
Max Velocity: 919
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.401"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 3.8 gr
Starting Velocity: 829
Starting Pressure:
Max Powder: 4.4 gr
Max Velocity: 919
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: GDHP (Speer) Diameter: 0.401"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 5.0 gr
Starting Velocity: 911
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity: 1,009
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.401"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 5.0 gr
Starting Velocity: 911
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity: 1,009
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.401"
Powder: AutoComp (Winchester)
Primer: [FED 100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 5.1 gr
Starting Velocity: 909
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 1,011
Max Pressure:
Source: [Speer](#)



GR.: 180 gr
Bullet Type: GDHP (Speer) Diameter: 0.401"
Powder: AutoComp (Winchester)
Primer: [FED 100](#)
Case: FED
Trim Length: 0.840"
[C.O.L.](#): 1.120"
Starting Powder: 5.1 gr
Starting Velocity: 909
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 1,011
Max Pressure:
Source: [Speer](#)
