

.45 - 70 Government - Published Manufacturer Loading Data

Shellholders:	Hornady #14	Lee #8	Lyman #17	RCBS #14
Recipe Type: ☒ Lever Actions ☐ Modern Rifles ☐ Trapdoor Actions ☐ Rifle ☐ Strong Actions ☐ Pistol ☐ Strong Actions - Reduced Load Bullet Weight: ☒ ALL ☒ 250 gr ☒ 300 gr ☒ 325 gr ☒ 350 gr ☒ 378 gr ☒ 385 gr ☒ 400 gr ☒ 405 gr ... Powder: ☒ ALL ☒ Accurate 1680 ☒ Accurate 2015 ☒ Accurate 2200 ☒ Accurate 2230 ☒ Accurate 5744 ☒ Accurate LT-30 ☒ Accurate LT-32 ☒ Alliant Powder AR-Comp ... Recipe Source: ☒ ALL ☒ Alliant Powder ☒ Barnes ☒ Campro ☒ Hodgdon ☒ Shooters World ☒ Speer ☒ VihtaVuori			↗ GR.: 250 gr Bullet Type: TSX FB (Barnes) Diameter: 0.458" Powder: 2200 (Accurate) Primer: WIN WLR Case: REM Trim Length: 2.095" C.O.L.: 2.490" Starting Powder: 47.3 gr Starting Velocity: 1,847 Starting Pressure: 20,300 Max Powder: 55.0 gr Max Velocity: 2,142 Max Pressure: 23,700 Source: Hodgdon 	
			↗ GR.: 250 gr Bullet Type: M-FLEX (HDV) Diameter: 0.458" Powder: 2200 (Accurate) Primer: WIN WLR Case: REM Trim Length: 2.095" C.O.L.: 2.587" Starting Powder: 46.3 gr Starting Velocity: 1,932 Starting Pressure: 24,100 Max Powder: 52.4 gr Max Velocity: 2,122 Max Pressure: 27,200 Source: Hodgdon 	
			↗ GR.: 250 gr Bullet Type: TSX FB (Barnes) Diameter: 0.458" Powder: 5744 (Accurate) Primer: WIN WLR Case: REM Trim Length: 2.095" C.O.L.: 2.490" Starting Powder: 31.9 gr Starting Velocity: 1,556 Starting Pressure: 23,500 Max Powder: 37.5 gr Max Velocity: 1,851 Max Pressure: 27,700 Source: Hodgdon 	
			↗ GR.: 250 gr Bullet Type: M-FLEX (HDV) Diameter: 0.458" Powder: 5744 (Accurate) Primer: WIN WLR Case: REM Trim Length: 2.095" C.O.L.: 2.587" Starting Powder: 29.2 gr Starting Velocity: 1,382 Starting Pressure: 22,900 Max Powder: 35.6 gr Max Velocity: 1,711 Max Pressure: 27,900 Source: Hodgdon 	
			↗ GR.: 250 gr Bullet Type: TSX FB (Barnes) Diameter: 0.458" Powder: LT-30 (Accurate) Primer: WIN WLR Case: REM Trim Length: 2.095" C.O.L.: 2.490" Starting Powder: 44.3 gr Starting Velocity: 1,771 Starting Pressure: 23,400 Max Powder: 52.1 gr Max Velocity: 2,069 Max Pressure: 27,500 Source: Hodgdon 	



GR.: 250 gr
Bullet Type: M-FLEX (HDT) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.587"
Starting Powder: 33.6 gr
Starting Velocity: 1,501
Starting Pressure: 23,800
Max Powder: 39.6 gr
Max Velocity: 1,711
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: TSX FN (Barnes) Diameter: 0.458"
Powder: Benchmark (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 56.2 gr
Starting Velocity: 2,085
Starting Pressure: 27,300
Max Powder: 62.5 gr
Max Velocity: 2,298
Max Pressure: 34,000
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: TSX FN (Barnes) Diameter: 0.458"
Powder: H322 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 53.3 gr
Starting Velocity: 2,080
Starting Pressure: 26,100
Max Powder: 61.9 gr
Max Velocity: 2,423
Max Pressure: 38,100
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: TSX FN (Barnes) Diameter: 0.458"
Powder: H 335 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 60.2 gr
Starting Velocity: 2,131
Starting Pressure: 27,900
Max Powder: 67.5 gr
Max Velocity: 2,371
Max Pressure: 38,300
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: TSX FN (Barnes) Diameter: 0.458"
Powder: H4198 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 49.4 gr
Starting Velocity: 2,152
Starting Pressure: 26,400
Max Powder: 56.5 gr
Max Velocity: 2,487
Max Pressure: 38,700
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: TSX FN (Barnes) Diameter: 0.458"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 54.3 gr
Starting Velocity: 1,897
Starting Pressure: 20,600
Max Powder: 64.1 gr
Max Velocity: 2,308
Max Pressure: 32,700
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: TSX FN (Barnes) Diameter: 0.458"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 47.0 gr
Starting Velocity: 2,079
Starting Pressure: 25,700
Max Powder: 55.3 gr
Max Velocity: 2,432
Max Pressure: 38,600
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: L FN GC (CPB) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.510"
Starting Powder: 40.7 gr
Starting Velocity: 1,615
Starting Pressure: 21,100
Max Powder: 53.6 gr
Max Velocity: 2,002
Max Pressure: 27,700
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP (HDV) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 51.8 gr
Starting Velocity: 1,836
Starting Pressure: 24,600
Max Powder: 57.5 gr
Max Velocity: 2,069
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: L FN GC (CPB) Diameter: 0.458"
Powder: 2200 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.510"
Starting Powder: 48.8 gr
Starting Velocity: 1,904
Starting Pressure: 24,900
Max Powder: 54.3 gr
Max Velocity: 2,078
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP/FN (Sierra) Diameter: 0.458"
Powder: 2200 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.525"
Starting Powder: 50.5 gr
Starting Velocity: 1,931
Starting Pressure: 25,000
Max Powder: 56.1 gr
Max Velocity: 2,115
Max Pressure: 27,800
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: L FN GC (CPB) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.510"
Starting Powder: 40.3 gr
Starting Velocity: 1,710
Starting Pressure: 25,100
Max Powder: 44.8 gr
Max Velocity: 1,840
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP/FN (Sierra) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 42.0 gr
Starting Velocity: 1,740
Starting Pressure: 25,400
Max Powder: 46.0 gr
Max Velocity: 1,900
Max Pressure: 27,800
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: L FN GC (CPB) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.510"
Starting Powder: 30.0 gr
Starting Velocity: 1,561
Starting Pressure: 23,000
Max Powder: 36.2 gr
Max Velocity: 1,822
Max Pressure: 27,800
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP/FN (Sierra) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 36.7 gr
Starting Velocity: 1,712
Starting Pressure: 24,500
Max Powder: 40.8 gr
Max Velocity: 1,874
Max Pressure: 27,200
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: L FN GC (CPB) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.510"
Starting Powder: 42.9 gr
Starting Velocity: 1,792
Starting Pressure: 23,500
Max Powder: 50.5 gr
Max Velocity: 2,035
Max Pressure: 27,700
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: PART (NOS) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.510"
Starting Powder: 36.8 gr
Starting Velocity: 1,584
Starting Pressure: 23,700
Max Powder: 43.2 gr
Max Velocity: 1,816
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP/FN (Sierra) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.525"
Starting Powder: 44.3 gr
Starting Velocity: 1,758
Starting Pressure: 23,800
Max Powder: 52.1 gr
Max Velocity: 2,018
Max Pressure: 28,000
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: L FN GC (CPB) Diameter: 0.458"
Powder: LT-32 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.510"
Starting Powder: 43.7 gr
Starting Velocity: 1,719
Starting Pressure: 21,900
Max Powder: 54.7 gr
Max Velocity: 2,066
Max Pressure: 27,400
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP/FN (Sierra) Diameter: 0.458"
Powder: LT-32 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.525"
Starting Powder: 47.4 gr
Starting Velocity: 1,736
Starting Pressure: 22,900
Max Powder: 57.8 gr
Max Velocity: 2,099
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: L FN GC (CPB) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.510"
Starting Powder: 40.3 gr
Starting Velocity: 1,710
Starting Pressure: 25,100
Max Powder: 44.8 gr
Max Velocity: 1,840
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP/FN (Sierra) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 42.0 gr
Starting Velocity: 1,740
Starting Pressure: 25,400
Max Powder: 46.0 gr
Max Velocity: 1,900
Max Pressure: 27,800
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: FNHP (Speer) Diameter:
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.530"
Starting Powder: 46.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 52.0 gr
Max Velocity: 1,964
Max Pressure:
Source: [Alliant Powder](#)



GR.: 300 gr
Bullet Type: FNHP (Speer) Diameter:
Powder: Reloder 7 (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.530"
Starting Powder: 42.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 47.0 gr
Max Velocity: 2,001
Max Pressure:
Source: [Alliant Powder](#)



GR.: 300 gr
Bullet Type: HP (Sierra) Diameter: 0.458"
Powder: H322 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 57.0 gr
Starting Velocity: 2,002
Starting Pressure: 21,400
Max Powder: 63.0 gr
Max Velocity: 2,252
Max Pressure: 32,600 CUP
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP (Sierra) Diameter: 0.458"
Powder: H 335 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 61.0 gr
Starting Velocity: 2,073
Starting Pressure: 22,500
Max Powder: 68.0 gr
Max Velocity: 2,326
Max Pressure: 38,800 CUP
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP (Sierra) Diameter: 0.458"
Powder: H4198 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 55.0 gr
Starting Velocity: 2,221
Starting Pressure: 27,600
Max Powder: 60.0 gr
Max Velocity: 2,424
Max Pressure: 40,000 CUP
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP (Sierra) Diameter: 0.458"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 60.0 gr
Starting Velocity: 2,023
Starting Pressure: 25,400
Max Powder: 65.0 gr
Max Velocity: 2,240
Max Pressure: 32,900 CUP
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP (Sierra) Diameter: 0.458"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 58.0 gr
Starting Velocity: 1,971
Starting Pressure: 21,900
Max Powder: 64.0 gr
Max Velocity: 2,196
Max Pressure: 29,500 CUP
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP (Sierra) Diameter: 0.458"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 59.0 gr
Starting Velocity: 1,858
Starting Pressure: 20,300
Max Powder: 65.5 gr
Max Velocity: 2,125
Max Pressure: 28,700 CUP
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP (Sierra) Diameter: 0.458"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 56.2 gr
Starting Velocity: 1,957
Starting Pressure: 26,700
Max Powder: 64.0 gr
Max Velocity: 2,230
Max Pressure: 37,200
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP (Sierra) Diameter: 0.458"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 53.7 gr
Starting Velocity: 2,293
Starting Pressure: 33,100
Max Powder: 57.2 gr
Max Velocity: 2,407
Max Pressure: 39,100 CUP
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: HP (Sierra) Diameter: 0.458"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.525"
Starting Powder: 58.5 gr
Starting Velocity: 1,800
Starting Pressure: 19,900
Max Powder: 65.0 gr
Max Velocity: 2,087
Max Pressure: 30,000 CUP
Source: [Hodgdon](#)



GR.: 325 gr
Bullet Type: FTX (HDY) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.590"
Starting Powder: 39.2 gr
Starting Velocity: 1,504
Starting Pressure: 23,700
Max Powder: 46.1 gr
Max Velocity: 1,757
Max Pressure: 27,800
Source: [Hodgdon](#)



GR.: 325 gr
Bullet Type: FTX (HDY) Diameter: 0.458"
Powder: 2200 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.590"
Starting Powder: 45.3 gr
Starting Velocity: 1,772
Starting Pressure: 25,100
Max Powder: 50.4 gr
Max Velocity: 1,956
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 325 gr
Bullet Type: FTX (HDV) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.590"
Starting Powder: 37.5 gr
Starting Velocity: 1,484
Starting Pressure: 25,000
Max Powder: 41.6 gr
Max Velocity: 1,622
Max Pressure: 27,800
Source: [Hodgdon](#)



GR.: 325 gr
Bullet Type: FTX (HDV) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.590"
Starting Powder: 29.0 gr
Starting Velocity: 1,423
Starting Pressure: 23,500
Max Powder: 34.1 gr
Max Velocity: 1,672
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 325 gr
Bullet Type: FTX (HDV) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.590"
Starting Powder: 40.8 gr
Starting Velocity: 1,611
Starting Pressure: 23,400
Max Powder: 48.0 gr
Max Velocity: 1,879
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 325 gr
Bullet Type: FTX (HDV) Diameter: 0.458"
Powder: LT-32 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.590"
Starting Powder: 40.7 gr
Starting Velocity: 1,524
Starting Pressure: 20,800
Max Powder: 49.0 gr
Max Velocity: 1,831
Max Pressure: 25,100
Source: [Hodgdon](#)



GR.: 325 gr
Bullet Type: FTX (HDV) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.590"
Starting Powder: 37.5 gr
Starting Velocity: 1,484
Starting Pressure: 25,000
Max Powder: 41.6 gr
Max Velocity: 1,622
Max Pressure: 27,800
Source: [Hodgdon](#)



GR.: 325 gr
Bullet Type: FTX (HDY) Diameter: 0.458"
Powder: H322 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.590"
Starting Powder: 51.5 gr
Starting Velocity: 1,951
Starting Pressure: 26,000
Max Powder: 59.4 gr
Max Velocity: 2,250
Max Pressure: 37,600 CUP
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: RN (HDY) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 47.3 gr
Starting Velocity: 1,703
Starting Pressure: 25,000
Max Powder: 52.5 gr
Max Velocity: 1,890
Max Pressure: 27,800
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: RN (HDY) Diameter: 0.458"
Powder: 2200 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 45.4 gr
Starting Velocity: 1,758
Starting Pressure: 26,200
Max Powder: 48.3 gr
Max Velocity: 1,858
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: RN (HDY) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 37.7 gr
Starting Velocity: 1,487
Starting Pressure: 24,900
Max Powder: 41.8 gr
Max Velocity: 1,626
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: RN (HDY) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 33.8 gr
Starting Velocity: 1,529
Starting Pressure: 25,000
Max Powder: 37.5 gr
Max Velocity: 1,676
Max Pressure: 27,700
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: RN (HDY) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 37.0 gr
Starting Velocity: 1,478
Starting Pressure: 23,300
Max Powder: 43.5 gr
Max Velocity: 1,702
Max Pressure: 27,400
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: RN (HDY) Diameter: 0.458"
Powder: LT-32 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 38.4 gr
Starting Velocity: 1,473
Starting Pressure: 22,500
Max Powder: 46.9 gr
Max Velocity: 1,757
Max Pressure: 27,400
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: RN (HDY) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 37.7 gr
Starting Velocity: 1,487
Starting Pressure: 24,900
Max Powder: 41.8 gr
Max Velocity: 1,626
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: JRN (HDY) Diameter: 0.458"
Powder: Benchmark (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 56.0 gr
Starting Velocity: 1,886
Starting Pressure: 26,900
Max Powder: 60.0 gr
Max Velocity: 2,092
Max Pressure: 39,300 CUP
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: JRN (HDY) Diameter: 0.458"
Powder: H 335 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 54.0 gr
Starting Velocity: 1,903
Starting Pressure: 26,000
Max Powder: 60.0 gr
Max Velocity: 2,094
Max Pressure: 38,800 CUP
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: JRN (HDY) Diameter: 0.458"
Powder: H4198 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 48.5 gr
Starting Velocity: 2,036
Starting Pressure: 32,200
Max Powder: 54.0 gr
Max Velocity: 2,191
Max Pressure: 39,300 CUP
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: JRN (HDY) Diameter: 0.458"
Powder: H4895 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 53.0 gr
Starting Velocity: 1,784
Starting Pressure: 21,700
Max Powder: 59.0 gr
Max Velocity: 2,045
Max Pressure: 32,900 CUP
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: JRN (HDY) Diameter: 0.458"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 54.0 gr
Starting Velocity: 1,786
Starting Pressure: 21,800
Max Powder: 60.0 gr
Max Velocity: 2,013
Max Pressure: 29,500 CUP
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: JRN (HDY) Diameter: 0.458"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 55.0 gr
Starting Velocity: 1,930
Starting Pressure: 26,800
Max Powder: 61.0 gr
Max Velocity: 2,152
Max Pressure: 36,200 CUP
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: JRN (HDY) Diameter: 0.458"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 56.5 gr
Starting Velocity: 2,022
Starting Pressure: 31,400
Max Powder: 60.0 gr
Max Velocity: 2,135
Max Pressure: 37,100 CUP
Source: [Hodgdon](#)



GR.: 350 gr
Bullet Type: JRN (H&V) Diameter: 0.458"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 58.0 gr
Starting Velocity: 1,967
Starting Pressure: 32,700
Max Powder: 62.0 gr
Max Velocity: 2,085
Max Pressure: 36,700 CUP
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 350 gr
Bullet Type: JRN (H&V) Diameter: 0.458"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 52.2 gr
Starting Velocity: 1,775
Starting Pressure: 26,800
Max Powder: 58.7 gr
Max Velocity: 2,022
Max Pressure: 37,600
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 350 gr
Bullet Type: JRN (H&V) Diameter: 0.458"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 47.0 gr
Starting Velocity: 2,032
Starting Pressure: 32,500
Max Powder: 50.0 gr
Max Velocity: 2,131
Max Pressure: 36,600 CUP
Source: [Hodgdon](#) [E](#)



GR.: 350 gr
Bullet Type: JRN (H&V) Diameter: 0.458"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 57.5 gr
Starting Velocity: 1,891
Starting Pressure: 29,200
Max Powder: 61.0 gr
Max Velocity: 2,026
Max Pressure: 37,200 CUP
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 400 gr
Bullet Type: BSTR (Barnes) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.500"
Starting Powder: 31.2 gr
Starting Velocity: 1,175
Starting Pressure: 21,300
Max Powder: 50.1 gr
Max Velocity: 1,452
Max Pressure: 27,300
Source: [Hodgdon](#) [E](#)



GR.: 400 gr
Bullet Type: FN-O (Barnes) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.515"
Starting Powder: 33.3 gr
Starting Velocity: 1,261
Starting Pressure: 21,600
Max Powder: 42.2 gr
Max Velocity: 1,551
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: BSTR (Barnes) Diameter: 0.458"
Powder: 2200 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.500"
Starting Powder: 37.4 gr
Starting Velocity: 1,503
Starting Pressure: 26,400
Max Powder: 39.3 gr
Max Velocity: 1,569
Max Pressure: 27,700
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: FN-O (Barnes) Diameter: 0.458"
Powder: 2200 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.515"
Starting Powder: 40.1 gr
Starting Velocity: 1,583
Starting Pressure: 25,800
Max Powder: 42.3 gr
Max Velocity: 1,654
Max Pressure: 27,200
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: BSTR (Barnes) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.500"
Starting Powder: 33.0 gr
Starting Velocity: 1,280
Starting Pressure: 24,600
Max Powder: 36.7 gr
Max Velocity: 1,404
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: FN-O (Barnes) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.515"
Starting Powder: 34.1 gr
Starting Velocity: 1,327
Starting Pressure: 24,700
Max Powder: 37.9 gr
Max Velocity: 1,453
Max Pressure: 27,400
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: FN (Speer) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 39.0 gr
Starting Velocity: 1,585
Starting Pressure: 25,600
Max Powder: 43.0 gr
Max Velocity: 1,695
Max Pressure: 28,200
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: BSTR (Barnes) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.500"
Starting Powder: 24.1 gr
Starting Velocity: 1,158
Starting Pressure: 22,500
Max Powder: 29.4 gr
Max Velocity: 1,399
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: FN SP (Speer) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.540"
Starting Powder: 29.7 gr
Starting Velocity: 1,460
Starting Pressure: 25,000
Max Powder: 33.0 gr
Max Velocity: 1,610
Max Pressure: 27,800
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: BSTR (Barnes) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.500"
Starting Powder: 30.0 gr
Starting Velocity: 1,260
Starting Pressure: 24,000
Max Powder: 24.5 gr
Max Velocity: 1,412
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: FN-O (Barnes) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.515"
Starting Powder: 32.4 gr
Starting Velocity: 1,334
Starting Pressure: 23,700
Max Powder: 38.1 gr
Max Velocity: 1,535
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: BSTR (Barnes) Diameter: 0.458"
Powder: LT-32 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.500"
Starting Powder: 30.6 gr
Starting Velocity: 1,201
Starting Pressure: 22,600
Max Powder: 37.7 gr
Max Velocity: 1,463
Max Pressure: 28,000
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: FN-O (Barnes) Diameter: 0.458"
Powder: LT-32 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.515"
Starting Powder: 33.7 gr
Starting Velocity: 1,293
Starting Pressure: 22,600
Max Powder: 41.6 gr
Max Velocity: 1,578
Max Pressure: 28,000
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: BSTR (Barnes) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.500"
Starting Powder: 33.0 gr
Starting Velocity: 1,280
Starting Pressure: 24,600
Max Powder: 36.7 gr
Max Velocity: 1,404
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: FN-O (Barnes) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.515"
Starting Powder: 34.1 gr
Starting Velocity: 1,327
Starting Pressure: 24,700
Max Powder: 37.9 gr
Max Velocity: 1,453
Max Pressure: 27,400
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: FN (Speer) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 39.0 gr
Starting Velocity: 1,585
Starting Pressure: 25,600
Max Powder: 43.0 gr
Max Velocity: 1,695
Max Pressure: 28,200
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: FN5P (Speer) Diameter:
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.540"
Starting Powder: 39.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 44.0 gr
Max Velocity: 1,641
Max Pressure:
Source: [Alliant Powder](#)



GR.: 400 gr
Bullet Type: JFP (Speer) Diameter: 0.458"
Powder: Benchmark (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 55.0 gr
Starting Velocity: 1,856
Starting Pressure: 29,600
Max Powder: 58.5 gr
Max Velocity: 1,986
Max Pressure: 40,000 CUP
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: JFP (Speer) Diameter: 0.458"
Powder: H322 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 50.0 gr
Starting Velocity: 1,767
Starting Pressure: 23,700
Max Powder: 55.0 gr
Max Velocity: 1,984
Max Pressure: 39,200 CUP
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: JFP (Speer) Diameter: 0.458"
Powder: H 335 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 52.0 gr
Starting Velocity: 1,798
Starting Pressure: 25,400
Max Powder: 58.0 gr
Max Velocity: 1,995
Max Pressure: 40,000 CUP
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: JFP (Speer) Diameter: 0.458"
Powder: H4198 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 46.0 gr
Starting Velocity: 1,854
Starting Pressure: 29,500
Max Powder: 50.5 gr
Max Velocity: 2,002
Max Pressure: 39,400 CUP
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: JFP (Speer) Diameter: 0.458"
Powder: H4895 (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 50.0 gr
Starting Velocity: 1,614
Starting Pressure: 19,200
Max Powder: 55.0 gr
Max Velocity: 1,859
Max Pressure: 26,500 CUP
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 400 gr
Bullet Type: JFP (Speer) Diameter: 0.458"
Powder: Varget (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 50.0 gr
Starting Velocity: 1,655
Starting Pressure: 18,600
Max Powder: 55.0 gr
Max Velocity: 1,845
Max Pressure: 25,000 CUP
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 400 gr
Bullet Type: JFP (Speer) Diameter: 0.458"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 51.0 gr
Starting Velocity: 1,809
Starting Pressure: 26,900
Max Powder: 55.0 gr
Max Velocity: 1,971
Max Pressure: 37,300 CUP
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 400 gr
Bullet Type: JFP (Speer) Diameter: 0.458"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 53.5 gr
Starting Velocity: 1,808
Starting Pressure: 29,700
Max Powder: 57.0 gr
Max Velocity: 1,918
Max Pressure: 36,400 CUP
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 400 gr
Bullet Type: JFP (Speer) Diameter: 0.458"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 49.0 gr
Starting Velocity: 1,645
Starting Pressure: 28,000
Max Powder: 56.0 gr
Max Velocity: 1,873
Max Pressure: 38,100
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 400 gr
Bullet Type: JFP (Speer) Diameter: 0.458"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 43.0 gr
Starting Velocity: 1,868
Starting Pressure: 31,600
Max Powder: 46.0 gr
Max Velocity: 1,960
Max Pressure: 37,600 CUP
Source: [Hodgdon](#)



GR.: 400 gr
Bullet Type: JFP (Speer) Diameter: 0.458"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.100"
[C.O.L.](#): 2.540"
Starting Powder: 54.0 gr
Starting Velocity: 1,785
Starting Pressure: 30,500
Max Powder: 58.0 gr
Max Velocity: 1,930
Max Pressure: 38,600 CUP
Source: [Hodgdon](#)



GR.: 405 gr
Bullet Type: L FP (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 44.3 gr
Starting Velocity: 1,666
Starting Pressure: 24,700
Max Powder: 49.2 gr
Max Velocity: 1,817
Max Pressure: 27,400
Source: [Hodgdon](#)



GR.: 405 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: 2200 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 44.4 gr
Starting Velocity: 1,712
Starting Pressure: 26,200
Max Powder: 46.7 gr
Max Velocity: 1,792
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 405 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 35.5 gr
Starting Velocity: 1,490
Starting Pressure: 24,800
Max Powder: 39.4 gr
Max Velocity: 1,604
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 405 gr
Bullet Type: L FP (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 38.6 gr
Starting Velocity: 1,550
Starting Pressure: 24,600
Max Powder: 43.2 gr
Max Velocity: 1,694
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 405 gr
Bullet Type: L FP (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 30.6 gr
Starting Velocity: 1,468
Starting Pressure: 25,000
Max Powder: 34.0 gr
Max Velocity: 1,600
Max Pressure: 27,800
Source: [Hodgdon](#)



GR.: 405 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 34.5 gr
Starting Velocity: 1,497
Starting Pressure: 22,300
Max Powder: 42.1 gr
Max Velocity: 1,732
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 405 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: LT-32 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 37.4 gr
Starting Velocity: 1,483
Starting Pressure: 22,600
Max Powder: 46.2 gr
Max Velocity: 1,769
Max Pressure: 28,000
Source: [Hodgdon](#)



GR.: 405 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 35.5 gr
Starting Velocity: 1,490
Starting Pressure: 24,800
Max Powder: 39.4 gr
Max Velocity: 1,604
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 405 gr
Bullet Type: L FP (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 38.6 gr
Starting Velocity: 1,550
Starting Pressure: 24,600
Max Powder: 43.2 gr
Max Velocity: 1,694
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 420 gr
Bullet Type: L LFN GC (CPB) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 42.6 gr
Starting Velocity: 1,584
Starting Pressure: 24,700
Max Powder: 47.3 gr
Max Velocity: 1,763
Max Pressure: 27,400
Source: [Hodgdon](#)



GR.: 420 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: 2200 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 41.9 gr
Starting Velocity: 1,654
Starting Pressure: 25,900
Max Powder: 44.6 gr
Max Velocity: 1,737
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 420 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 34.7 gr
Starting Velocity: 1,447
Starting Pressure: 24,500
Max Powder: 38.6 gr
Max Velocity: 1,560
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 420 gr
Bullet Type: L LFN GC (CPB) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 38.0 gr
Starting Velocity: 1,523
Starting Pressure: 24,700
Max Powder: 42.2 gr
Max Velocity: 1,646
Max Pressure: 27,400
Source: [Hodgdon](#)



GR.: 420 gr
Bullet Type: L LFN GC (CPB) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 29.3 gr
Starting Velocity: 1,401
Starting Pressure: 24,300
Max Powder: 32.5 gr
Max Velocity: 1,538
Max Pressure: 27,000
Source: [Hodgdon](#)



GR.: 420 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 34.1 gr
Starting Velocity: 1,460
Starting Pressure: 22,700
Max Powder: 41.1 gr
Max Velocity: 1,683
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 420 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: LT-32 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 35.5 gr
Starting Velocity: 1,444
Starting Pressure: 22,300
Max Powder: 44.4 gr
Max Velocity: 1,717
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 420 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 34.7 gr
Starting Velocity: 1,447
Starting Pressure: 24,500
Max Powder: 38.6 gr
Max Velocity: 1,560
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 420 gr
Bullet Type: L LFN GC (CPB) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 38.0 gr
Starting Velocity: 1,523
Starting Pressure: 24,700
Max Powder: 42.2 gr
Max Velocity: 1,646
Max Pressure: 27,400
Source: [Hodgdon](#)



GR.: 440 gr
Bullet Type: L LFN GC (CPB) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 38.6 gr
Starting Velocity: 1,514
Starting Pressure: 24,400
Max Powder: 43.2 gr
Max Velocity: 1,652
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 440 gr
Bullet Type: L LFN GC (CPB) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 34.5 gr
Starting Velocity: 1,437
Starting Pressure: 25,200
Max Powder: 38.3 gr
Max Velocity: 1,553
Max Pressure: 28,000
Source: [Hodgdon](#)



GR.: 440 gr
Bullet Type: L LFN GC (CPB) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 28.1 gr
Starting Velocity: 1,362
Starting Pressure: 24,900
Max Powder: 31.2 gr
Max Velocity: 1,490
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 440 gr
Bullet Type: L LFN GC (CPB) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 34.5 gr
Starting Velocity: 1,437
Starting Pressure: 25,200
Max Powder: 38.3 gr
Max Velocity: 1,553
Max Pressure: 28,000
Source: [Hodgdon](#)



GR.: 460 gr
Bullet Type: L WFN GC (CPB) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 38.3 gr
Starting Velocity: 1,482
Starting Pressure: 24,400
Max Powder: 42.6 gr
Max Velocity: 1,636
Max Pressure: 27,100
Source: [Hodgdon](#)



GR.: 460 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: 2200 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.515"
Starting Powder: 37.6 gr
Starting Velocity: 1,520
Starting Pressure: 25,700
Max Powder: 40.0 gr
Max Velocity: 1,596
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 460 gr
Bullet Type: L WLFN GC (CPB) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 34.4 gr
Starting Velocity: 1,404
Starting Pressure: 24,600
Max Powder: 38.2 gr
Max Velocity: 1,511
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 460 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.515"
Starting Powder: 23.9 gr
Starting Velocity: 1,253
Starting Pressure: 22,700
Max Powder: 28.8 gr
Max Velocity: 1,452
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 460 gr
Bullet Type: L WLFN GC (CPB) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 27.5 gr
Starting Velocity: 1,321
Starting Pressure: 24,500
Max Powder: 30.5 gr
Max Velocity: 1,444
Max Pressure: 27,200
Source: [Hodgdon](#)



GR.: 460 gr
Bullet Type: L WLN GC (CPB) Diameter: 0.458"
Powder: LT-32 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.515"
Starting Powder: 31.8 gr
Starting Velocity: 1,321
Starting Pressure: 22,000
Max Powder: 39.7 gr
Max Velocity: 1,567
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 460 gr
Bullet Type: L WLFN GC (CPB) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 34.4 gr
Starting Velocity: 1,404
Starting Pressure: 24,600
Max Powder: 38.2 gr
Max Velocity: 1,511
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 473 gr
Bullet Type: SLD (Lehigh Defense, LLC) Diameter: 0.458"
Powder: 2200 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.850"
Starting Powder: 36.3 gr
Starting Velocity: 1,339
Starting Pressure: 26,200
Max Powder: 38.2 gr
Max Velocity: 1,408
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 473 gr
Bullet Type: SLD (Lehigh Defense, LLC) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.850"
Starting Powder: 31.7 gr
Starting Velocity: 1,044
Starting Pressure: 24,800
Max Powder: 35.2 gr
Max Velocity: 1,196
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 473 gr
Bullet Type: SLD (Lehigh Defense, LLC) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.850"
Starting Powder: 30.0 gr
Starting Velocity: 1,174
Starting Pressure: 24,800
Max Powder: 33.4 gr
Max Velocity: 1,295
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 473 gr
Bullet Type: SLD (Lehigh Defense, LLC) Diameter: 0.458"
Powder: LT-32 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.850"
Starting Powder: 29.7 gr
Starting Velocity: 1,119
Starting Pressure: 24,600
Max Powder: 33.8 gr
Max Velocity: 1,279
Max Pressure: 28,000
Source: [Hodgdon](#)



GR.: 473 gr
Bullet Type: SLD (Lehigh Defense, LLC) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.850"
Starting Powder: 31.7 gr
Starting Velocity: 1,044
Starting Pressure: 24,800
Max Powder: 35.2 gr
Max Velocity: 1,196
Max Pressure: 27,600
Source: [Hodgdon](#)



GR.: 500 gr
Bullet Type: L FP (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 34.7 gr
Starting Velocity: 1,350
Starting Pressure: 25,100
Max Powder: 38.5 gr
Max Velocity: 1,510
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 500 gr
Bullet Type: L RN FP (Montana Cast Bullets) Diameter: 0.458"
Powder: 2015 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.700"
Starting Powder: 29.6 gr
Starting Velocity: 1,224
Starting Pressure: 21,800
Max Powder: 38.0 gr
Max Velocity: 1,451
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 500 gr
Bullet Type: RN (HDV) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 30.0 gr
Starting Velocity: 1,150
Starting Pressure: 23,600
Max Powder: 35.0 gr
Max Velocity: 1,320
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 500 gr
Bullet Type: L FP (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.458"
Powder: 2230 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 33.3 gr
Starting Velocity: 1,320
Starting Pressure: 24,800
Max Powder: 37.0 gr
Max Velocity: 1,450
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 500 gr
Bullet Type: L FP (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 25.2 gr
Starting Velocity: 1,265
Starting Pressure: 25,100
Max Powder: 28.0 gr
Max Velocity: 1,400
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 500 gr
Bullet Type: L RN FP (Montana Cast Bullets) Diameter: 0.458"
Powder: 5744 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.700"
Starting Powder: 23.9 gr
Starting Velocity: 1,213
Starting Pressure: 23,000
Max Powder: 28.4 gr
Max Velocity: 1,393
Max Pressure: 27,400
Source: [Hodgdon](#)



GR.: 500 gr
Bullet Type: L RN FP (Montana Cast Bullets) Diameter: 0.458"
Powder: LT-30 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.700"
Starting Powder: 30.7 gr
Starting Velocity: 1,352
Starting Pressure: 24,600
Max Powder: 34.9 gr
Max Velocity: 1,468
Max Pressure: 27,900
Source: [Hodgdon](#)



GR.: 500 gr
Bullet Type: L RN FP (Montana Cast Bullets) Diameter: 0.458"
Powder: LT-32 (Accurate)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.700"
Starting Powder: 31.3 gr
Starting Velocity: 1,296
Starting Pressure: 23,000
Max Powder: 37.3 gr
Max Velocity: 1,465
Max Pressure: 27,300
Source: [Hodgdon](#)



GR.: 500 gr
Bullet Type: RN (HDY) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 30.0 gr
Starting Velocity: 1,150
Starting Pressure: 23,600
Max Powder: 35.0 gr
Max Velocity: 1,320
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 500 gr
Bullet Type: L FP (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.458"
Powder: X-Terminator (Ramshot)
Primer: [WIN WLR](#)
Case: REM
Trim Length: 2.095"
[C.O.L.](#): 2.550"
Starting Powder: 33.3 gr
Starting Velocity: 1,320
Starting Pressure: 24,800
Max Powder: 37.0 gr
Max Velocity: 1,450
Max Pressure: 27,500
Source: [Hodgdon](#)



GR.: 300 gr
Bullet Type: JHP (Speer) Diameter: 0.458"
Powder: Benchmark (Hodgdon)
Primer: [CCI 200](#)
Case: HDY
Trim Length: 2.095"
[C.O.L.](#): 2.530"
Starting Powder: 58.0 gr
Starting Velocity: 1,914
Starting Pressure:
Max Powder: 62.4 gr
Max Velocity: 2,113
Max Pressure:
Source: [Speer](#)



GR.: 300 gr
Bullet Type: JHP (Speer) Diameter: 0.458"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [CCI 200](#)
Case: HDY
Trim Length: 2.095"
[C.O.L.](#): 2.530"
Starting Powder: 59.5 gr
Starting Velocity: 1,927
Starting Pressure:
Max Powder: 63.4 gr
Max Velocity: 2,115
Max Pressure:
Source: [Speer](#)



GR.: 300 gr
Bullet Type: JHP (Speer) Diameter: 0.458"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: HDY
Trim Length: 2.095"
[C.O.L.](#): 2.530"
Starting Powder: 53.0 gr
Starting Velocity: 1,782
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 1,981
Max Pressure:
Source: [Speer](#)



GR.: 400 gr
Bullet Type: SPFN (Speer) Diameter: 0.458"
Powder: AR-Comp (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.095"
[C.O.L.](#): 2.540"
Starting Powder: 53.0 gr
Starting Velocity: 1,803
Starting Pressure:
Max Powder: 56.0 gr
Max Velocity: 1,933
Max Pressure:
Source: [Speer](#)



GR.: 400 gr
Bullet Type: SPFN (Speer) Diameter: 0.458"
Powder: Varmint (Alliant Powder)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.095"
[C.O.L.](#): 2.540"
Starting Powder: 55.0 gr
Starting Velocity: 1,733
Starting Pressure:
Max Powder: 59.0 gr
Max Velocity: 1,868
Max Pressure:
Source: [Speer](#)



GR.: 400 gr
Bullet Type: SPFN (Speer) Diameter: 0.458"
Powder: Benchmark (Hodgdon)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.095"
[C.O.L.](#): 2.540"
Starting Powder: 49.5 gr
Starting Velocity: 1,604
Starting Pressure:
Max Powder: 53.5 gr
Max Velocity: 1,785
Max Pressure:
Source: [Speer](#)



GR.: 400 gr
Bullet Type: SPFN (Speer) Diameter: 0.458"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.095"
[C.O.L.](#): 2.540"
Starting Powder: 50.5 gr
Starting Velocity: 1,610
Starting Pressure:
Max Powder: 54.5 gr
Max Velocity: 1,791
Max Pressure:
Source: [Speer](#)



GR.: 400 gr
Bullet Type: SPFN (Speer) Diameter: 0.458"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [CCI 200](#)
Case: WIN
Trim Length: 2.095"
[C.O.L.](#): 2.540"
Starting Powder: 43.5 gr
Starting Velocity: 1,460
Starting Pressure:
Max Powder: 47.8 gr
Max Velocity: 1,601
Max Pressure:
Source: [Speer](#)
