

.45 Auto - Published Manufacturer Loading Data

Shellholders:	Lee #2	Lyman #2	RCBS #3
Recipe Type: ☒ Pistol			↗ GR.: 118 gr Bullet Type: ARX (Inceptor) Diameter: 0.452" Powder: CFE Pistol (Hodgdon) Primer: FED150 Case: WIN Trim Length: 0.893" C.O.L. : 1.260" Starting Powder: 8.4 gr Starting Velocity: 1,206 Starting Pressure: 15,200 Max Powder: 9.3 gr Max Velocity: 1,352 Max Pressure: 20,200 Source: Hodgdon
Bullet Weight: ☒ ALL ☒ 118 gr ☒ 120 gr ☒ 135 gr ☒ 140 gr ☒ 145 gr ☒ 150 gr ☒ 155 gr ☒ 160 gr			
Powder: ☒ ALL ☒ Accurate Nitro 100 NF ☒ Accurate No. 2 ☒ Accurate No. 5 ☒ Accurate No. 7 ☒ Accurate Solo 1000 ☒ Alliant Powder American Select ☒ Alliant Powder BE-86 ☒ Alliant Powder Blue Dot			↗ GR.: 118 gr Bullet Type: ARX (Inceptor) Diameter: 0.452" Powder: HP-38 (Hodgdon) Primer: FED150 Case: WIN Trim Length: 0.893" C.O.L. : 1.260" Starting Powder: 6.3 gr Starting Velocity: 1,105 Starting Pressure: 15,200 Max Powder: 7.0 gr Max Velocity: 1,207 Max Pressure: 20,000 Source: Hodgdon
Recipe Source: ☒ ALL ☒ Alliant Powder ☒ Barnes ☒ Campro ☒ Hodgdon ☒ Shooters World ☒ Speer ☒ VihtaVuori			↗ GR.: 118 gr Bullet Type: ARX (Inceptor) Diameter: 0.452" Powder: Tite Group (Hodgdon) Primer: FED150 Case: WIN Trim Length: 0.893" C.O.L. : 1.260" Starting Powder: 5.6 gr Starting Velocity: 1,126 Starting Pressure: 14,100 Max Powder: 6.5 gr Max Velocity: 1,255 Max Pressure: 20,000 Source: Hodgdon
			↗ GR.: 118 gr Bullet Type: ARX (Inceptor) Diameter: 0.452" Powder: Universal (Hodgdon) Primer: FED150 Case: WIN Trim Length: 0.893" C.O.L. : 1.260" Starting Powder: 7.1 gr Starting Velocity: 1,157 Starting Pressure: 16,000 Max Powder: 8.1 gr Max Velocity: 1,291 Max Pressure: 20,200 Source: Hodgdon
			↗ GR.: 118 gr Bullet Type: ARX (Inceptor) Diameter: 0.452" Powder: IMR Target (Improved Military Rifle) Primer: FED150 Case: WIN Trim Length: 0.893" C.O.L. : 1.260" Starting Powder: 6.2 gr Starting Velocity: 1,165 Starting Pressure: 16,000 Max Powder: 7.2 gr Max Velocity: 1,281 Max Pressure: 20,200 Source: Hodgdon



GR.: 118 gr
Bullet Type: ARX (Inceptor) Diameter: 0.452"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.260"
Starting Powder: 6.4 gr
Starting Velocity: 1,135
Starting Pressure: 14,600
Max Powder: 7.1 gr
Max Velocity: 1,260
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 118 gr
Bullet Type: ARX (Inceptor) Diameter: 0.452"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.260"
Starting Powder: 8.8 gr
Starting Velocity: 1,242
Starting Pressure: 16,600
Max Powder: 9.7 gr
Max Velocity: 1,349
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 118 gr
Bullet Type: ARX (Inceptor) Diameter: 0.452"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.260"
Starting Powder: 8.2 gr
Starting Velocity: 1,157
Starting Pressure: 14,400
Max Powder: 9.2 gr
Max Velocity: 1,303
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.232"
Starting Powder: 10.3 gr
Starting Velocity: 1,135
Starting Pressure: 18,900
Max Powder: 11.5 gr
Max Velocity: 1,283
Max Pressure: 21,000
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.232"
Starting Powder: 9.8 gr
Starting Velocity: 1,181
Starting Pressure: 18,900
Max Powder: 10.9 gr
Max Velocity: 1,351
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.232"
Starting Powder: 9.2 gr
Starting Velocity: 1,127
Starting Pressure: 18,800
Max Powder: 10.2 gr
Max Velocity: 1,255
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.8 gr
Starting Velocity: 1,106
Starting Pressure: 15,100
Max Powder: 9.6 gr
Max Velocity: 1,304
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 11.0 gr
Starting Velocity: 1,132
Starting Pressure: 15,300
Max Powder: 12.8 gr
Max Velocity: 1,346
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.451"
Powder: Longshot (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 8.8 gr
Starting Velocity: 1,126
Starting Pressure: 15,400
Max Powder: 10.6 gr
Max Velocity: 1,315
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.451"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 6.0 gr
Starting Velocity: 1,047
Starting Pressure: 15,600
Max Powder: 7.3 gr
Max Velocity: 1,258
Max Pressure: 19,600
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.8 gr
Starting Velocity: 1,084
Starting Pressure: 15,600
Max Powder: 9.3 gr
Max Velocity: 1,341
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.0 gr
Starting Velocity: 1,063
Starting Pressure: 16,400
Max Powder: 8.2 gr
Max Velocity: 1,259
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.451"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.0 gr
Starting Velocity: 1,113
Starting Pressure: 15,600
Max Powder: 8.1 gr
Max Velocity: 1,266
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.451"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 8.0 gr
Starting Velocity: 1,118
Starting Pressure: 15,900
Max Powder: 9.8 gr
Max Velocity: 1,326
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 120 gr
Bullet Type: XD (Lehigh Defense, LLC) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 8.8 gr
Starting Velocity: 1,148
Starting Pressure: 15,600
Max Powder: 10.0 gr
Max Velocity: 1,307
Max Pressure: 19,800
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: RNP (Inceptor) Diameter: 0.452"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.260"
Starting Powder: 8.2 gr
Starting Velocity: 1,163
Starting Pressure: 15,400
Max Powder: 9.1 gr
Max Velocity: 1,288
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: RNP (Inceptor) Diameter: 0.452"
Powder: HP-38 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.260"
Starting Powder: 6.0 gr
Starting Velocity: 1,020
Starting Pressure: 15,100
Max Powder: 6.9 gr
Max Velocity: 1,169
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: RNP (Inceptor) Diameter: 0.452"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.260"
Starting Powder: 5.6 gr
Starting Velocity: 1,074
Starting Pressure: 14,900
Max Powder: 6.5 gr
Max Velocity: 1,204
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: RNP (Inceptor) Diameter: 0.452"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.260"
Starting Powder: 7.0 gr
Starting Velocity: 1,059
Starting Pressure: 14,400
Max Powder: 7.9 gr
Max Velocity: 1,242
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: RNP (Inceptor) Diameter: 0.452"
Powder: IMR Target (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.260"
Starting Powder: 5.9 gr
Starting Velocity: 1,052
Starting Pressure: 14,600
Max Powder: 6.8 gr
Max Velocity: 1,206
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: RNP (Inceptor) Diameter: 0.452"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.260"
Starting Powder: 6.1 gr
Starting Velocity: 1,043
Starting Pressure: 13,700
Max Powder: 7.0 gr
Max Velocity: 1,200
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: RNP (Inceptor) Diameter: 0.452"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.260"
Starting Powder: 8.5 gr
Starting Velocity: 1,177
Starting Pressure: 15,700
Max Powder: 9.4 gr
Max Velocity: 1,294
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 135 gr
Bullet Type: RNP (Inceptor) Diameter: 0.452"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.260"
Starting Powder: 8.2 gr
Starting Velocity: 1,133
Starting Pressure: 15,600
Max Powder: 9.1 gr
Max Velocity: 1,250
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 5.2 gr
Starting Velocity: 978
Starting Pressure: 18,400
Max Powder: 5.8 gr
Max Velocity: 1,087
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 8.7 gr
Starting Velocity: 1,044
Starting Pressure: 18,300
Max Powder: 9.7 gr
Max Velocity: 1,160
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 8.0 gr
Starting Velocity: 1,060
Starting Pressure: 17,500
Max Powder: 8.9 gr
Max Velocity: 1,178
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 7.7 gr
Starting Velocity: 1,009
Starting Pressure: 18,200
Max Powder: 8.6 gr
Max Velocity: 1,121
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 140 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 6.2 gr
Starting Velocity: 1,022
Starting Pressure: 18,100
Max Powder: 6.9 gr
Max Velocity: 1,136
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 145 gr
Bullet Type: TC Frangible (Ervin) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 7.0 gr
Starting Velocity: 1,053
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 1,207
Max Pressure: 19,252
Source: [ShootersWorld](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 7.2 gr
Starting Velocity: 959
Starting Pressure: 15,400
Max Powder: 8.0 gr
Max Velocity: 1,119
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: HP-38 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.6 gr
Starting Velocity: 823
Starting Pressure: 16,300
Max Powder: 6.2 gr
Max Velocity: 965
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 8.8 gr
Starting Velocity: 902
Starting Pressure: 16,200
Max Powder: 9.8 gr
Max Velocity: 1,038
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: Longshot (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 8.0 gr
Starting Velocity: 976
Starting Pressure: 16,000
Max Powder: 8.9 gr
Max Velocity: 1,127
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.0 gr
Starting Velocity: 832
Starting Pressure: 15,800
Max Powder: 5.6 gr
Max Velocity: 961
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.3 gr
Starting Velocity: 856
Starting Pressure: 15,000
Max Powder: 7.0 gr
Max Velocity: 1,040
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 10.5 gr
Starting Velocity: 935
Starting Pressure: 16,000
Max Powder: 12.4 gr
Max Velocity: 1,113
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: IMR Target (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.8 gr
Starting Velocity: 908
Starting Pressure: 16,900
Max Powder: 6.4 gr
Max Velocity: 1,005
Max Pressure: 19,800
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.8 gr
Starting Velocity: 883
Starting Pressure: 15,800
Max Powder: 6.5 gr
Max Velocity: 1,013
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 7.3 gr
Starting Velocity: 967
Starting Pressure: 15,900
Max Powder: 8.3 gr
Max Velocity: 1,124
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 7.4 gr
Starting Velocity: 949
Starting Pressure: 15,700
Max Powder: 8.3 gr
Max Velocity: 1,091
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 150 gr
Bullet Type: RAPTOR (CEB) Diameter: 0.452"
Powder: WSF (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.9 gr
Starting Velocity: 909
Starting Pressure: 16,400
Max Powder: 7.7 gr
Max Velocity: 1,035
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 4.6 gr
Starting Velocity: 882
Starting Pressure: 18,400
Max Powder: 5.1 gr
Max Velocity: 980
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 5.8 gr
Starting Velocity: 1,004
Starting Pressure: 17,600
Max Powder: 6.8 gr
Max Velocity: 1,138
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 7.3 gr
Starting Velocity: 923
Starting Pressure: 17,500
Max Powder: 8.1 gr
Max Velocity: 1,025
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 9.0 gr
Starting Velocity: 1,046
Starting Pressure: 16,700
Max Powder: 10.0 gr
Max Velocity: 1,189
Max Pressure: 18,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 12.0 gr
Starting Velocity: 1,076
Starting Pressure: 18,200
Max Powder: 13.3 gr
Max Velocity: 1,223
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 5.9 gr
Starting Velocity: 1,029
Starting Pressure: 17,300
Max Powder: 6.5 gr
Max Velocity: 1,170
Max Pressure: 19,100
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.232"
Starting Powder: 4.5 gr
Starting Velocity: 950
Starting Pressure: 17,300
Max Powder: 5.0 gr
Max Velocity: 1,056
Max Pressure: 19,200
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 7.1 gr
Starting Velocity: 990
Starting Pressure: 18,700
Max Powder: 7.9 gr
Max Velocity: 1,100
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 7.5 gr
Starting Velocity: 1,058
Starting Pressure: 17,600
Max Powder: 8.9 gr
Max Velocity: 1,230
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 6.8 gr
Starting Velocity: 916
Starting Pressure: 18,300
Max Powder: 7.6 gr
Max Velocity: 1,018
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.232"
Starting Powder: 8.4 gr
Starting Velocity: 1,049
Starting Pressure: 18,000
Max Powder: 9.3 gr
Max Velocity: 1,165
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: RHFP (SinterFire, Inc.) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 5.2 gr
Starting Velocity: 901
Starting Pressure: 17,100
Max Powder: 5.8 gr
Max Velocity: 1,001
Max Pressure: 19,000
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.232"
Starting Powder: 6.5 gr
Starting Velocity: 1,060
Starting Pressure: 18,800
Max Powder: 7.2 gr
Max Velocity: 1,178
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 5.4 gr
Starting Velocity: 1,004
Starting Pressure: 13,500
Max Powder: 6.0 gr
Max Velocity: 1,076
Max Pressure: 16,400 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.3 gr
Starting Velocity: 955
Starting Pressure: 14,500
Max Powder: 5.8 gr
Max Velocity: 1,045
Max Pressure: 16,200 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: 800-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.8 gr
Starting Velocity: 1,019
Starting Pressure: 13,600
Max Powder: 8.5 gr
Max Velocity: 1,117
Max Pressure: 17,000 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.9 gr
Starting Velocity: 1,081
Starting Pressure: 14,900
Max Powder: 8.6 gr
Max Velocity: 1,187
Max Pressure: 19,200
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 6.3 gr
Starting Velocity: 890
Starting Pressure: 15,200
Max Powder: 7.1 gr
Max Velocity: 1,024
Max Pressure: 18,400
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: Clays (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 4.9 gr
Starting Velocity: 1,040
Starting Pressure: 16,100
Max Powder: 5.2 gr
Max Velocity: 1,082
Max Pressure: 17,700 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: HP-38 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 6.0 gr
Starting Velocity: 998
Starting Pressure: 13,400
Max Powder: 6.7 gr
Max Velocity: 1,112
Max Pressure: 17,100 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: HP-38 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.6 gr
Starting Velocity: 944
Starting Pressure: 13,800
Max Powder: 6.2 gr
Max Velocity: 1,057
Max Pressure: 16,700 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 9.0 gr
Starting Velocity: 988
Starting Pressure: 12,000
Max Powder: 10.0 gr
Max Velocity: 1,126
Max Pressure: 16,300 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 5.7 gr
Starting Velocity: 1,039
Starting Pressure: 14,300
Max Powder: 6.2 gr
Max Velocity: 1,132
Max Pressure: 17,000 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.0 gr
Starting Velocity: 974
Starting Pressure: 13,600
Max Powder: 5.5 gr
Max Velocity: 1,036
Max Pressure: 16,900 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: Titewad (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 4.6 gr
Starting Velocity: 1,015
Starting Pressure: 15,800
Max Powder: 5.0 gr
Max Velocity: 1,082
Max Pressure: 18,800
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 6.5 gr
Starting Velocity: 1,015
Starting Pressure: 13,000
Max Powder: 7.0 gr
Max Velocity: 1,135
Max Pressure: 16,700 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.4 gr
Starting Velocity: 828
Starting Pressure: 12,300
Max Powder: 6.0 gr
Max Velocity: 1,050
Max Pressure: 16,900 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 10.5 gr
Starting Velocity: 998
Starting Pressure: 15,600
Max Powder: 11.2 gr
Max Velocity: 1,040
Max Pressure: 17,100
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: IMR RED (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 5.5 gr
Starting Velocity: 977
Starting Pressure: 14,500
Max Powder: 6.5 gr
Max Velocity: 1,116
Max Pressure: 19,300
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: IMR Target (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 5.3 gr
Starting Velocity: 940
Starting Pressure: 15,000
Max Powder: 6.2 gr
Max Velocity: 1,069
Max Pressure: 19,100
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: IMR Target (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.4 gr
Starting Velocity: 923
Starting Pressure: 15,800
Max Powder: 6.2 gr
Max Velocity: 1,069
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: PB (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 5.8 gr
Starting Velocity: 989
Starting Pressure: 13,600
Max Powder: 6.5 gr
Max Velocity: 1,095
Max Pressure: 17,500 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: PB (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.3 gr
Starting Velocity: 901
Starting Pressure: 12,100
Max Powder: 5.8 gr
Max Velocity: 1,016
Max Pressure: 16,600 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: SR 4756 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 8.2 gr
Starting Velocity: 996
Starting Pressure: 13,100
Max Powder: 8.8 gr
Max Velocity: 1,108
Max Pressure: 17,200 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.0 gr
Starting Velocity: 941
Starting Pressure: 11,800
Max Powder: 7.7 gr
Max Velocity: 1,056
Max Pressure: 16,100 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 6.0 gr
Starting Velocity: 998
Starting Pressure: 13,400
Max Powder: 6.7 gr
Max Velocity: 1,112
Max Pressure: 17,100 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.6 gr
Starting Velocity: 944
Starting Pressure: 13,800
Max Powder: 6.2 gr
Max Velocity: 1,057
Max Pressure: 16,700 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 6.5 gr
Starting Velocity: 1,062
Starting Pressure: 15,200
Max Powder: 7.2 gr
Max Velocity: 1,166
Max Pressure: 19,200
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.5 gr
Starting Velocity: 964
Starting Pressure: 15,400
Max Powder: 6.1 gr
Max Velocity: 1,068
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 6.5 gr
Starting Velocity: 933
Starting Pressure: 15,700
Max Powder: 7.7 gr
Max Velocity: 1,130
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.6 gr
Starting Velocity: 1,006
Starting Pressure: 13,700
Max Powder: 8.2 gr
Max Velocity: 1,079
Max Pressure: 16,600 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 6.2 gr
Starting Velocity: 875
Starting Pressure: 15,000
Max Powder: 7.0 gr
Max Velocity: 1,000
Max Pressure: 18,600
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: WSF (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.1 gr
Starting Velocity: 934
Starting Pressure: 11,600
Max Powder: 7.9 gr
Max Velocity: 1,064
Max Pressure: 15,900 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: WST (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 4.9 gr
Starting Velocity: 919
Starting Pressure: 13,100
Max Powder: 5.4 gr
Max Velocity: 1,017
Max Pressure: 16,700 CUP
Source: [Hodgdon](#)



GR.: 155 gr
Bullet Type: FP (SinterFire, Inc.) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Large Pistol](#)
Case: WIN
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 5.0 gr
Starting Velocity: 935
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity: 1,100
Max Pressure: 20,055
Source: [ShootersWorld](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.256"
Starting Powder: 4.7 gr
Starting Velocity: 923
Starting Pressure: 17,600
Max Powder: 5.5 gr
Max Velocity: 1,016
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [REM 2 1/4](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 5.3 gr
Starting Velocity: 935
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 1,132
Max Pressure:
Source: [Barnes](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.256"
Starting Powder: 7.3 gr
Starting Velocity: 946
Starting Pressure: 17,300
Max Powder: 8.5 gr
Max Velocity: 1,086
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [REM 2 1/4](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 9.7 gr
Starting Velocity: 1,069
Starting Pressure:
Max Powder: 10.4 gr
Max Velocity: 1,152
Max Pressure:
Source: [Barnes](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.256"
Starting Powder: 8.8 gr
Starting Velocity: 934
Starting Pressure: 17,600
Max Powder: 10.4 gr
Max Velocity: 1,082
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.256"
Starting Powder: 6.7 gr
Starting Velocity: 961
Starting Pressure: 17,400
Max Powder: 7.9 gr
Max Velocity: 1,125
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [REM 2½](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 8.7 gr
Starting Velocity: 1,131
Starting Pressure:
Max Powder: 9.4 gr
Max Velocity: 1,208
Max Pressure:
Source: [Barnes](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.256"
Starting Powder: 6.8 gr
Starting Velocity: 948
Starting Pressure: 17,300
Max Powder: 7.9 gr
Max Velocity: 1,081
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [REM 2½](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 6.3 gr
Starting Velocity: 956
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 1,108
Max Pressure:
Source: [Barnes](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Bullseye (Alliant Powder)
Primer: [REM 2½](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 5.7 gr
Starting Velocity: 1,022
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,122
Max Pressure:
Source: [Barnes](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Power Pistol (Alliant Powder)
Primer: [REM 2½](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 8.5 gr
Starting Velocity: 1,116
Starting Pressure:
Max Powder: 9.2 gr
Max Velocity: 1,186
Max Pressure:
Source: [Barnes](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.3 gr
Starting Velocity: 913
Starting Pressure: 16,600
Max Powder: 4.7 gr
Max Velocity: 982
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [REM 2½](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 6.1 gr
Starting Velocity: 1,048
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity: 1,164
Max Pressure:
Source: [Barnes](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 800-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 7.2 gr
Starting Velocity: 1,046
Starting Pressure: 17,800
Max Powder: 7.6 gr
Max Velocity: 1,078
Max Pressure: 18,800
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.7 gr
Starting Velocity: 1,034
Starting Pressure: 16,900
Max Powder: 7.6 gr
Max Velocity: 1,154
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Clays (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 3.4 gr
Starting Velocity: 833
Starting Pressure: 17,100
Max Powder: 3.9 gr
Max Velocity: 906
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: HP-38 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.0 gr
Starting Velocity: 940
Starting Pressure: 17,900
Max Powder: 5.4 gr
Max Velocity: 992
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 7.6 gr
Starting Velocity: 951
Starting Pressure: 17,200
Max Powder: 8.5 gr
Max Velocity: 1,048
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [REM 2 1/4](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 10.1 gr
Starting Velocity: 1,013
Starting Pressure:
Max Powder: 10.8 gr
Max Velocity: 1,202
Max Pressure:
Source: [Barnes](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.7 gr
Starting Velocity: 970
Starting Pressure: 17,100
Max Powder: 5.1 gr
Max Velocity: 1,040
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Tite Group (Hodgdon)
Primer: [REM 2 1/2](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 5.3 gr
Starting Velocity: 987
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 1,111
Max Pressure:
Source: [Barnes](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity: 938
Starting Pressure: 17,100
Max Powder: 5.9 gr
Max Velocity: 1,047
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 9.9 gr
Starting Velocity: 967
Starting Pressure: 15,600
Max Powder: 11.0 gr
Max Velocity: 1,057
Max Pressure: 18,600
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: IMR RED (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.8 gr
Starting Velocity: 907
Starting Pressure: 16,000
Max Powder: 5.6 gr
Max Velocity: 1,014
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: IMR Target (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.1 gr
Starting Velocity: 944
Starting Pressure: 15,600
Max Powder: 5.4 gr
Max Velocity: 1,079
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: PB (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.5 gr
Starting Velocity: 967
Starting Pressure: 17,500
Max Powder: 5.8 gr
Max Velocity: 1,033
Max Pressure: 19,800
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: SR 4756 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 7.4 gr
Starting Velocity: 954
Starting Pressure: 17,400
Max Powder: 7.6 gr
Max Velocity: 1,032
Max Pressure: 19,100
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.1 gr
Starting Velocity: 971
Starting Pressure: 17,300
Max Powder: 6.5 gr
Max Velocity: 1,047
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.0 gr
Starting Velocity: 940
Starting Pressure: 17,900
Max Powder: 5.4 gr
Max Velocity: 992
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [REM 2½](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 6.3 gr
Starting Velocity: 1,033
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 1,124
Max Pressure:
Source: [Barnes](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.1 gr
Starting Velocity: 971
Starting Pressure: 16,700
Max Powder: 5.5 gr
Max Velocity: 1,034
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.2 gr
Starting Velocity: 929
Starting Pressure: 15,400
Max Powder: 7.2 gr
Max Velocity: 1,085
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.7 gr
Starting Velocity: 1,036
Starting Pressure: 18,400
Max Powder: 7.2 gr
Max Velocity: 1,105
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: WSF (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.2 gr
Starting Velocity: 972
Starting Pressure: 17,400
Max Powder: 6.8 gr
Max Velocity: 1,043
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: WST (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.2 gr
Starting Velocity: 895
Starting Pressure: 17,200
Max Powder: 4.6 gr
Max Velocity: 946
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 160 gr
Bullet Type: COPPER SOLID HP (Mid-South Shooter's Supply) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.190"
Starting Powder: 8.5 gr
Starting Velocity: 912
Starting Pressure:
Max Powder: 11.5 gr
Max Velocity: 1,191
Max Pressure: 20,500
Source: [ShootersWorld](#)



GR.: 170 gr
Bullet Type: LSWC (Montana Cast Bullets) Diameter: 0.452"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.130"
Starting Powder: 5.9 gr
Starting Velocity: 950
Starting Pressure: 17,600
Max Powder: 6.5 gr
Max Velocity: 1,079
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: LSWC (Montana Cast Bullets) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.130"
Starting Powder: 8.1 gr
Starting Velocity: 945
Starting Pressure: 16,000
Max Powder: 9.0 gr
Max Velocity: 1,074
Max Pressure: 17,800
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: CF (Lehigh Defense, LLC) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 7.5 gr
Starting Velocity: 892
Starting Pressure: 18,800
Max Powder: 8.3 gr
Max Velocity: 990
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: LSWC (Montana Cast Bullets) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.130"
Starting Powder: 11.3 gr
Starting Velocity: 1,031
Starting Pressure: 18,800
Max Powder: 12.5 gr
Max Velocity: 1,172
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: LSWC (Montana Cast Bullets) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.130"
Starting Powder: 5.3 gr
Starting Velocity: 931
Starting Pressure: 16,000
Max Powder: 5.9 gr
Max Velocity: 1,059
Max Pressure: 17,800
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: CF (Lehigh Defense, LLC) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 7.0 gr
Starting Velocity: 919
Starting Pressure: 18,600
Max Powder: 7.7 gr
Max Velocity: 1,040
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 170 gr
Bullet Type: CF (Lehigh Defense, LLC) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 6.7 gr
Starting Velocity: 865
Starting Pressure: 18,700
Max Powder: 7.4 gr
Max Velocity: 962
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.267"
Starting Powder: 4.2 gr
Starting Velocity: 861
Starting Pressure: 17,600
Max Powder: 4.7 gr
Max Velocity: 957
Max Pressure: 19,600
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: **LSWC** (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.267"
Starting Powder: 8.0 gr
Starting Velocity: 991
Starting Pressure: 16,400
Max Powder: 8.9 gr
Max Velocity: 1,101
Max Pressure: 18,300
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: **LSWC** (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.267"
Starting Powder: 7.7 gr
Starting Velocity: 947
Starting Pressure: 17,600
Max Powder: 8.5 gr
Max Velocity: 1,052
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: **LSWC** (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.267"
Starting Powder: 6.0 gr
Starting Velocity: 957
Starting Pressure: 18,500
Max Powder: 6.7 gr
Max Velocity: 1,063
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 5.0 gr
Starting Velocity: 903
Starting Pressure: 13,300
Max Powder: 5.6 gr
Max Velocity: 982
Max Pressure: 16,000 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: 800-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 7.2 gr
Starting Velocity: 925
Starting Pressure: 13,100
Max Powder: 8.0 gr
Max Velocity: 1,031
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: CFE Pistol (Hodgdon)
Primer: [FED150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 7.1 gr
Starting Velocity: 1,006
Starting Pressure: 15,500
Max Powder: 8.0 gr
Max Velocity: 1,114
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: Clays (Hodgdon)
Primer: [FED150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 3.8 gr
Starting Velocity: 783
Starting Pressure: 11,600
Max Powder: 4.5 gr
Max Velocity: 910
Max Pressure: 16,700 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: HP-38 (Hodgdon)
Primer: [FED150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 5.0 gr
Starting Velocity: 778
Starting Pressure: 11,300
Max Powder: 6.0 gr
Max Velocity: 950
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: HS-6 (Hodgdon)
Primer: [FED150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 7.8 gr
Starting Velocity: 805
Starting Pressure: 10,900
Max Powder: 9.0 gr
Max Velocity: 961
Max Pressure: 16,600 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: Longshot (Hodgdon)
Primer: [FED150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 6.5 gr
Starting Velocity: 788
Starting Pressure: 9,800
Max Powder: 8.0 gr
Max Velocity: 1,015
Max Pressure: 16,900 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 4.2 gr
Starting Velocity: 771
Starting Pressure: 10,200
Max Powder: 5.2 gr
Max Velocity: 946
Max Pressure: 16,600 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: Titewad (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 3.7 gr
Starting Velocity: 855
Starting Pressure: 14,800
Max Powder: 4.3 gr
Max Velocity: 948
Max Pressure: 19,200
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: Trail Boss (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 3.5 gr
Starting Velocity: 664
Starting Pressure: 7,100
Max Powder: 5.0 gr
Max Velocity: 852
Max Pressure: 13,700 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 5.3 gr
Starting Velocity: 755
Starting Pressure: 11,100
Max Powder: 6.4 gr
Max Velocity: 1,019
Max Pressure: 17,600 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 11.0 gr
Starting Velocity: 986
Starting Pressure: 14,700
Max Powder: 12.5 gr
Max Velocity: 1,126
Max Pressure: 17,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: IMR RED (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 5.0 gr
Starting Velocity: 919
Starting Pressure: 15,100
Max Powder: 6.0 gr
Max Velocity: 1,058
Max Pressure: 19,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: IMR Target (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 5.4 gr
Starting Velocity: 975
Starting Pressure: 15,900
Max Powder: 6.4 gr
Max Velocity: 1,082
Max Pressure: 19,100
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: PB (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 5.4 gr
Starting Velocity: 885
Starting Pressure: 12,900
Max Powder: 6.0 gr
Max Velocity: 976
Max Pressure: 16,300 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: SR 4756 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 7.6 gr
Starting Velocity: 919
Starting Pressure: 12,900
Max Powder: 8.4 gr
Max Velocity: 1,047
Max Pressure: 16,900 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 6.7 gr
Starting Velocity: 928
Starting Pressure: 14,100
Max Powder: 7.4 gr
Max Velocity: 1,024
Max Pressure: 17,800 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: 231 (Winchester)
Primer: [FED150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 5.0 gr
Starting Velocity: 778
Starting Pressure: 11,300
Max Powder: 6.0 gr
Max Velocity: 950
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: 244 (Winchester)
Primer: [FED150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 5.2 gr
Starting Velocity: 944
Starting Pressure: 15,300
Max Powder: 6.2 gr
Max Velocity: 1,058
Max Pressure: 19,300
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: 572 (Winchester)
Primer: [FED150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 6.8 gr
Starting Velocity: 965
Starting Pressure: 14,800
Max Powder: 7.6 gr
Max Velocity: 1,076
Max Pressure: 18,800
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: AutoComp (Winchester)
Primer: [FED150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 6.8 gr
Starting Velocity: 903
Starting Pressure: 12,800
Max Powder: 7.6 gr
Max Velocity: 1,008
Max Pressure: 16,500 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: WSF (Winchester)
Primer: [FED150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 6.6 gr
Starting Velocity: 887
Starting Pressure: 12,200
Max Powder: 7.3 gr
Max Velocity: 1,003
Max Pressure: 16,500 CUP
Source: [Hodgdon](#)



GR.: 180 gr
Bullet Type: [LFP](#) Diameter: 0.452"
Powder: WST (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.140"
Starting Powder: 4.4 gr
Starting Velocity: 846
Starting Pressure: 13,300
Max Powder: 4.9 gr
Max Velocity: 912
Max Pressure: 16,100 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Lead SWC Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.235"
Starting Powder: 6.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 1,074
Max Pressure:
Source: [Alliant Powder](#)



GR.: 185 gr
Bullet Type: Lead SWC Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.235"
Starting Powder: 5.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,080
Max Pressure:
Source: [Alliant Powder](#)



GR.: 185 gr
Bullet Type: Lead SWC 10 SAECO (Laser Cast, Oregon Trail Bullet Company) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.255"
Starting Powder: 3.5 gr
Starting Velocity: 578
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,118
Max Pressure: 18,900
Source: [ShootersWorld](#)



GR.: 185 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.198"
Starting Powder: 3.9 gr
Starting Velocity: 861
Starting Pressure: 17,200
Max Powder: 4.6 gr
Max Velocity: 937
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.197"
Starting Powder: 4.3 gr
Starting Velocity: 891
Starting Pressure: 17,600
Max Powder: 5.0 gr
Max Velocity: 978
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.270"
Starting Powder: 4.5 gr
Starting Velocity: 877
Starting Pressure: 17,500
Max Powder: 5.3 gr
Max Velocity: 977
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.195"
Starting Powder: 5.4 gr
Starting Velocity: 913
Starting Pressure: 17,600
Max Powder: 6.4 gr
Max Velocity: 1,022
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.195"
Starting Powder: 5.4 gr
Starting Velocity: 892
Starting Pressure: 17,700
Max Powder: 6.3 gr
Max Velocity: 1,014
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.270"
Starting Powder: 6.0 gr
Starting Velocity: 880
Starting Pressure: 17,200
Max Powder: 7.0 gr
Max Velocity: 1,014
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.6 gr
Starting Velocity: 885
Starting Pressure: 17,500
Max Powder: 6.6 gr
Max Velocity: 1,011
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.195"
Starting Powder: 8.0 gr
Starting Velocity: 926
Starting Pressure: 17,300
Max Powder: 9.4 gr
Max Velocity: 1,080
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.195"
Starting Powder: 8.2 gr
Starting Velocity: 924
Starting Pressure: 17,300
Max Powder: 9.7 gr
Max Velocity: 1,079
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.270"
Starting Powder: 8.8 gr
Starting Velocity: 916
Starting Pressure: 17,400
Max Powder: 10.3 gr
Max Velocity: 1,088
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 8.1 gr
Starting Velocity: 940
Starting Pressure: 17,600
Max Powder: 9.5 gr
Max Velocity: 1,080
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.195"
Starting Powder: 9.7 gr
Starting Velocity: 904
Starting Pressure: 17,400
Max Powder: 11.4 gr
Max Velocity: 1,073
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.195"
Starting Powder: 10.1 gr
Starting Velocity: 909
Starting Pressure: 17,700
Max Powder: 11.9 gr
Max Velocity: 1,096
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.270"
Starting Powder: 10.8 gr
Starting Velocity: 920
Starting Pressure: 17,700
Max Powder: 12.7 gr
Max Velocity: 1,109
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 10.0 gr
Starting Velocity: 915
Starting Pressure: 17,800
Max Powder: 11.7 gr
Max Velocity: 1,092
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.198"
Starting Powder: 5.0 gr
Starting Velocity: 863
Starting Pressure: 17,600
Max Powder: 5.9 gr
Max Velocity: 998
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.197"
Starting Powder: 5.1 gr
Starting Velocity: 917
Starting Pressure: 17,700
Max Powder: 6.0 gr
Max Velocity: 1,021
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.270"
Starting Powder: 5.5 gr
Starting Velocity: 903
Starting Pressure: 17,700
Max Powder: 6.5 gr
Max Velocity: 1,021
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.198"
Starting Powder: 4.2 gr
Starting Velocity: 848
Starting Pressure: 17,400
Max Powder: 4.9 gr
Max Velocity: 952
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.197"
Starting Powder: 4.4 gr
Starting Velocity: 866
Starting Pressure: 17,400
Max Powder: 5.2 gr
Max Velocity: 980
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.270"
Starting Powder: 4.6 gr
Starting Velocity: 872
Starting Pressure: 17,600
Max Powder: 5.4 gr
Max Velocity: 977
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.195"
Starting Powder: 7.5 gr
Starting Velocity: 949
Starting Pressure: 17,700
Max Powder: 8.9 gr
Max Velocity: 1,116
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.195"
Starting Powder: 7.7 gr
Starting Velocity: 930
Starting Pressure: 17,500
Max Powder: 9.1 gr
Max Velocity: 1,095
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.270"
Starting Powder: 8.3 gr
Starting Velocity: 929
Starting Pressure: 17,600
Max Powder: 9.7 gr
Max Velocity: 1,123
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 7.8 gr
Starting Velocity: 926
Starting Pressure: 17,600
Max Powder: 9.1 gr
Max Velocity: 1,092
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.195"
Starting Powder: 7.5 gr
Starting Velocity: 942
Starting Pressure: 17,800
Max Powder: 8.8 gr
Max Velocity: 1,086
Max Pressure: 21,000
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.195"
Starting Powder: 7.7 gr
Starting Velocity: 936
Starting Pressure: 17,800
Max Powder: 9.1 gr
Max Velocity: 1,091
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.270"
Starting Powder: 8.1 gr
Starting Velocity: 954
Starting Pressure: 17,400
Max Powder: 9.6 gr
Max Velocity: 1,091
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 7.6 gr
Starting Velocity: 924
Starting Pressure: 17,300
Max Powder: 9.0 gr
Max Velocity: 1,068
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.198"
Starting Powder: 5.8 gr
Starting Velocity: 884
Starting Pressure: 17,100
Max Powder: 6.8 gr
Max Velocity: 1,041
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.197"
Starting Powder: 6.0 gr
Starting Velocity: 929
Starting Pressure: 17,200
Max Powder: 7.1 gr
Max Velocity: 1,066
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.270"
Starting Powder: 6.5 gr
Starting Velocity: 944
Starting Pressure: 17,200
Max Powder: 7.6 gr
Max Velocity: 1,087
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#):
Starting Powder: 8.5 gr
Starting Velocity: 955
Starting Pressure:
Max Powder: 10.2 gr
Max Velocity: 1,152
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: Plated Flat Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.118"
Starting Powder: 4.2 gr
Starting Velocity: 820
Starting Pressure:
Max Powder: 4.8 gr
Max Velocity: 938
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: Plated HBRN, Copper Plated (Berry's Bullets) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.264"
Starting Powder: 4.7 gr
Starting Velocity: 860
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 981
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: Plated Flat Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.118"
Starting Powder: 5.6 gr
Starting Velocity: 919
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 1,043
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: Plated HBRN, Copper Plated (Berry's Bullets) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.264"
Starting Powder: 6.3 gr
Starting Velocity: 945
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 1,086
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#):
Starting Powder: 6.3 gr
Starting Velocity: 961
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 1,096
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 185 gr
Bullet Type: Plated HBRN, Copper Plated (Berry's Bullets) Diameter:
Powder: N32C (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.264"
Starting Powder: 6.6 gr
Starting Velocity: 906
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 1,060
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Plated Flat Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.118"
Starting Powder: 6.5 gr
Starting Velocity: 938
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 1,102
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Plated HBRN, Copper Plated (Berry's Bullets) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.264"
Starting Powder: 7.5 gr
Starting Velocity: 978
Starting Pressure:
Max Powder: 8.5 gr
Max Velocity: 1,135
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: Plated Flat Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.118"
Starting Powder: 6.6 gr
Starting Velocity: 945
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,099
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: Plated HBRN, Copper Plated (Berry's Bullets) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.264"
Starting Powder: 7.6 gr
Starting Velocity: 978
Starting Pressure:
Max Powder: 8.6 gr
Max Velocity: 1,142
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#):
Starting Powder: 7.6 gr
Starting Velocity: 1,007
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 1,129
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#):
Starting Powder: 8.2 gr
Starting Velocity: 981
Starting Pressure:
Max Powder: 9.4 gr
Max Velocity: 1,188
Max Pressure:
Source: [VihtaVuori](#)



GR.: 185 gr
Bullet Type: GSBP (REM) Diameter: 0.451"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 4.2 gr
Starting Velocity: 845
Starting Pressure: 17,700
Max Powder: 4.9 gr
Max Velocity: 940
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 4.0 gr
Starting Velocity: 864
Starting Pressure: 15,700
Max Powder: 4.6 gr
Max Velocity: 937
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 4.5 gr
Starting Velocity: 770
Starting Pressure: 18,200
Max Powder: 5.0 gr
Max Velocity: 856
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [REM 2 1/4](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 4.7 gr
Starting Velocity: 809
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 921
Max Pressure:
Source: [Barnes](#)



GR.: 185 gr
Bullet Type: JHP (NOS) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 5.7 gr
Starting Velocity: 948
Starting Pressure: 17,700
Max Powder: 6.7 gr
Max Velocity: 1,106
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: GSBP (REM) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 5.5 gr
Starting Velocity: 871
Starting Pressure: 17,700
Max Powder: 6.4 gr
Max Velocity: 1,018
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Montana Cast Bullets) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 5.6 gr
Starting Velocity: 895
Starting Pressure: 16,700
Max Powder: 6.2 gr
Max Velocity: 1,000
Max Pressure: 18,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 5.2 gr
Starting Velocity: 878
Starting Pressure: 14,700
Max Powder: 6.0 gr
Max Velocity: 998
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 6.5 gr
Starting Velocity: 813
Starting Pressure: 18,300
Max Powder: 7.2 gr
Max Velocity: 903
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [REM 2 1/4](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 8.3 gr
Starting Velocity: 943
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 1,021
Max Pressure:
Source: [Barnes](#)



GR.: 185 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 9.2 gr
Starting Velocity: 970
Starting Pressure: 17,900
Max Powder: 10.2 gr
Max Velocity: 1,102
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JHP (NOS) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 8.2 gr
Starting Velocity: 929
Starting Pressure: 17,800
Max Powder: 9.7 gr
Max Velocity: 1,071
Max Pressure: 21,000
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: GSBP (REM) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 8.1 gr
Starting Velocity: 929
Starting Pressure: 17,400
Max Powder: 9.5 gr
Max Velocity: 1,088
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Montana Cast Bullets) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 8.0 gr
Starting Velocity: 925
Starting Pressure: 16,600
Max Powder: 8.9 gr
Max Velocity: 1,050
Max Pressure: 18,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 8.6 gr
Starting Velocity: 944
Starting Pressure: 14,700
Max Powder: 9.7 gr
Max Velocity: 1,059
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 8.1 gr
Starting Velocity: 827
Starting Pressure: 18,100
Max Powder: 9.0 gr
Max Velocity: 919
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: GSB (REM) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 10.1 gr
Starting Velocity: 929
Starting Pressure: 17,600
Max Powder: 11.9 gr
Max Velocity: 1,095
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JHP (Sierra) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 11.7 gr
Starting Velocity: 962
Starting Pressure: 16,200
Max Powder: 13.0 gr
Max Velocity: 1,093
Max Pressure: 18,000
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 10.3 gr
Starting Velocity: 969
Starting Pressure: 15,300
Max Powder: 11.6 gr
Max Velocity: 1,090
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: GSB (REM) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 5.2 gr
Starting Velocity: 883
Starting Pressure: 17,500
Max Powder: 6.1 gr
Max Velocity: 1,008
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JHC (Sierra) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 5.5 gr
Starting Velocity: 862
Starting Pressure: 17,500
Max Powder: 6.1 gr
Max Velocity: 980
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 4.6 gr
Starting Velocity: 847
Starting Pressure: 18,500
Max Powder: 5.1 gr
Max Velocity: 941
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JHP (NOS) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.3 gr
Starting Velocity: 845
Starting Pressure: 17,700
Max Powder: 5.1 gr
Max Velocity: 954
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: GSBR (REM) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 4.4 gr
Starting Velocity: 882
Starting Pressure: 17,400
Max Powder: 5.1 gr
Max Velocity: 967
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 4.3 gr
Starting Velocity: 876
Starting Pressure: 15,200
Max Powder: 4.8 gr
Max Velocity: 944
Max Pressure: 19,600
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.256"
Starting Powder: 6.2 gr
Starting Velocity: 870
Starting Pressure: 17,300
Max Powder: 7.3 gr
Max Velocity: 1,017
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 8.9 gr
Starting Velocity: 1,037
Starting Pressure: 18,800
Max Powder: 9.9 gr
Max Velocity: 1,152
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: GSBP (REM) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 7.6 gr
Starting Velocity: 972
Starting Pressure: 17,600
Max Powder: 8.9 gr
Max Velocity: 1,118
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 8.1 gr
Starting Velocity: 999
Starting Pressure: 14,900
Max Powder: 9.1 gr
Max Velocity: 1,124
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.256"
Starting Powder: 5.9 gr
Starting Velocity: 857
Starting Pressure: 17,200
Max Powder: 7.0 gr
Max Velocity: 965
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 8.5 gr
Starting Velocity: 980
Starting Pressure: 18,700
Max Powder: 9.4 gr
Max Velocity: 1,089
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: GSBP (REM) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 7.6 gr
Starting Velocity: 947
Starting Pressure: 17,700
Max Powder: 9.0 gr
Max Velocity: 1,087
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 7.6 gr
Starting Velocity: 943
Starting Pressure: 15,500
Max Powder: 8.5 gr
Max Velocity: 1,039
Max Pressure: 19,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 4.8 gr
Starting Velocity: 803
Starting Pressure: 18,000
Max Powder: 5.3 gr
Max Velocity: 892
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [REM 24](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 5.3 gr
Starting Velocity: 843
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 982
Max Pressure:
Source: [Barnes](#)



GR.: 185 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 6.6 gr
Starting Velocity: 946
Starting Pressure: 17,600
Max Powder: 7.3 gr
Max Velocity: 1,051
Max Pressure: 19,600
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: GSBP (REM) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 6.2 gr
Starting Velocity: 948
Starting Pressure: 17,500
Max Powder: 7.3 gr
Max Velocity: 1,078
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 6.2 gr
Starting Velocity: 931
Starting Pressure: 14,600
Max Powder: 7.0 gr
Max Velocity: 1,051
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: American Select (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 941
Max Pressure:
Source: [Alliant Powder](#)



GR.: 185 gr
Bullet Type: JHP Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.190"
Starting Powder: 7.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.9 gr
Max Velocity: 1,076
Max Pressure:
Source: [Alliant Powder](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Bullseye (Alliant Powder)
Primer: [REM 2 1/4](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 4.7 gr
Starting Velocity: 863
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 975
Max Pressure:
Source: [Barnes](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 5.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 986
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Power Pistol (Alliant Powder)
Primer: [REM 2½](#)
Case: REM
Trim Length: 0.888"
[C.O.L.: 1.235"](#)
Starting Powder: 7.3 gr
Starting Velocity: 959
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 1,057
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 8.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 9.5 gr
Max Velocity: 1,047
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 185 gr
Bullet Type: FMJ SWC Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.: 1.165"](#)
Starting Powder: 5.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,025
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 185 gr
Bullet Type: JHP Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.: 1.190"](#)
Starting Powder: 6.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 1,071
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 7.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 1,015
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [REM 2½](#)
Case: REM
Trim Length: 0.888"
[C.O.L.: 1.235"](#)
Starting Powder: 4.9 gr
Starting Velocity: 839
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 972
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.: 1.135"](#)
Starting Powder: 4.9 gr
Starting Velocity: 873
Starting Pressure: 14,000
Max Powder: 5.5 gr
Max Velocity: 959
Max Pressure: 17,100 CUP
Source: [Hodgdon](#) ⓘ



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.: 1.245"](#)
Starting Powder: 5.1 gr
Starting Velocity: 918
Starting Pressure: 15,800
Max Powder: 5.9 gr
Max Velocity: 1,024
Max Pressure: 19,900
Source: [Hodgdon](#) ⓘ



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: 800-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.: 1.135"](#)
Starting Powder: 7.1 gr
Starting Velocity: 883
Starting Pressure: 13,600
Max Powder: 7.9 gr
Max Velocity: 991
Max Pressure: 16,700 CUP
Source: [Hodgdon](#) ⓘ



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: 800-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 7.5 gr
Starting Velocity: 982
Starting Pressure: 15,300
Max Powder: 8.6 gr
Max Velocity: 1,108
Max Pressure: 19,200
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 5.5 gr
Starting Velocity: 860
Starting Pressure: 14,000
Max Powder: 6.3 gr
Max Velocity: 1,005
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 7.1 gr
Starting Velocity: 1,008
Starting Pressure: 15,800
Max Powder: 8.1 gr
Max Velocity: 1,139
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 7.3 gr
Starting Velocity: 993
Starting Pressure: 15,100
Max Powder: 8.3 gr
Max Velocity: 1,118
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: Clays (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 4.5 gr
Starting Velocity: 855
Starting Pressure: 14,500
Max Powder: 4.9 gr
Max Velocity: 981
Max Pressure: 17,400 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: Clays (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 4.6 gr
Starting Velocity: 887
Starting Pressure: 14,100
Max Powder: 5.3 gr
Max Velocity: 1,004
Max Pressure: 19,600
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDT) Diameter: 0.451"
Powder: HP-38 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 5.0 gr
Starting Velocity: 762
Starting Pressure: 12,000
Max Powder: 5.9 gr
Max Velocity: 906
Max Pressure: 15,800 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: HP-38 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 5.6 gr
Starting Velocity: 897
Starting Pressure: 15,400
Max Powder: 6.3 gr
Max Velocity: 1,001
Max Pressure: 19,600
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 7.1 gr
Starting Velocity: 862
Starting Pressure: 15,600
Max Powder: 8.0 gr
Max Velocity: 971
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDT) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 8.6 gr
Starting Velocity: 888
Starting Pressure: 12,200
Max Powder: 9.5 gr
Max Velocity: 996
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 8.5 gr
Starting Velocity: 926
Starting Pressure: 14,600
Max Powder: 9.7 gr
Max Velocity: 1,071
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Longshot (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 6.0 gr
Starting Velocity: 848
Starting Pressure: 13,400
Max Powder: 7.0 gr
Max Velocity: 991
Max Pressure: 17,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: Longshot (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 7.2 gr
Starting Velocity: 919
Starting Pressure: 11,300
Max Powder: 8.2 gr
Max Velocity: 1,044
Max Pressure: 17,000 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: Longshot (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 8.0 gr
Starting Velocity: 1,019
Starting Pressure: 15,100
Max Powder: 9.1 gr
Max Velocity: 1,147
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 4.3 gr
Starting Velocity: 815
Starting Pressure: 15,100
Max Powder: 5.0 gr
Max Velocity: 940
Max Pressure: 19,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Tite Group (Hodgdon)
Primer: [REM 2½](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 4.5 gr
Starting Velocity: 863
Starting Pressure:
Max Powder: 5.2 gr
Max Velocity: 991
Max Pressure:
Source: [Barnes](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 5.0 gr
Starting Velocity: 892
Starting Pressure: 14,600
Max Powder: 5.5 gr
Max Velocity: 956
Max Pressure: 17,000 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 5.3 gr
Starting Velocity: 935
Starting Pressure: 15,500
Max Powder: 6.0 gr
Max Velocity: 1,039
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: Titewad (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 3.5 gr
Starting Velocity: 754
Starting Pressure: 14,900
Max Powder: 4.2 gr
Max Velocity: 887
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: Titewad (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 3.8 gr
Starting Velocity: 829
Starting Pressure: 15,100
Max Powder: 4.4 gr
Max Velocity: 916
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: Trail Boss (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 4.0 gr
Starting Velocity: 724
Starting Pressure: 9,700
Max Powder: 5.5 gr
Max Velocity: 925
Max Pressure: 18,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 5.4 gr
Starting Velocity: 839
Starting Pressure: 15,000
Max Powder: 6.1 gr
Max Velocity: 997
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 6.0 gr
Starting Velocity: 908
Starting Pressure: 13,100
Max Powder: 6.4 gr
Max Velocity: 977
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 6.4 gr
Starting Velocity: 956
Starting Pressure: 14,400
Max Powder: 7.3 gr
Max Velocity: 1,108
Max Pressure: 19,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 10.4 gr
Starting Velocity: 940
Starting Pressure: 15,300
Max Powder: 11.6 gr
Max Velocity: 1,078
Max Pressure: 19,200
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDT) Diameter: 0.451"
Powder: IMR RED (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 5.0 gr
Starting Velocity: 881
Starting Pressure: 15,300
Max Powder: 5.7 gr
Max Velocity: 983
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDT) Diameter: 0.451"
Powder: IMR Target (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 5.2 gr
Starting Velocity: 906
Starting Pressure: 14,900
Max Powder: 6.1 gr
Max Velocity: 1,028
Max Pressure: 19,000
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDT) Diameter: 0.451"
Powder: PB (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 5.2 gr
Starting Velocity: 804
Starting Pressure: 11,400
Max Powder: 5.8 gr
Max Velocity: 935
Max Pressure: 16,200 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDT) Diameter: 0.451"
Powder: SR 4756 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 7.4 gr
Starting Velocity: 853
Starting Pressure: 12,300
Max Powder: 8.2 gr
Max Velocity: 991
Max Pressure: 16,700 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDT) Diameter: 0.451"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 6.8 gr
Starting Velocity: 890
Starting Pressure: 14,800
Max Powder: 7.3 gr
Max Velocity: 970
Max Pressure: 16,500 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: HP/XTP (HDV) Diameter:
Powder: N105 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.228"
Starting Powder: 12.2 gr
Starting Velocity: 1,040
Starting Pressure:
Max Powder: 13.3 gr
Max Velocity: 1,263
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: HP HS (H&N) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.181"
Starting Powder: 4.2 gr
Starting Velocity: 863
Starting Pressure:
Max Powder: 4.9 gr
Max Velocity: 971
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: HP/XTP (HDV) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.228"
Starting Powder: 4.4 gr
Starting Velocity: 820
Starting Pressure:
Max Powder: 5.2 gr
Max Velocity: 935
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: HP HS (H&N) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.181"
Starting Powder: 5.7 gr
Starting Velocity: 928
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 1,076
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: HP/XTP (HDV) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.228"
Starting Powder: 6.0 gr
Starting Velocity: 932
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 1,070
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: HP HS (H&N) Diameter:
Powder: N32C (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.181"
Starting Powder: 6.0 gr
Starting Velocity: 915
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 1,047
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: HP HS (H&N) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.181"
Starting Powder: 7.0 gr
Starting Velocity: 974
Starting Pressure:
Max Powder: 7.9 gr
Max Velocity: 1,135
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: HP HS (H&N) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.181"
Starting Powder: 7.0 gr
Starting Velocity: 961
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 1,135
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: HP/XTP (HDV) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.228"
Starting Powder: 7.1 gr
Starting Velocity: 974
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 1,132
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: HP/XTP (HDV) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.228"
Starting Powder: 7.7 gr
Starting Velocity: 958
Starting Pressure:
Max Powder: 9.1 gr
Max Velocity: 1,161
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 4.4 gr
Starting Velocity: 773
Starting Pressure: 14,000
Max Powder: 5.1 gr
Max Velocity: 870
Max Pressure: 19,800
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [REM 2 1/4](#)
Case: REM
Trim Length: 0.888"
[C.O.L.](#): 1.235"
Starting Powder: 5.1 gr
Starting Velocity: 844
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 959
Max Pressure:
Source: [Barnes](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 5.0 gr
Starting Velocity: 762
Starting Pressure: 12,000
Max Powder: 5.9 gr
Max Velocity: 906
Max Pressure: 15,800 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 5.6 gr
Starting Velocity: 897
Starting Pressure: 15,400
Max Powder: 6.3 gr
Max Velocity: 1,001
Max Pressure: 19,600
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 4.7 gr
Starting Velocity: 836
Starting Pressure: 16,300
Max Powder: 5.3 gr
Max Velocity: 931
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 5.5 gr
Starting Velocity: 915
Starting Pressure: 15,000
Max Powder: 6.2 gr
Max Velocity: 1,022
Max Pressure: 19,600
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 5.8 gr
Starting Velocity: 938
Starting Pressure: 14,900
Max Powder: 6.7 gr
Max Velocity: 1,057
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 5.4 gr
Starting Velocity: 841
Starting Pressure: 13,600
Max Powder: 6.4 gr
Max Velocity: 1,012
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 6.7 gr
Starting Velocity: 930
Starting Pressure: 17,200
Max Powder: 7.7 gr
Max Velocity: 1,036
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 7.6 gr
Starting Velocity: 1,014
Starting Pressure: 15,400
Max Powder: 8.6 gr
Max Velocity: 1,140
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: TAC-XP (Barnes) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 5.8 gr
Starting Velocity: 871
Starting Pressure: 14,700
Max Powder: 6.6 gr
Max Velocity: 1,008
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 6.7 gr
Starting Velocity: 856
Starting Pressure: 12,600
Max Powder: 7.4 gr
Max Velocity: 958
Max Pressure: 16,200 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 7.3 gr
Starting Velocity: 979
Starting Pressure: 15,100
Max Powder: 8.3 gr
Max Velocity: 1,116
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: WSF (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 6.8 gr
Starting Velocity: 886
Starting Pressure: 13,400
Max Powder: 7.5 gr
Max Velocity: 981
Max Pressure: 17,400 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: WSF (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 6.9 gr
Starting Velocity: 914
Starting Pressure: 14,000
Max Powder: 7.8 gr
Max Velocity: 1,052
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: JSWC (HDY) Diameter: 0.451"
Powder: WST (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.135"
Starting Powder: 4.4 gr
Starting Velocity: 794
Starting Pressure: 14,100
Max Powder: 4.9 gr
Max Velocity: 866
Max Pressure: 16,500 CUP
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: LSWC (Missouri Bullet Company) Diameter: 0.452"
Powder: WST (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 4.5 gr
Starting Velocity: 851
Starting Pressure: 15,500
Max Powder: 5.1 gr
Max Velocity: 932
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: XTP (HDY) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 4.5 gr
Starting Velocity: 816
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 1,020
Max Pressure: 19,950
Source: [ShootersWorld](#)



GR.: 185 gr
Bullet Type: JHP (Zero) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 4.8 gr
Starting Velocity: 784
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 1,029
Max Pressure: 21,000
Source: [ShootersWorld](#)



GR.: 185 gr
Bullet Type: XTP (HDY) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 4.5 gr
Starting Velocity: 552
Starting Pressure:
Max Powder: 8.6 gr
Max Velocity: 1,095
Max Pressure: 20,100
Source: [ShootersWorld](#)



GR.: 185 gr
Bullet Type: COPPER SOLID HP (Mid-South Shooter's Supply) Diameter:
Powder: MAJOR PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.190"
Starting Powder: 8.0 gr
Starting Velocity: 905
Starting Pressure:
Max Powder: 9.6 gr
Max Velocity: 1,076
Max Pressure: 20,900
Source: [Shooters World](#)



GR.: 195 gr
Bullet Type: SWC (H&N) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 3.9 gr
Starting Velocity: 827
Starting Pressure:
Max Powder: 4.6 gr
Max Velocity: 928
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 195 gr
Bullet Type: SWC (H&N) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.5 gr
Starting Velocity: 902
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 1,027
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 195 gr
Bullet Type: SWC (H&N) Diameter:
Powder: N32C (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.5 gr
Starting Velocity: 873
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 981
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 195 gr
Bullet Type: SWC (H&N) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 6.3 gr
Starting Velocity: 912
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 1,066
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 195 gr
Bullet Type: SWC (H&N) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 6.5 gr
Starting Velocity: 932
Starting Pressure:
Max Powder: 7.4 gr
Max Velocity: 1,066
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Coated SWC-NLG (ACME) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.235"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 1,012
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: Lead SWC Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.235"
Starting Powder: 6.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 1,013
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: Lead SWC Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.235"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 1,005
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: Lead RNFP (CPB) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.175"
Starting Powder: 5.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,044
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: Lead SWC 10 SAECO (Laser Cast, Oregon Trail Bullet Company) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.255"
Starting Powder: 3.7 gr
Starting Velocity: 636
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 1,040
Max Pressure: 20,465
Source: [ShootersWorld](#)



GR.: 200 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 3.7 gr
Starting Velocity: 828
Starting Pressure: 17,400
Max Powder: 4.4 gr
Max Velocity: 895
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 3.8 gr
Starting Velocity: 790
Starting Pressure: 17,800
Max Powder: 4.5 gr
Max Velocity: 893
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 3.9 gr
Starting Velocity: 813
Starting Pressure: 17,500
Max Powder: 4.5 gr
Max Velocity: 901
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 3.8 gr
Starting Velocity: 815
Starting Pressure: 17,600
Max Powder: 4.4 gr
Max Velocity: 899
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.212"
Starting Powder: 5.1 gr
Starting Velocity: 845
Starting Pressure: 17,600
Max Powder: 6.0 gr
Max Velocity: 958
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 5.3 gr
Starting Velocity: 846
Starting Pressure: 17,500
Max Powder: 6.3 gr
Max Velocity: 962
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 5.4 gr
Starting Velocity: 844
Starting Pressure: 17,200
Max Powder: 6.3 gr
Max Velocity: 958
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 5.0 gr
Starting Velocity: 821
Starting Pressure: 17,100
Max Powder: 5.9 gr
Max Velocity: 932
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.212"
Starting Powder: 7.5 gr
Starting Velocity: 868
Starting Pressure: 17,100
Max Powder: 8.8 gr
Max Velocity: 1,010
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 7.7 gr
Starting Velocity: 892
Starting Pressure: 17,000
Max Powder: 9.1 gr
Max Velocity: 1,022
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 7.9 gr
Starting Velocity: 870
Starting Pressure: 17,500
Max Powder: 9.3 gr
Max Velocity: 1,024
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 7.6 gr
Starting Velocity: 881
Starting Pressure: 17,600
Max Powder: 8.9 gr
Max Velocity: 1,026
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated RN (Rainier) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.269"
Starting Powder: 8.2 gr
Starting Velocity: 904
Starting Pressure: 17,600
Max Powder: 9.6 gr
Max Velocity: 1,044
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 9.4 gr
Starting Velocity: 868
Starting Pressure: 17,400
Max Powder: 11.0 gr
Max Velocity: 1,031
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 9.9 gr
Starting Velocity: 887
Starting Pressure: 17,400
Max Powder: 11.6 gr
Max Velocity: 1,054
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 9.2 gr
Starting Velocity: 862
Starting Pressure: 17,600
Max Powder: 10.8 gr
Max Velocity: 1,021
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated RN (Rainier) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.269"
Starting Powder: 9.9 gr
Starting Velocity: 873
Starting Pressure: 17,400
Max Powder: 11.6 gr
Max Velocity: 1,045
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 4.8 gr
Starting Velocity: 830
Starting Pressure: 17,300
Max Powder: 5.7 gr
Max Velocity: 943
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 4.8 gr
Starting Velocity: 811
Starting Pressure: 17,600
Max Powder: 5.6 gr
Max Velocity: 947
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 4.8 gr
Starting Velocity: 824
Starting Pressure: 17,000
Max Powder: 5.6 gr
Max Velocity: 950
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 4.8 gr
Starting Velocity: 868
Starting Pressure: 17,400
Max Powder: 5.7 gr
Max Velocity: 960
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated RN (Rainier) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.269"
Starting Powder: 5.3 gr
Starting Velocity: 863
Starting Pressure: 17,600
Max Powder: 6.2 gr
Max Velocity: 974
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 4.0 gr
Starting Velocity: 810
Starting Pressure: 17,400
Max Powder: 4.7 gr
Max Velocity: 902
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 4.0 gr
Starting Velocity: 838
Starting Pressure: 17,800
Max Powder: 4.7 gr
Max Velocity: 919
Max Pressure: 21,000
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 4.2 gr
Starting Velocity: 813
Starting Pressure: 17,800
Max Powder: 4.9 gr
Max Velocity: 915
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 4.0 gr
Starting Velocity: 807
Starting Pressure: 17,400
Max Powder: 4.7 gr
Max Velocity: 905
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated RN (Rainier) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.269"
Starting Powder: 4.5 gr
Starting Velocity: 796
Starting Pressure: 17,300
Max Powder: 5.3 gr
Max Velocity: 927
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.212"
Starting Powder: 6.9 gr
Starting Velocity: 886
Starting Pressure: 17,200
Max Powder: 8.2 gr
Max Velocity: 1,032
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 7.2 gr
Starting Velocity: 885
Starting Pressure: 17,300
Max Powder: 8.5 gr
Max Velocity: 1,034
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 7.4 gr
Starting Velocity: 878
Starting Pressure: 17,300
Max Powder: 8.7 gr
Max Velocity: 1,034
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 7.0 gr
Starting Velocity: 906
Starting Pressure: 17,500
Max Powder: 8.2 gr
Max Velocity: 1,039
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated RN (Rainier) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.269"
Starting Powder: 7.5 gr
Starting Velocity: 895
Starting Pressure: 17,500
Max Powder: 8.8 gr
Max Velocity: 1,046
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.212"
Starting Powder: 7.0 gr
Starting Velocity: 884
Starting Pressure: 17,400
Max Powder: 8.2 gr
Max Velocity: 1,009
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 7.4 gr
Starting Velocity: 893
Starting Pressure: 17,700
Max Powder: 8.7 gr
Max Velocity: 1,038
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 7.7 gr
Starting Velocity: 919
Starting Pressure: 17,700
Max Powder: 9.1 gr
Max Velocity: 1,065
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 7.0 gr
Starting Velocity: 876
Starting Pressure: 17,400
Max Powder: 8.2 gr
Max Velocity: 1,010
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated RN (Rainier) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.269"
Starting Powder: 7.6 gr
Starting Velocity: 891
Starting Pressure: 17,600
Max Powder: 8.9 gr
Max Velocity: 1,036
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 5.5 gr
Starting Velocity: 908
Starting Pressure: 17,600
Max Powder: 6.5 gr
Max Velocity: 1,013
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 5.7 gr
Starting Velocity: 863
Starting Pressure: 17,500
Max Powder: 6.7 gr
Max Velocity: 1,012
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.205"
Starting Powder: 6.0 gr
Starting Velocity: 904
Starting Pressure: 17,700
Max Powder: 7.1 gr
Max Velocity: 1,039
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.245"
Starting Powder: 5.5 gr
Starting Velocity: 863
Starting Pressure: 17,500
Max Powder: 6.5 gr
Max Velocity: 1,010
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated RN (Rainier) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.269"
Starting Powder: 6.0 gr
Starting Velocity: 911
Starting Pressure: 17,700
Max Powder: 7.1 gr
Max Velocity: 1,036
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Blue Dot (Alliant Powder)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 9.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 10.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Unique (Alliant Powder)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 5.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 700-X (Hodgdon)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: CFE Pistol (Hodgdon)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 6.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Clays (Hodgdon)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 3.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: HP-38 (Hodgdon)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Tite Group (Hodgdon)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 4.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated HB Flat Point, Copper Plated (Berry's Bullets) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.157"
Starting Powder: 7.4 gr
Starting Velocity: 860
Starting Pressure:
Max Powder: 8.9 gr
Max Velocity: 1,066
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#):
Starting Powder: 7.9 gr
Starting Velocity: 873
Starting Pressure:
Max Powder: 9.6 gr
Max Velocity: 1,096
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 200 gr
Bullet Type: Plated HB Flat Point, Copper Plated (Berry's Bullets) Diameter:
Powder: 3N38 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.157"
Starting Powder: 9.1 gr
Starting Velocity: 899
Starting Pressure:
Max Powder: 10.3 gr
Max Velocity: 1,086
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Plated HB Flat Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.157"
Starting Powder: 3.9 gr
Starting Velocity: 728
Starting Pressure:
Max Powder: 4.7 gr
Max Velocity: 866
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Plated HB Flat Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.157"
Starting Powder: 5.6 gr
Starting Velocity: 853
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 994
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#):
Starting Powder: 5.9 gr
Starting Velocity: 892
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity: 1,043
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated HB Flat Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.157"
Starting Powder: 6.6 gr
Starting Velocity: 892
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 1,053
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Plated HB Flat Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.157"
Starting Powder: 6.5 gr
Starting Velocity: 899
Starting Pressure:
Max Powder: 7.6 gr
Max Velocity: 1,053
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#):
Starting Powder: 6.6 gr
Starting Velocity: 948
Starting Pressure:
Max Powder: 7.9 gr
Max Velocity: 1,079
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 200 gr
Bullet Type: Plated HB Flat Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.157"
Starting Powder: 7.1 gr
Starting Velocity: 899
Starting Pressure:
Max Powder: 8.3 gr
Max Velocity: 1,066
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#):
Starting Powder: 7.6 gr
Starting Velocity: 938
Starting Pressure:
Max Powder: 8.6 gr
Max Velocity: 1,093
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: 231 (Winchester)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Ba10 (Vectan)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 3.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: Ba9 (Vectan)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: A1 (Vectan)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: RS12 (Reload Swiss)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 5.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: Plated TC FCP (CamPro) Diameter:
Powder: RS20 (Reload Swiss)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.180"
Starting Powder: 7.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 5.1 gr
Starting Velocity: 855
Starting Pressure: 17,500
Max Powder: 5.8 gr
Max Velocity: 970
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.190"
Starting Powder: 5.2 gr
Starting Velocity: 826
Starting Pressure: 15,600
Max Powder: 5.8 gr
Max Velocity: 939
Max Pressure: 17,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: FPJ (Sierra) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 7.6 gr
Starting Velocity: 854
Starting Pressure: 17,500
Max Powder: 8.9 gr
Max Velocity: 996
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.190"
Starting Powder: 7.8 gr
Starting Velocity: 902
Starting Pressure: 17,400
Max Powder: 8.7 gr
Max Velocity: 1,025
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 7.0 gr
Starting Velocity: 769
Starting Pressure: 18,800
Max Powder: 7.8 gr
Max Velocity: 869
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 10.8 gr
Starting Velocity: 912
Starting Pressure: 17,300
Max Powder: 12.0 gr
Max Velocity: 1,036
Max Pressure: 19,200
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.190"
Starting Powder: 10.4 gr
Starting Velocity: 899
Starting Pressure: 16,900
Max Powder: 11.5 gr
Max Velocity: 1,022
Max Pressure: 18,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDV) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 5.2 gr
Starting Velocity: 804
Starting Pressure: 16,900
Max Powder: 5.8 gr
Max Velocity: 914
Max Pressure: 18,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.190"
Starting Powder: 4.8 gr
Starting Velocity: 838
Starting Pressure: 16,600
Max Powder: 5.3 gr
Max Velocity: 952
Max Pressure: 18,300
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: FMJ CT (HDV) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 4.0 gr
Starting Velocity: 774
Starting Pressure: 18,500
Max Powder: 4.4 gr
Max Velocity: 860
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: FPJ (Sierra) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 4.0 gr
Starting Velocity: 782
Starting Pressure: 17,500
Max Powder: 4.7 gr
Max Velocity: 881
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.267"
Starting Powder: 3.9 gr
Starting Velocity: 806
Starting Pressure: 18,000
Max Powder: 4.3 gr
Max Velocity: 896
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: FMJ CT (HDY) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.6 gr
Starting Velocity: 937
Starting Pressure: 18,200
Max Powder: 8.4 gr
Max Velocity: 1,041
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.267"
Starting Powder: 7.6 gr
Starting Velocity: 964
Starting Pressure: 18,300
Max Powder: 8.4 gr
Max Velocity: 1,071
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 6.5 gr
Starting Velocity: 789
Starting Pressure: 18,600
Max Powder: 7.2 gr
Max Velocity: 900
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: FMJ CT (HDY) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.2 gr
Starting Velocity: 866
Starting Pressure: 17,500
Max Powder: 8.0 gr
Max Velocity: 962
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.235"
Starting Powder: 6.3 gr
Starting Velocity: 760
Starting Pressure: 18,600
Max Powder: 7.0 gr
Max Velocity: 846
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: FMJ CT (HDY) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 5.8 gr
Starting Velocity: 879
Starting Pressure: 18,600
Max Powder: 6.4 gr
Max Velocity: 977
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.267"
Starting Powder: 5.6 gr
Starting Velocity: 897
Starting Pressure: 18,300
Max Powder: 6.2 gr
Max Velocity: 997
Max Pressure: 20,300
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Blue Dot (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 9.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 10.5 gr
Max Velocity: 1,010
Max Pressure:
Source: [Alliant Powder](#)



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.190"
Starting Powder: 4.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.6 gr
Max Velocity: 807
Max Pressure:
Source: [Alliant Powder](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 934
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 7.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.3 gr
Max Velocity: 952
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter:
Powder: Red Dot (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.190"
Starting Powder: 4.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.5 gr
Max Velocity: 831
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.190"
Starting Powder: 5.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity: 985
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 980
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.190"
Starting Powder: 4.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 790
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 984
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 4.6 gr
Starting Velocity: 821
Starting Pressure: 12,100
Max Powder: 5.3 gr
Max Velocity: 921
Max Pressure: 16,300 CUP
Source: [Hodgdon](#) ⓘ



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 4.8 gr
Starting Velocity: 844
Starting Pressure: 14,400
Max Powder: 5.3 gr
Max Velocity: 911
Max Pressure: 16,700 CUP
Source: [Hodgdon](#) ⓘ



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: 800-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 6.9 gr
Starting Velocity: 861
Starting Pressure: 12,200
Max Powder: 7.7 gr
Max Velocity: 958
Max Pressure: 15,700 CUP
Source: [Hodgdon](#) ⓘ



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: 800-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 6.8 gr
Starting Velocity: 877
Starting Pressure: 13,600
Max Powder: 7.4 gr
Max Velocity: 954
Max Pressure: 16,600 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CFB) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 7.4 gr
Starting Velocity: 1,042
Starting Pressure: 15,000
Max Powder: 8.2 gr
Max Velocity: 1,142
Max Pressure: 19,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 6.3 gr
Starting Velocity: 877
Starting Pressure: 14,900
Max Powder: 7.2 gr
Max Velocity: 1,010
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CFB) Diameter: 0.451"
Powder: Clays (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 3.6 gr
Starting Velocity: 759
Starting Pressure: 11,800
Max Powder: 4.3 gr
Max Velocity: 888
Max Pressure: 17,000 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: Clays (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 3.9 gr
Starting Velocity: 714
Starting Pressure: 15,200
Max Powder: 4.3 gr
Max Velocity: 785
Max Pressure: 17,700 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: HP-38 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 4.4 gr
Starting Velocity: 771
Starting Pressure: 11,000
Max Powder: 5.6 gr
Max Velocity: 914
Max Pressure: 16,900 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: HP-38 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 5.2 gr
Starting Velocity: 794
Starting Pressure: 12,700
Max Powder: 5.9 gr
Max Velocity: 906
Max Pressure: 16,700 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 8.2 gr
Starting Velocity: 860
Starting Pressure: 14,400
Max Powder: 8.4 gr
Max Velocity: 907
Max Pressure: 16,300 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 8.2 gr
Starting Velocity: 868
Starting Pressure: 14,000
Max Powder: 9.0 gr
Max Velocity: 948
Max Pressure: 16,400 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: Longshot (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 7.0 gr
Starting Velocity: 918
Starting Pressure: 13,300
Max Powder: 7.8 gr
Max Velocity: 1,013
Max Pressure: 16,900 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 4.8 gr
Starting Velocity: 877
Starting Pressure: 13,400
Max Powder: 5.4 gr
Max Velocity: 957
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 4.7 gr
Starting Velocity: 812
Starting Pressure: 13,700
Max Powder: 5.2 gr
Max Velocity: 884
Max Pressure: 16,900 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: Titewad (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 3.6 gr
Starting Velocity: 816
Starting Pressure: 15,400
Max Powder: 4.5 gr
Max Velocity: 940
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: Titewad (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 3.4 gr
Starting Velocity: 680
Starting Pressure: 15,200
Max Powder: 4.0 gr
Max Velocity: 834
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: Trail Boss (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 3.5 gr
Starting Velocity: 652
Starting Pressure: 9,200
Max Powder: 5.5 gr
Max Velocity: 816
Max Pressure: 16,100 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 5.8 gr
Starting Velocity: 889
Starting Pressure: 13,900
Max Powder: 6.3 gr
Max Velocity: 962
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 5.8 gr
Starting Velocity: 889
Starting Pressure: 15,100
Max Powder: 6.2 gr
Max Velocity: 949
Max Pressure: 17,200 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 10.0 gr
Starting Velocity: 948
Starting Pressure: 15,900
Max Powder: 11.1 gr
Max Velocity: 1,045
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 9.9 gr
Starting Velocity: 903
Starting Pressure: 15,200
Max Powder: 11.0 gr
Max Velocity: 1,002
Max Pressure: 18,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: IMR RED (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 4.4 gr
Starting Velocity: 833
Starting Pressure: 14,200
Max Powder: 5.3 gr
Max Velocity: 958
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: IMR RED (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 4.5 gr
Starting Velocity: 789
Starting Pressure: 15,300
Max Powder: 5.5 gr
Max Velocity: 936
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: IMR Target (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 5.0 gr
Starting Velocity: 900
Starting Pressure: 15,500
Max Powder: 5.8 gr
Max Velocity: 1,007
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: IMR Target (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 4.9 gr
Starting Velocity: 826
Starting Pressure: 14,800
Max Powder: 5.9 gr
Max Velocity: 969
Max Pressure: 19,300
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: PB (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 5.2 gr
Starting Velocity: 831
Starting Pressure: 12,200
Max Powder: 5.7 gr
Max Velocity: 915
Max Pressure: 15,900 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: PB (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 5.0 gr
Starting Velocity: 798
Starting Pressure: 12,800
Max Powder: 5.5 gr
Max Velocity: 873
Max Pressure: 16,100 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: SR 4756 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 7.4 gr
Starting Velocity: 875
Starting Pressure: 13,500
Max Powder: 8.2 gr
Max Velocity: 966
Max Pressure: 17,100 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: SR 4756 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 7.0 gr
Starting Velocity: 842
Starting Pressure: 11,100
Max Powder: 7.6 gr
Max Velocity: 941
Max Pressure: 14,200 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 6.2 gr
Starting Velocity: 836
Starting Pressure: 13,000
Max Powder: 6.9 gr
Max Velocity: 952
Max Pressure: 17,200 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 6.0 gr
Starting Velocity: 861
Starting Pressure: 13,600
Max Powder: 6.6 gr
Max Velocity: 941
Max Pressure: 17,100 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: SWC HS (H&N) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.209"
Starting Powder: 6.8 gr
Starting Velocity: 856
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 1,037
Max Pressure:
Source: [VihtaVuori](#)



GR.: 200 gr
Bullet Type: RN HS (H&N) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 7.9 gr
Starting Velocity: 925
Starting Pressure:
Max Powder: 9.3 gr
Max Velocity: 1,112
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: HAP (HDV) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 7.5 gr
Starting Velocity: 899
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 1,099
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: V-Crown JHP (Sig Sauer) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.256"
Starting Powder: 8.3 gr
Starting Velocity: 909
Starting Pressure:
Max Powder: 9.6 gr
Max Velocity: 1,093
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: SWC HS (H&N) Diameter:
Powder: 3N38 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.209"
Starting Powder: 8.7 gr
Starting Velocity: 892
Starting Pressure:
Max Powder: 10.1 gr
Max Velocity: 1,096
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: RN HS (H&N) Diameter:
Powder: 3N38 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 9.5 gr
Starting Velocity: 938
Starting Pressure:
Max Powder: 11.3 gr
Max Velocity: 1,158
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: HAP (HDV) Diameter:
Powder: 3N38 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 9.2 gr
Starting Velocity: 919
Starting Pressure:
Max Powder: 10.8 gr
Max Velocity: 1,138
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: HAP (HDV) Diameter:
Powder: N105 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 10.4 gr
Starting Velocity: 935
Starting Pressure:
Max Powder: 12.0 gr
Max Velocity: 1,178
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: SWC HS (H&N) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.209"
Starting Powder: 4.0 gr
Starting Velocity: 823
Starting Pressure:
Max Powder: 4.7 gr
Max Velocity: 928
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: RN HS (H&N) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 4.2 gr
Starting Velocity: 833
Starting Pressure:
Max Powder: 4.9 gr
Max Velocity: 935
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: HAP (HDV) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 3.9 gr
Starting Velocity: 797
Starting Pressure:
Max Powder: 4.6 gr
Max Velocity: 906
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: SWC HS (H&N) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.209"
Starting Powder: 5.5 gr
Starting Velocity: 886
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 1,020
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: RN HS (H&N) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.8 gr
Starting Velocity: 899
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 1,033
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: HAP (HDV) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 5.5 gr
Starting Velocity: 886
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 1,017
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: V-Crown JHP (Sig Sauer) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.256"
Starting Powder: 6.0 gr
Starting Velocity: 915
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity: 1,037
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: SWC HS (H&N) Diameter:
Powder: N32C (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.209"
Starting Powder: 5.5 gr
Starting Velocity: 853
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 984
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: RN HS (H&N) Diameter:
Powder: N32C (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 6.1 gr
Starting Velocity: 892
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 1,014
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: HAP (HDY) Diameter:
Powder: N32C (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 5.5 gr
Starting Velocity: 853
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 984
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: SWC HS (H&N) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.209"
Starting Powder: 6.2 gr
Starting Velocity: 899
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 1,053
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: RN HS (H&N) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 6.7 gr
Starting Velocity: 925
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,076
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: HAP (HDY) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 6.6 gr
Starting Velocity: 912
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,076
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: SWC HS (H&N) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.209"
Starting Powder: 6.2 gr
Starting Velocity: 906
Starting Pressure:
Max Powder: 7.4 gr
Max Velocity: 1,070
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: RN HS (H&N) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 6.9 gr
Starting Velocity: 938
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 1,096
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: HAP (HDV) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 6.5 gr
Starting Velocity: 912
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,073
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: V-Crown JHP (Sig Sauer) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.256"
Starting Powder: 7.1 gr
Starting Velocity: 961
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 1,079
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: SWC HS (H&N) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.209"
Starting Powder: 6.8 gr
Starting Velocity: 889
Starting Pressure:
Max Powder: 7.9 gr
Max Velocity: 1,060
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: RN HS (H&N) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 7.6 gr
Starting Velocity: 945
Starting Pressure:
Max Powder: 8.7 gr
Max Velocity: 1,115
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: HAP (HDV) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.240"
Starting Powder: 7.4 gr
Starting Velocity: 928
Starting Pressure:
Max Powder: 8.4 gr
Max Velocity: 1,066
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: V-Crown JHP (Sig Sauer) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.256"
Starting Powder: 7.9 gr
Starting Velocity: 942
Starting Pressure:
Max Powder: 8.8 gr
Max Velocity: 1,099
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 4.4 gr
Starting Velocity: 771
Starting Pressure: 11,000
Max Powder: 5.6 gr
Max Velocity: 914
Max Pressure: 16,900 CUP
Source: [Hodgdon](#) ⓘ



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 5.2 gr
Starting Velocity: 794
Starting Pressure: 12,700
Max Powder: 5.9 gr
Max Velocity: 906
Max Pressure: 16,700 CUP
Source: [Hodgdon](#) ⓘ



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 5.1 gr
Starting Velocity: 880
Starting Pressure: 15,500
Max Powder: 5.8 gr
Max Velocity: 992
Max Pressure: 19,800
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 5.2 gr
Starting Velocity: 862
Starting Pressure: 15,300
Max Powder: 5.9 gr
Max Velocity: 957
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 6.4 gr
Starting Velocity: 897
Starting Pressure: 15,900
Max Powder: 7.2 gr
Max Velocity: 1,018
Max Pressure: 19,600
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 6.4 gr
Starting Velocity: 859
Starting Pressure: 16,500
Max Powder: 7.4 gr
Max Velocity: 992
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 6.5 gr
Starting Velocity: 843
Starting Pressure: 11,500
Max Powder: 7.2 gr
Max Velocity: 914
Max Pressure: 15,100 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 6.4 gr
Starting Velocity: 856
Starting Pressure: 12,600
Max Powder: 7.0 gr
Max Velocity: 930
Max Pressure: 16,000 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: WSF (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 6.0 gr
Starting Velocity: 870
Starting Pressure: 15,200
Max Powder: 6.7 gr
Max Velocity: 970
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: WSF (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 6.1 gr
Starting Velocity: 807
Starting Pressure: 12,500
Max Powder: 6.8 gr
Max Velocity: 929
Max Pressure: 16,700 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: LSWC (CPB) Diameter: 0.451"
Powder: WST (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 4.4 gr
Starting Velocity: 830
Starting Pressure: 15,400
Max Powder: 5.1 gr
Max Velocity: 910
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: JHP (Speer) Diameter: 0.451"
Powder: WST (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.155"
Starting Powder: 4.6 gr
Starting Velocity: 789
Starting Pressure: 15,900
Max Powder: 5.1 gr
Max Velocity: 898
Max Pressure: 17,500 CUP
Source: [Hodgdon](#)



GR.: 200 gr
Bullet Type: XTP (HDV) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 5.0 gr
Starting Velocity: 825
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 988
Max Pressure: 20,630
Source: [ShootersWorld](#)



GR.: 200 gr
Bullet Type: XTP (HDV) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 3.9 gr
Starting Velocity: 534
Starting Pressure:
Max Powder: 7.9 gr
Max Velocity: 1,025
Max Pressure: 20,618
Source: [ShootersWorld](#)



GR.: 200 gr
Bullet Type: XTP (HDV) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 7.5 gr
Starting Velocity: 779
Starting Pressure:
Max Powder: 10.0 gr
Max Velocity: 1,080
Max Pressure: 20,517
Source: [ShootersWorld](#)



GR.: 225 gr
Bullet Type: Lead FPBB (Ares) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Large Pistol](#)
Case: Sellier & Bellot
Trim Length:
[C.O.L.](#): 30.600mm
Starting Powder: 4.2 gr
Starting Velocity: 820
Starting Pressure:
Max Powder: 4.6 gr
Max Velocity: 853
Max Pressure: 17,700
Source: [ShootersWorld](#)



GR.: 225 gr
Bullet Type: Lead RN7 SAECO (Laser Cast, Oregon Trail Bullet Company) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 4.2 gr
Starting Velocity: 510
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity: 945
Max Pressure: 19,700
Source: [ShootersWorld](#)



GR.: 225 gr
Bullet Type: FB (X-Treme Bullets) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.: 1.177"](#)
Starting Powder: 6.6 gr
Starting Velocity: 784
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 961
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 225 gr
Bullet Type: FB (X-Treme Bullets) Diameter:
Powder: 3N38 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.: 1.177"](#)
Starting Powder: 8.1 gr
Starting Velocity: 804
Starting Pressure:
Max Powder: 9.4 gr
Max Velocity: 984
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 225 gr
Bullet Type: FB (X-Treme Bullets) Diameter:
Powder: N105 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.: 1.177"](#)
Starting Powder: 9.0 gr
Starting Velocity: 817
Starting Pressure:
Max Powder: 10.5 gr
Max Velocity: 1,040
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 225 gr
Bullet Type: FB (X-Treme Bullets) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.: 1.177"](#)
Starting Powder: 3.4 gr
Starting Velocity: 627
Starting Pressure:
Max Powder: 4.1 gr
Max Velocity: 758
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 225 gr
Bullet Type: FB (X-Treme Bullets) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.: 1.177"](#)
Starting Powder: 4.7 gr
Starting Velocity: 738
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 883
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 225 gr
Bullet Type: FB (X-Treme Bullets) Diameter:
Powder: N32C (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.177"
Starting Powder: 4.5 gr
Starting Velocity: 722
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity: 833
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 225 gr
Bullet Type: FB (X-Treme Bullets) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.177"
Starting Powder: 5.7 gr
Starting Velocity: 807
Starting Pressure:
Max Powder: 6.5 gr
Max Velocity: 938
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 225 gr
Bullet Type: FB (X-Treme Bullets) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.177"
Starting Powder: 5.7 gr
Starting Velocity: 807
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 942
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 225 gr
Bullet Type: FB (X-Treme Bullets) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.177"
Starting Powder: 6.2 gr
Starting Velocity: 801
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 965
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: Coated RN-NLG (ACME) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.265"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 916
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: Lead LRN (CPB) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity: 905
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: Lead RNBB (Ares) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Large Pistol](#)
Case: Sellier & Bellot
Trim Length:
[C.O.L.](#): 32.000mm
Starting Powder: 4.2 gr
Starting Velocity: 787
Starting Pressure:
Max Powder: 4.8 gr
Max Velocity: 853
Max Pressure: 17,800
Source: [ShootersWorld](#)



GR.: 230 gr
Bullet Type: Lead RN10 SAECO (Laser Cast, Oregon Trail Bullet Company) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 3.7 gr
Starting Velocity: 475
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity: 978
Max Pressure: 20,135
Source: [ShootersWorld](#)



GR.: 230 gr
Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 3.7 gr
Starting Velocity: 753
Starting Pressure: 17,800
Max Powder: 4.4 gr
Max Velocity: 829
Max Pressure: 20,900
Source: [Hodgdon](#) ⓘ



GR.: 230 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 3.5 gr
Starting Velocity: 610
Starting Pressure: 17,200
Max Powder: 4.1 gr
Max Velocity: 728
Max Pressure: 20,200
Source: [Hodgdon](#) ⓘ



GR.: 230 gr
Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 4.6 gr
Starting Velocity: 730
Starting Pressure: 17,400
Max Powder: 5.4 gr
Max Velocity: 842
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 4.6 gr
Starting Velocity: 721
Starting Pressure: 17,600
Max Powder: 5.4 gr
Max Velocity: 831
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 7.1 gr
Starting Velocity: 784
Starting Pressure: 17,100
Max Powder: 8.3 gr
Max Velocity: 929
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 7.0 gr
Starting Velocity: 807
Starting Pressure: 17,700
Max Powder: 8.2 gr
Max Velocity: 934
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 8.6 gr
Starting Velocity: 800
Starting Pressure: 17,700
Max Powder: 10.1 gr
Max Velocity: 945
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 8.3 gr
Starting Velocity: 778
Starting Pressure: 17,600
Max Powder: 9.8 gr
Max Velocity: 930
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 4.4 gr
Starting Velocity: 760
Starting Pressure: 17,600
Max Powder: 5.1 gr
Max Velocity: 846
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 4.3 gr
Starting Velocity: 705
Starting Pressure: 17,200
Max Powder: 5.1 gr
Max Velocity: 802
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 3.7 gr
Starting Velocity: 642
Starting Pressure: 17,600
Max Powder: 4.4 gr
Max Velocity: 747
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 6.6 gr
Starting Velocity: 811
Starting Pressure: 17,800
Max Powder: 7.8 gr
Max Velocity: 957
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 6.4 gr
Starting Velocity: 808
Starting Pressure: 17,400
Max Powder: 7.5 gr
Max Velocity: 943
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 6.6 gr
Starting Velocity: 820
Starting Pressure: 17,500
Max Powder: 7.8 gr
Max Velocity: 933
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 6.4 gr
Starting Velocity: 807
Starting Pressure: 17,700
Max Powder: 7.6 gr
Max Velocity: 925
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 5.1 gr
Starting Velocity: 778
Starting Pressure: 17,500
Max Powder: 6.0 gr
Max Velocity: 899
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated HP (Rainier) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.237"
Starting Powder: 5.0 gr
Starting Velocity: 748
Starting Pressure: 17,400
Max Powder: 5.9 gr
Max Velocity: 862
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Blue Dot (Alliant Powder)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 7.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 4.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 6.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Unique (Alliant Powder)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: 700-X (Hodgdon)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 4.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: CFE Pistol (Hodgdon)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 6.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Clays (Hodgdon)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 3.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: HP-38 (Hodgdon)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 4.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: HS-6 (Hodgdon)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 7.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Tite Group (Hodgdon)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 4.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.197"
Starting Powder: 6.6 gr
Starting Velocity: 748
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 968
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 3.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.197"
Starting Powder: 4.6 gr
Starting Velocity: 748
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 902
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 4.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 5.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.197"
Starting Powder: 5.7 gr
Starting Velocity: 814
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 951
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 5.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated Hybrid Hollow Point, Copper Plated (Berry's Bullets) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.197"
Starting Powder: 6.3 gr
Starting Velocity: 814
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 961
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: 231 (Winchester)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 4.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: AutoComp (Winchester)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 6.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated HP (Berry's Bullets) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 3.7 gr
Starting Velocity: 448
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 940
Max Pressure: 21,000
Source: [Shooters World](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Ba10 (Vectan)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 3.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 4.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Ba9 1/2 (Vectan)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 4.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.2 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Ba9 (Vectan)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 4.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: Sp 2 (Vectan)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 8.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 10.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: A1 (Vectan)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: RS12 (Reload Swiss)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: Plated RN FCP (CamPro) Diameter:
Powder: RS20 (Reload Swiss)
Primer: [Large Pistol](#)
Case:
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 6.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.6 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 230 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 3.3 gr
Starting Velocity: 664
Starting Pressure: 17,600
Max Powder: 3.8 gr
Max Velocity: 741
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Nitro 100 NF (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 3.6 gr
Starting Velocity: 770
Starting Pressure: 18,800
Max Powder: 4.0 gr
Max Velocity: 823
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 4.3 gr
Starting Velocity: 697
Starting Pressure: 17,800
Max Powder: 5.1 gr
Max Velocity: 799
Max Pressure: 21,000
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: GSBP (REM) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 4.5 gr
Starting Velocity: 742
Starting Pressure: 17,400
Max Powder: 5.3 gr
Max Velocity: 853
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ (Sierra) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.250"
Starting Powder: 4.6 gr
Starting Velocity: 769
Starting Pressure: 17,700
Max Powder: 5.4 gr
Max Velocity: 881
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 5.0 gr
Starting Velocity: 766
Starting Pressure: 15,400
Max Powder: 5.6 gr
Max Velocity: 870
Max Pressure: 17,200
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 6.6 gr
Starting Velocity: 751
Starting Pressure: 17,800
Max Powder: 7.7 gr
Max Velocity: 869
Max Pressure: 21,000
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ (NOS) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.250"
Starting Powder: 7.8 gr
Starting Velocity: 816
Starting Pressure: 17,300
Max Powder: 8.7 gr
Max Velocity: 927
Max Pressure: 19,300
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: GSBR (REM) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 7.0 gr
Starting Velocity: 810
Starting Pressure: 17,600
Max Powder: 8.2 gr
Max Velocity: 935
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ (Sierra) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.270"
Starting Powder: 7.4 gr
Starting Velocity: 814
Starting Pressure: 17,800
Max Powder: 8.7 gr
Max Velocity: 939
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRNBB (Montana Cast Bullets) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 7.7 gr
Starting Velocity: 852
Starting Pressure: 17,900
Max Powder: 8.5 gr
Max Velocity: 968
Max Pressure: 19,800
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 7.8 gr
Starting Velocity: 743
Starting Pressure: 17,800
Max Powder: 9.2 gr
Max Velocity: 895
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: GSB (REM) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 8.5 gr
Starting Velocity: 822
Starting Pressure: 17,800
Max Powder: 10.0 gr
Max Velocity: 943
Max Pressure: 21,000
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 9.9 gr
Starting Velocity: 862
Starting Pressure: 17,500
Max Powder: 11.0 gr
Max Velocity: 979
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 4.0 gr
Starting Velocity: 695
Starting Pressure: 17,500
Max Powder: 4.7 gr
Max Velocity: 789
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ (NOS) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.250"
Starting Powder: 4.9 gr
Starting Velocity: 746
Starting Pressure: 16,800
Max Powder: 5.5 gr
Max Velocity: 848
Max Pressure: 18,900
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: GSB (REM) Diameter: 0.451"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 4.3 gr
Starting Velocity: 753
Starting Pressure: 17,300
Max Powder: 5.0 gr
Max Velocity: 831
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Solo 1000 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.230"
Starting Powder: 4.6 gr
Starting Velocity: 790
Starting Pressure: 16,500
Max Powder: 5.1 gr
Max Velocity: 898
Max Pressure: 18,300
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: XTP (HDV) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 3.3 gr
Starting Velocity: 672
Starting Pressure: 17,600
Max Powder: 3.9 gr
Max Velocity: 746
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: GSBR (REM) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 3.6 gr
Starting Velocity: 716
Starting Pressure: 17,700
Max Powder: 4.2 gr
Max Velocity: 792
Max Pressure: 20,800
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ (Sierra) Diameter: 0.451"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.270"
Starting Powder: 3.8 gr
Starting Velocity: 691
Starting Pressure: 17,400
Max Powder: 4.5 gr
Max Velocity: 793
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Competition (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.267"
Starting Powder: 3.6 gr
Starting Velocity: 725
Starting Pressure: 17,300
Max Powder: 4.0 gr
Max Velocity: 805
Max Pressure: 19,200
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 6.2 gr
Starting Velocity: 785
Starting Pressure: 17,700
Max Powder: 7.3 gr
Max Velocity: 916
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: GSB (REM) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 6.5 gr
Starting Velocity: 838
Starting Pressure: 17,500
Max Powder: 7.6 gr
Max Velocity: 966
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ (Sierra) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.250"
Starting Powder: 7.3 gr
Starting Velocity: 868
Starting Pressure: 17,800
Max Powder: 8.1 gr
Max Velocity: 964
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 5.8 gr
Starting Velocity: 722
Starting Pressure: 17,800
Max Powder: 6.8 gr
Max Velocity: 851
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: GSB (REM) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 6.2 gr
Starting Velocity: 810
Starting Pressure: 17,100
Max Powder: 7.3 gr
Max Velocity: 909
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ (Sierra) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.250"
Starting Powder: 6.8 gr
Starting Velocity: 800
Starting Pressure: 17,700
Max Powder: 7.6 gr
Max Velocity: 889
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.267"
Starting Powder: 6.7 gr
Starting Velocity: 822
Starting Pressure: 17,500
Max Powder: 7.4 gr
Max Velocity: 913
Max Pressure: 19,500
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: XTP (HDY) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.210"
Starting Powder: 4.5 gr
Starting Velocity: 703
Starting Pressure: 17,600
Max Powder: 5.3 gr
Max Velocity: 816
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: GSB (REM) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 4.8 gr
Starting Velocity: 773
Starting Pressure: 17,400
Max Powder: 5.7 gr
Max Velocity: 873
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ (Sierra) Diameter: 0.451"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.250"
Starting Powder: 5.6 gr
Starting Velocity: 814
Starting Pressure: 18,600
Max Powder: 6.2 gr
Max Velocity: 904
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: Zip (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.267"
Starting Powder: 5.2 gr
Starting Velocity: 824
Starting Pressure: 18,300
Max Powder: 5.8 gr
Max Velocity: 915
Max Pressure: 20,300
Source: [Hodgdon](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: American Select (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 873
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: American Select (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.265"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 873
Max Pressure:
Source: [Alliant Powder](#)



GR.: 230 gr
Bullet Type: JHP Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 6.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity: 927
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: FMJ Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.265"
Starting Powder: 6.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.1 gr
Max Velocity: 943
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.270"
Starting Powder: 5.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 929
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 6.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 983
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: BE-86 (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.265"
Starting Powder: 6.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 983
Max Pressure:
Source: [Alliant Powder](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 4.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity: 812
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: TJM RN (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 5.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity: 840
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 939
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: Bullseye (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.265"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 939
Max Pressure:
Source: [Alliant Powder](#)



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter:
Powder: Green Dot (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.270"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity: 842
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter:
Powder: Herco (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.270"
Starting Powder: 5.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 845
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.4 gr
Max Velocity: 881
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: TJM RN (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.: 1.260"](#)
Starting Powder: 7.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 916
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.: 1.260"](#)
Starting Powder: 7.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 985
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: Power Pistol (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.: 1.265"](#)
Starting Powder: 7.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 985
Max Pressure:
Source: [Alliant Powder](#)



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter:
Powder: Red Dot (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.: 1.270"](#)
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity: 841
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: TJM RN (Speer) Diameter:
Powder: Red Dot (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.: 1.260"](#)
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity: 839
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: JHP Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 4.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity: 867
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: FMJ Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.265"
Starting Powder: 5.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity: 914
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 4.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity: 837
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.270"
Starting Powder: 5.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 918
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: TJM RN (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case:
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 879
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED150](#)
Case:
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 912
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: Sport Pistol (Alliant Powder)
Primer: [FED150](#)
Case:
Trim Length:
[C.O.L.](#): 1.265"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 912
Max Pressure:
Source: [Alliant Powder](#)



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI300](#)
Case:
Trim Length:
[C.O.L.](#): 1.270"
Starting Powder: 5.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 849
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI300](#)
Case:
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 806
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: TJM RN (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI300](#)
Case:
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 5.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 6.5 gr
Max Velocity: 832
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 6.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 966
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 230 gr
Bullet Type: CPRN (Speer) Diameter:
Powder: Unique (Alliant Powder)
Primer: [CCI 300](#)
Case:
Trim Length:
[C.O.L.](#): 1.265"
Starting Powder: 6.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 966
Max Pressure:
Source: [Alliant Powder](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.5 gr
Starting Velocity: 831
Starting Pressure: 14,500
Max Powder: 5.0 gr
Max Velocity: 893
Max Pressure: 17,700 CUP
Source: [Hodgdon](#) ⓘ



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.4 gr
Starting Velocity: 758
Starting Pressure: 12,700
Max Powder: 4.9 gr
Max Velocity: 842
Max Pressure: 16,600 CUP
Source: [Hodgdon](#) ⓘ



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: 800-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.5 gr
Starting Velocity: 867
Starting Pressure: 15,100
Max Powder: 7.0 gr
Max Velocity: 939
Max Pressure: 17,300 CUP
Source: [Hodgdon](#) ⓘ



GR.: 230 gr
Bullet Type: FMJ FP (HDV) Diameter: 0.451"
Powder: 800-X (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.3 gr
Starting Velocity: 817
Starting Pressure: 13,300
Max Powder: 7.0 gr
Max Velocity: 900
Max Pressure: 16,900 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity: 816
Starting Pressure: 14,600
Max Powder: 6.2 gr
Max Velocity: 942
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDV) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.0 gr
Starting Velocity: 815
Starting Pressure: 16,000
Max Powder: 6.8 gr
Max Velocity: 934
Max Pressure: 19,800
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: Clays (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 3.5 gr
Starting Velocity: 716
Starting Pressure: 13,700
Max Powder: 4.0 gr
Max Velocity: 793
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDV) Diameter: 0.451"
Powder: Clays (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 3.7 gr
Starting Velocity: 670
Starting Pressure: 15,900
Max Powder: 4.0 gr
Max Velocity: 732
Max Pressure: 17,000 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: HP-38 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.3 gr
Starting Velocity: 699
Starting Pressure: 12,200
Max Powder: 5.3 gr
Max Velocity: 834
Max Pressure: 16,900 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: HP-38 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.2 gr
Starting Velocity: 751
Starting Pressure: 13,800
Max Powder: 5.3 gr
Max Velocity: 832
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 7.0 gr
Starting Velocity: 751
Starting Pressure: 12,900
Max Powder: 8.0 gr
Max Velocity: 859
Max Pressure: 16,600 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 8.0 gr
Starting Velocity: 790
Starting Pressure: 14,400
Max Powder: 8.2 gr
Max Velocity: 825
Max Pressure: 15,400 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: Longshot (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.0 gr
Starting Velocity: 747
Starting Pressure: 12,000
Max Powder: 6.8 gr
Max Velocity: 875
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDV) Diameter: 0.451"
Powder: Longshot (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.3 gr
Starting Velocity: 848
Starting Pressure: 14,100
Max Powder: 6.8 gr
Max Velocity: 908
Max Pressure: 17,200 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.0 gr
Starting Velocity: 751
Starting Pressure: 12,500
Max Powder: 4.8 gr
Max Velocity: 855
Max Pressure: 17,000 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDV) Diameter: 0.451"
Powder: Tite Group (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.4 gr
Starting Velocity: 744
Starting Pressure: 15,000
Max Powder: 4.8 gr
Max Velocity: 818
Max Pressure: 16,700 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: Titewad (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 2.8 gr
Starting Velocity: 684
Starting Pressure: 14,700
Max Powder: 3.3 gr
Max Velocity: 767
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: Trail Boss (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 3.5 gr
Starting Velocity: 658
Starting Pressure: 11,200
Max Powder: 4.5 gr
Max Velocity: 761
Max Pressure: 15,100 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.5 gr
Starting Velocity: 703
Starting Pressure: 11,400
Max Powder: 5.4 gr
Max Velocity: 857
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.1 gr
Starting Velocity: 716
Starting Pressure: 11,800
Max Powder: 5.6 gr
Max Velocity: 844
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 8.8 gr
Starting Velocity: 859
Starting Pressure: 16,300
Max Powder: 9.8 gr
Max Velocity: 944
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: IMR BLUE (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 9.0 gr
Starting Velocity: 812
Starting Pressure: 16,600
Max Powder: 10.1 gr
Max Velocity: 916
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: IMR RED (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 3.9 gr
Starting Velocity: 748
Starting Pressure: 15,400
Max Powder: 4.7 gr
Max Velocity: 857
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: IMR RED (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.2 gr
Starting Velocity: 691
Starting Pressure: 14,400
Max Powder: 5.1 gr
Max Velocity: 841
Max Pressure: 19,900
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: IMR Target (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.3 gr
Starting Velocity: 800
Starting Pressure: 16,100
Max Powder: 5.0 gr
Max Velocity: 891
Max Pressure: 19,400
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: IMR Target (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.8 gr
Starting Velocity: 767
Starting Pressure: 15,600
Max Powder: 5.6 gr
Max Velocity: 871
Max Pressure: 20,000
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: PB (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.2 gr
Starting Velocity: 736
Starting Pressure: 11,600
Max Powder: 4.7 gr
Max Velocity: 833
Max Pressure: 15,900 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: PB (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.5 gr
Starting Velocity: 709
Starting Pressure: 12,200
Max Powder: 5.0 gr
Max Velocity: 807
Max Pressure: 16,500 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: SR 4756 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.3 gr
Starting Velocity: 813
Starting Pressure: 14,200
Max Powder: 6.8 gr
Max Velocity: 892
Max Pressure: 16,400 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: SR 4756 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.4 gr
Starting Velocity: 762
Starting Pressure: 12,900
Max Powder: 7.0 gr
Max Velocity: 867
Max Pressure: 16,500 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.5 gr
Starting Velocity: 828
Starting Pressure: 15,100
Max Powder: 6.0 gr
Max Velocity: 897
Max Pressure: 17,300 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity: 745
Starting Pressure: 12,200
Max Powder: 6.0 gr
Max Velocity: 848
Max Pressure: 16,600 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: HP / XTP (HDY) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.244"
Starting Powder: 6.6 gr
Starting Velocity: 778
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 981
Max Pressure:
Source: [VihtaVuori](#)



GR.: 230 gr
Bullet Type: RN (Los) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 6.5 gr
Starting Velocity: 797
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 968
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: FMJ (Sierra) Diameter:
Powder: 3N37 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.268"
Starting Powder: 7.1 gr
Starting Velocity: 804
Starting Pressure:
Max Powder: 8.5 gr
Max Velocity: 988
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: RN (Los) Diameter:
Powder: 3N38 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 7.9 gr
Starting Velocity: 810
Starting Pressure:
Max Powder: 9.2 gr
Max Velocity: 997
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: RN (Los) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 3.5 gr
Starting Velocity: 712
Starting Pressure:
Max Powder: 4.2 gr
Max Velocity: 814
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: FMJ (Sierra) Diameter:
Powder: N310 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.268"
Starting Powder: 3.7 gr
Starting Velocity: 679
Starting Pressure:
Max Powder: 4.5 gr
Max Velocity: 804
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: HP / XTP (HDY) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.244"
Starting Powder: 4.6 gr
Starting Velocity: 768
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 886
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: RN (Los) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 4.9 gr
Starting Velocity: 797
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity: 925
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: FMJ (Sierra) Diameter:
Powder: N320 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.268"
Starting Powder: 5.1 gr
Starting Velocity: 801
Starting Pressure:
Max Powder: 5.9 gr
Max Velocity: 922
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: RN (Los) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.6 gr
Starting Velocity: 817
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 965
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: FMJ (Sierra) Diameter:
Powder: N330 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.268"
Starting Powder: 6.2 gr
Starting Velocity: 846
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity: 958
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: HP / XTP (HDY) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.244"
Starting Powder: 5.6 gr
Starting Velocity: 781
Starting Pressure:
Max Powder: 6.5 gr
Max Velocity: 932
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: RN (Los) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 5.8 gr
Starting Velocity: 820
Starting Pressure:
Max Powder: 6.6 gr
Max Velocity: 961
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: FMJ (Sierra) Diameter:
Powder: N340 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.268"
Starting Powder: 6.2 gr
Starting Velocity: 850
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity: 961
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: HP / XTP (HDY) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.244"
Starting Powder: 6.5 gr
Starting Velocity: 827
Starting Pressure:
Max Powder: 7.4 gr
Max Velocity: 974
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: RN (Los) Diameter:
Powder: N350 (VihtaVuori)
Primer: [Large Pistol](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.220"
Starting Powder: 6.5 gr
Starting Velocity: 830
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 974
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.3 gr
Starting Velocity: 699
Starting Pressure: 12,200
Max Powder: 5.3 gr
Max Velocity: 834
Max Pressure: 16,900 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.2 gr
Starting Velocity: 751
Starting Pressure: 13,800
Max Powder: 5.3 gr
Max Velocity: 832
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.1 gr
Starting Velocity: 761
Starting Pressure: 15,100
Max Powder: 4.9 gr
Max Velocity: 868
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDY) Diameter: 0.451"
Powder: 244 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.1 gr
Starting Velocity: 793
Starting Pressure: 15,300
Max Powder: 5.6 gr
Max Velocity: 885
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.6 gr
Starting Velocity: 846
Starting Pressure: 16,200
Max Powder: 6.4 gr
Max Velocity: 935
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDV) Diameter: 0.451"
Powder: 572 (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.0 gr
Starting Velocity: 775
Starting Pressure: 16,500
Max Powder: 6.8 gr
Max Velocity: 875
Max Pressure: 19,700
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.1 gr
Starting Velocity: 832
Starting Pressure: 13,700
Max Powder: 6.6 gr
Max Velocity: 896
Max Pressure: 16,400 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDV) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.0 gr
Starting Velocity: 789
Starting Pressure: 13,800
Max Powder: 6.6 gr
Max Velocity: 871
Max Pressure: 17,100 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: WSF (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.8 gr
Starting Velocity: 832
Starting Pressure: 14,500
Max Powder: 6.3 gr
Max Velocity: 892
Max Pressure: 16,800 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDV) Diameter: 0.451"
Powder: WSF (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.7 gr
Starting Velocity: 766
Starting Pressure: 12,100
Max Powder: 6.4 gr
Max Velocity: 851
Max Pressure: 15,700 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: LRN Diameter: 0.452"
Powder: WST (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.0 gr
Starting Velocity: 776
Starting Pressure: 14,300
Max Powder: 4.3 gr
Max Velocity: 812
Max Pressure: 16,400 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ FP (HDV) Diameter: 0.451"
Powder: WST (Winchester)
Primer: [FED 150](#)
Case: WIN
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.1 gr
Starting Velocity: 733
Starting Pressure: 13,900
Max Powder: 4.9 gr
Max Velocity: 848
Max Pressure: 16,100 CUP
Source: [Hodgdon](#)



GR.: 230 gr
Bullet Type: FMJ Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Large Pistol](#)
Case: Sellier & Bellot
Trim Length:
[C.O.L.](#): 32.350mm
Starting Powder: 5.1 gr
Starting Velocity: 754
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 853
Max Pressure: 18,900
Source: [ShootersWorld](#)



GR.: 230 gr
Bullet Type: XTP (HDV) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 4.3 gr
Starting Velocity: 724
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity: 870
Max Pressure: 20,530
Source: [ShootersWorld](#)



GR.: 230 gr
Bullet Type: FMJ (NOS) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 4.0 gr
Starting Velocity: 720
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity: 870
Max Pressure: 19,500
Source: [ShootersWorld](#)



GR.: 230 gr
Bullet Type: RN (WIN) Diameter:
Powder: CLEAN SHOT (Shooters World)
Primer: [Large Pistol](#)
Case: WIN
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 4.5 gr
Starting Velocity: 747
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity: 899
Max Pressure: 19,900
Source: [ShootersWorld](#)



GR.: 230 gr
Bullet Type: XTP (HDV) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 3.7 gr
Starting Velocity: 480
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 921
Max Pressure: 20,200
Source: [ShootersWorld](#)



GR.: 230 gr
Bullet Type: FMJ (NOS) Diameter:
Powder: ULTIMATE PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 3.7 gr
Starting Velocity: 462
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 935
Max Pressure: 20,100
Source: [ShootersWorld](#)



GR.: 230 gr
Bullet Type: XTP (HDV) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 6.0 gr
Starting Velocity: 675
Starting Pressure:
Max Powder: 8.4 gr
Max Velocity: 950
Max Pressure: 20,182
Source: [ShootersWorld](#)



GR.: 230 gr
Bullet Type: FMJ (NOS) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.210"
Starting Powder: 6.5 gr
Starting Velocity: 740
Starting Pressure:
Max Powder: 9.3 gr
Max Velocity: 1,004
Max Pressure: 21,000
Source: [ShootersWorld](#)



GR.: 230 gr
Bullet Type: FMJ (WIN) Diameter:
Powder: AUTO PISTOL (Shooters World)
Primer: [Large Pistol](#)
Case: Jagemann
Trim Length:
[C.O.L.](#): 1.250"
Starting Powder: 6.5 gr
Starting Velocity: 715
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 973
Max Pressure: 19,633
Source: [ShootersWorld](#)



GR.: 250 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 3.9 gr
Starting Velocity: 645
Starting Pressure: 17,200
Max Powder: 4.6 gr
Max Velocity: 749
Max Pressure: 20,200
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 4.1 gr
Starting Velocity: 680
Starting Pressure: 17,500
Max Powder: 4.8 gr
Max Velocity: 780
Max Pressure: 20,600
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 6.0 gr
Starting Velocity: 718
Starting Pressure: 17,400
Max Powder: 7.1 gr
Max Velocity: 838
Max Pressure: 20,500
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.212"
Starting Powder: 6.2 gr
Starting Velocity: 737
Starting Pressure: 17,800
Max Powder: 7.3 gr
Max Velocity: 864
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 7.3 gr
Starting Velocity: 744
Starting Pressure: 17,600
Max Powder: 8.6 gr
Max Velocity: 845
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.212"
Starting Powder: 7.5 gr
Starting Velocity: 731
Starting Pressure: 17,100
Max Powder: 8.8 gr
Max Velocity: 863
Max Pressure: 20,100
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.6 gr
Starting Velocity: 741
Starting Pressure: 17,300
Max Powder: 6.6 gr
Max Velocity: 866
Max Pressure: 20,400
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.8 gr
Starting Velocity: 766
Starting Pressure: 17,600
Max Powder: 6.8 gr
Max Velocity: 893
Max Pressure: 20,700
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.200"
Starting Powder: 5.7 gr
Starting Velocity: 731
Starting Pressure: 17,800
Max Powder: 6.7 gr
Max Velocity: 839
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 250 gr
Bullet Type: Plated FP (Rainier) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.212"
Starting Powder: 5.8 gr
Starting Velocity: 739
Starting Pressure: 17,700
Max Powder: 6.8 gr
Max Velocity: 854
Max Pressure: 20,900
Source: [Hodgdon](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.0 gr
Starting Velocity: 974
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 1,043
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: No. 2 (Accurate)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.0 gr
Starting Velocity: 974
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 1,043
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [CCI300](#)
Case: Speer
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 7.2 gr
Starting Velocity: 764
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 859
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 9.5 gr
Starting Velocity: 1,053
Starting Pressure:
Max Powder: 10.6 gr
Max Velocity: 1,169
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 9.5 gr
Starting Velocity: 1,053
Starting Pressure:
Max Powder: 10.6 gr
Max Velocity: 1,169
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 10.8 gr
Starting Velocity: 1,022
Starting Pressure:
Max Powder: 12.0 gr
Max Velocity: 1,154
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 10.8 gr
Starting Velocity: 1,022
Starting Pressure:
Max Powder: 12.0 gr
Max Velocity: 1,154
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: American Select (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.5 gr
Starting Velocity: 902
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 984
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: American Select (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.5 gr
Starting Velocity: 902
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 984
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.9 gr
Starting Velocity: 944
Starting Pressure:
Max Powder: 8.9 gr
Max Velocity: 1,172
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: BE-86 (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.9 gr
Starting Velocity: 944
Starting Pressure:
Max Powder: 8.9 gr
Max Velocity: 1,172
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: Bullseye (Alliant Powder)
Primer: [CCI300](#)
Case: Speer
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 4.5 gr
Starting Velocity: 727
Starting Pressure:
Max Powder: 4.9 gr
Max Velocity: 790
Max Pressure:
Source: [Speer](#) ▲



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Bullseye (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.7 gr
Starting Velocity: 957
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,039
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: Bullseye (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.7 gr
Starting Velocity: 957
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 1,039
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Power Pistol (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 8.2 gr
Starting Velocity: 1,016
Starting Pressure:
Max Powder: 9.5 gr
Max Velocity: 1,162
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: Power Pistol (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 8.2 gr
Starting Velocity: 1,016
Starting Pressure:
Max Powder: 9.5 gr
Max Velocity: 1,162
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: Red Dot (Alliant Powder)
Primer: [CCI300](#)
Case: Speer
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 4.5 gr
Starting Velocity: 767
Starting Pressure:
Max Powder: 4.9 gr
Max Velocity: 829
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.5 gr
Starting Velocity: 884
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity: 1,069
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.5 gr
Starting Velocity: 884
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity: 1,069
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: Unique (Alliant Powder)
Primer: [CCI300](#)
Case: Speer
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 5.0 gr
Starting Velocity: 652
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 829
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Unique (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 7.3 gr
Starting Velocity: 1,058
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 1,151
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: Unique (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 7.3 gr
Starting Velocity: 1,058
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 1,151
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [CCI 300](#)
Case: Speer
Trim Length:
[C.O.L.: 1.275"](#)
Starting Powder: 4.3 gr
Starting Velocity: 701
Starting Pressure:
Max Powder: 4.7 gr
Max Velocity: 788
Max Pressure:
Source: [Speer](#) ▲



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 5.8 gr
Starting Velocity: 993
Starting Pressure:
Max Powder: 6.5 gr
Max Velocity: 1,079
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 5.8 gr
Starting Velocity: 993
Starting Pressure:
Max Powder: 6.5 gr
Max Velocity: 1,079
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 7.1 gr
Starting Velocity: 925
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 1,157
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 7.1 gr
Starting Velocity: 925
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 1,157
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: HP-38 (Hodgdon)
Primer: [CCI 300](#)
Case: Speer
Trim Length:
[C.O.L.: 1.275"](#)
Starting Powder: 4.9 gr
Starting Velocity: 668
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 759
Max Pressure:
Source: [Speer](#) ▲



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 8.9 gr
Starting Velocity: 966
Starting Pressure:
Max Powder: 9.9 gr
Max Velocity: 1,080
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 8.9 gr
Starting Velocity: 966
Starting Pressure:
Max Powder: 9.9 gr
Max Velocity: 1,080
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 6.9 gr
Starting Velocity: 998
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,125
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 6.9 gr
Starting Velocity: 998
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,125
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: PB (Improved Military Rifle)
Primer: [CCI 300](#)
Case: Speer
Trim Length:
[C.O.L.: 1.275"](#)
Starting Powder: 5.0 gr
Starting Velocity: 719
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 770
Max Pressure:
Source: [Speer](#) ▲



GR.: 185 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: SR 7625 (Improved Military Rifle)
Primer: [CCI 300](#)
Case: Speer
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 5.1 gr
Starting Velocity: 615
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 717
Max Pressure:
Source: [Speer](#) ▲



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 7.0 gr
Starting Velocity: 979
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 1,094
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 7.0 gr
Starting Velocity: 979
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 1,094
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: 3N37 (VihtaVuori)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 8.1 gr
Starting Velocity: 913
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 1,043
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: 3N37 (VihtaVuori)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 8.1 gr
Starting Velocity: 913
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 1,043
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [CCI 300](#)
Case: Speer
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 5.0 gr
Starting Velocity: 669
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 752
Max Pressure:
Source: [Speer](#) ▲



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.6 gr
Starting Velocity: 995
Starting Pressure:
Max Powder: 7.4 gr
Max Velocity: 1,069
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.6 gr
Starting Velocity: 995
Starting Pressure:
Max Powder: 7.4 gr
Max Velocity: 1,069
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.9 gr
Starting Velocity: 912
Starting Pressure:
Max Powder: 8.9 gr
Max Velocity: 1,145
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.9 gr
Starting Velocity: 912
Starting Pressure:
Max Powder: 8.9 gr
Max Velocity: 1,145
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: WSF (Winchester)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.9 gr
Starting Velocity: 951
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,071
Max Pressure:
Source: [Speer](#)



GR.: 185 gr
Bullet Type: TMJ FN (Speer) Diameter: 0.451"
Powder: WSF (Winchester)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.9 gr
Starting Velocity: 951
Starting Pressure:
Max Powder: 7.7 gr
Max Velocity: 1,071
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 8.1 gr
Starting Velocity: 916
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 1,013
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 8.1 gr
Starting Velocity: 916
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 1,013
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 9.9 gr
Starting Velocity: 912
Starting Pressure:
Max Powder: 11.0 gr
Max Velocity: 1,037
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 9.9 gr
Starting Velocity: 912
Starting Pressure:
Max Powder: 11.0 gr
Max Velocity: 1,037
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 6.0 gr
Starting Velocity: 825
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 1,083
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.0 gr
Starting Velocity: 825
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 1,083
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: Blue Dot (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.275"](#)
Starting Powder: 9.4 gr
Starting Velocity: 917
Starting Pressure:
Max Powder: 10.5 gr
Max Velocity: 1,048
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Blue Dot (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 9.4 gr
Starting Velocity: 917
Starting Pressure:
Max Powder: 10.5 gr
Max Velocity: 1,048
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter: 0.452"
Powder: Bullseye (Alliant Powder)
Primer: [CCI 300](#)
Case: Speer
Trim Length:
[C.O.L.: 1.190"](#)
Starting Powder: 4.2 gr
Starting Velocity: 744
Starting Pressure:
Max Powder: 4.6 gr
Max Velocity: 807
Max Pressure:
Source: [Speer](#) ▲



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: Bullseye (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.275"](#)
Starting Powder: 5.2 gr
Starting Velocity: 864
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 957
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Bullseye (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 5.2 gr
Starting Velocity: 864
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 957
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter: 0.452"
Powder: Herco (Alliant Powder)
Primer: [CCI 300](#)
Case: Speer
Trim Length:
[C.O.L.: 1.190"](#)
Starting Powder: 5.5 gr
Starting Velocity: 750
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 826
Max Pressure:
Source: [Speer](#) ▲



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: Power Pistol (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.275"](#)
Starting Powder: 7.0 gr
Starting Velocity: 874
Starting Pressure:
Max Powder: 8.3 gr
Max Velocity: 1,026
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Power Pistol (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 7.0 gr
Starting Velocity: 874
Starting Pressure:
Max Powder: 8.3 gr
Max Velocity: 1,026
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter: 0.452"
Powder: Red Dot (Alliant Powder)
Primer: [CCI 300](#)
Case: Speer
Trim Length:
[C.O.L.: 1.190"](#)
Starting Powder: 4.1 gr
Starting Velocity: 749
Starting Pressure:
Max Powder: 4.5 gr
Max Velocity: 831
Max Pressure:
Source: [Speer](#) ▲



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.275"](#)
Starting Powder: 4.8 gr
Starting Velocity: 779
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 993
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 4.8 gr
Starting Velocity: 779
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 993
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter: 0.452"
Powder: Unique (Alliant Powder)
Primer: [CCI300](#)
Case: Speer
Trim Length:
[C.O.L.](#): 1.190"
Starting Powder: 4.9 gr
Starting Velocity: 716
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 790
Max Pressure:
Source: [Speer](#) ▲



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: Unique (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 6.5 gr
Starting Velocity: 927
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 1,057
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Unique (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.5 gr
Starting Velocity: 927
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 1,057
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter: 0.452"
Powder: 700-X (Hodgdon)
Primer: [CCI300](#)
Case: Speer
Trim Length:
[C.O.L.](#): 1.190"
Starting Powder: 3.8 gr
Starting Velocity: 715
Starting Pressure:
Max Powder: 4.2 gr
Max Velocity: 790
Max Pressure:
Source: [Speer](#) ▲



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 6.1 gr
Starting Velocity: 824
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 1,067
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.1 gr
Starting Velocity: 824
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 1,067
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 8.5 gr
Starting Velocity: 944
Starting Pressure:
Max Powder: 9.5 gr
Max Velocity: 1,054
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 8.5 gr
Starting Velocity: 944
Starting Pressure:
Max Powder: 9.5 gr
Max Velocity: 1,054
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter: 0.452"
Powder: Universal (Hodgdon)
Primer: [CCI300](#)
Case: Speer
Trim Length:
[C.O.L.](#): 1.190"
Starting Powder: 4.9 gr
Starting Velocity: 710
Starting Pressure:
Max Powder: 5.4 gr
Max Velocity: 804
Max Pressure:
Source: [Speer](#) ▲



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.275"
Starting Powder: 6.3 gr
Starting Velocity: 905
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 1,018
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.3 gr
Starting Velocity: 905
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 1,018
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter: 0.452"
Powder: SR 4756 (Improved Military Rifle)
Primer: [CCI300](#)
Case: Speer
Trim Length:
[C.O.L.](#): 1.190"
Starting Powder: 5.3 gr
Starting Velocity: 728
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 800
Max Pressure:
Source: [Speer](#) ▲



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter: 0.452"
Powder: SR 7625 (Improved Military Rifle)
Primer: CCI300
Case: Speer
Trim Length:
C.O.L.: 1.190"
Starting Powder: 4.7 gr
Starting Velocity: 726
Starting Pressure:
Max Powder: 5.2 gr
Max Velocity: 811
Max Pressure:
Source: [Speer](#) ▲



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: 3N37 (VihtaVuori)
Primer: FED150
Case: FED
Trim Length:
C.O.L.: 1.275"
Starting Powder: 7.3 gr
Starting Velocity: 794
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 942
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: 3N37 (VihtaVuori)
Primer: FED150
Case: FED
Trim Length:
C.O.L.: 1.200"
Starting Powder: 7.3 gr
Starting Velocity: 794
Starting Pressure:
Max Powder: 8.2 gr
Max Velocity: 942
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: N340 (VihtaVuori)
Primer: FED150
Case: FED
Trim Length:
C.O.L.: 1.275"
Starting Powder: 6.3 gr
Starting Velocity: 814
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 947
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: N340 (VihtaVuori)
Primer: FED150
Case: FED
Trim Length:
C.O.L.: 1.200"
Starting Powder: 6.3 gr
Starting Velocity: 814
Starting Pressure:
Max Powder: 7.0 gr
Max Velocity: 947
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: LSWC (Speer) Diameter: 0.452"
Powder: 231 (Winchester)
Primer: CCI300
Case: Speer
Trim Length:
C.O.L.: 1.190"
Starting Powder: 4.6 gr
Starting Velocity: 739
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity: 803
Max Pressure:
Source: [Speer](#) ▲



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.:](#) 1.275"
Starting Powder: 5.6 gr
Starting Velocity: 826
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 931
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.:](#) 1.200"
Starting Powder: 5.6 gr
Starting Velocity: 826
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 931
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.:](#) 1.275"
Starting Powder: 6.2 gr
Starting Velocity: 834
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 1,076
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.:](#) 1.200"
Starting Powder: 6.2 gr
Starting Velocity: 834
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 1,076
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: TMJ MATCH SWC (Speer) Diameter: 0.451"
Powder: WSF (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.:](#) 1.275"
Starting Powder: 6.4 gr
Starting Velocity: 894
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 1,004
Max Pressure:
Source: [Speer](#)



GR.: 200 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: WSF (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.:](#) 1.200"
Starting Powder: 6.4 gr
Starting Velocity: 894
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 1,004
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 7.0 gr
Starting Velocity: 811
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 906
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 7.0 gr
Starting Velocity: 811
Starting Pressure:
Max Powder: 7.8 gr
Max Velocity: 906
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 8.6 gr
Starting Velocity: 842
Starting Pressure:
Max Powder: 9.6 gr
Max Velocity: 955
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: No. 7 (Accurate)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 8.6 gr
Starting Velocity: 842
Starting Pressure:
Max Powder: 9.6 gr
Max Velocity: 955
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 5.6 gr
Starting Velocity: 787
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 923
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.6 gr
Starting Velocity: 787
Starting Pressure:
Max Powder: 6.7 gr
Max Velocity: 923
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.240"
Starting Powder: 5.8 gr
Starting Velocity: 850
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 986
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: BE-86 (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 5.9 gr
Starting Velocity: 810
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 988
Max Pressure:
Source: [Speer](#) ▲



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: Blue Dot (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 8.1 gr
Starting Velocity: 822
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 957
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Blue Dot (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 8.1 gr
Starting Velocity: 822
Starting Pressure:
Max Powder: 9.0 gr
Max Velocity: 957
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: Bullseye (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 4.5 gr
Starting Velocity: 763
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity: 846
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Bullseye (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 4.5 gr
Starting Velocity: 763
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity: 846
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: Bullseye (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 5.2 gr
Starting Velocity: 849
Starting Pressure:
Max Powder: 5.7 gr
Max Velocity: 914
Max Pressure:
Source: [Speer](#) ▲



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: Green Dot (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.240"
Starting Powder: 4.8 gr
Starting Velocity: 847
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity: 908
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: Herco (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.240"
Starting Powder: 5.9 gr
Starting Velocity: 884
Starting Pressure:
Max Powder: 6.4 gr
Max Velocity: 931
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: Power Pistol (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.3 gr
Starting Velocity: 800
Starting Pressure:
Max Powder: 7.4 gr
Max Velocity: 943
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Power Pistol (Alliant Powder)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.3 gr
Starting Velocity: 800
Starting Pressure:
Max Powder: 7.4 gr
Max Velocity: 943
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: Power Pistol (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 7.0 gr
Starting Velocity: 882
Starting Pressure:
Max Powder: 8.1 gr
Max Velocity: 1,001
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: Red Dot (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.240"
Starting Powder: 4.7 gr
Starting Velocity: 856
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity: 899
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: Red Dot (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 4.8 gr
Starting Velocity: 827
Starting Pressure:
Max Powder: 5.3 gr
Max Velocity: 892
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.240"
Starting Powder: 4.4 gr
Starting Velocity: 777
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 919
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 4.6 gr
Starting Velocity: 769
Starting Pressure:
Max Powder: 5.2 gr
Max Velocity: 852
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 4.6 gr
Starting Velocity: 769
Starting Pressure:
Max Powder: 5.2 gr
Max Velocity: 852
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: Sport Pistol (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 4.8 gr
Starting Velocity: 761
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 895
Max Pressure:
Source: [Speer](#) ▲



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: Unique (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.240"
Starting Powder: 5.3 gr
Starting Velocity: 837
Starting Pressure:
Max Powder: 5.8 gr
Max Velocity: 895
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: Unique (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity: 835
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 912
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Unique (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity: 835
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 912
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: Unique (Alliant Powder)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 5.5 gr
Starting Velocity: 806
Starting Pressure:
Max Powder: 6.5 gr
Max Velocity: 920
Max Pressure:
Source: [Speer](#) ▲



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.240"
Starting Powder: 4.3 gr
Starting Velocity: 839
Starting Pressure:
Max Powder: 4.7 gr
Max Velocity: 890
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 4.5 gr
Starting Velocity: 786
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity: 860
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 4.5 gr
Starting Velocity: 786
Starting Pressure:
Max Powder: 5.0 gr
Max Velocity: 860
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: 700-X (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.260"](#)
Starting Powder: 4.6 gr
Starting Velocity: 815
Starting Pressure:
Max Powder: 5.1 gr
Max Velocity: 880
Max Pressure:
Source: [Speer](#) ▲



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.240"](#)
Starting Powder: 5.6 gr
Starting Velocity: 809
Starting Pressure:
Max Powder: 7.2 gr
Max Velocity: 989
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 6.0 gr
Starting Velocity: 820
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity: 940
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.0 gr
Starting Velocity: 820
Starting Pressure:
Max Powder: 6.9 gr
Max Velocity: 940
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: CFE Pistol (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 6.0 gr
Starting Velocity: 793
Starting Pressure:
Max Powder: 7.5 gr
Max Velocity: 973
Max Pressure:
Source: [Speer](#) ▲



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 7.2 gr
Starting Velocity: 816
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 945
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 7.2 gr
Starting Velocity: 816
Starting Pressure:
Max Powder: 8.0 gr
Max Velocity: 945
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: HS-6 (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 7.8 gr
Starting Velocity: 873
Starting Pressure:
Max Powder: 8.5 gr
Max Velocity: 947
Max Pressure:
Source: [Speer](#) ▲



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: Universal (Hodgdon)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.240"
Starting Powder: 5.2 gr
Starting Velocity: 818
Starting Pressure:
Max Powder: 5.5 gr
Max Velocity: 867
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity: 823
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 917
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity: 823
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 917
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: Universal (Hodgdon)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 5.5 gr
Starting Velocity: 806
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 910
Max Pressure:
Source: [Speer](#) ▲



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: SR 4756 (Improved Military Rifle)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.240"
Starting Powder: 6.0 gr
Starting Velocity: 739
Starting Pressure:
Max Powder: 6.5 gr
Max Velocity: 816
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity: 810
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 888
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: SR 7625 (Improved Military Rifle)
Primer: [FED150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity: 810
Starting Pressure:
Max Powder: 6.0 gr
Max Velocity: 888
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: N340 (VihtaVuori)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity: 754
Starting Pressure:
Max Powder: 6.1 gr
Max Velocity: 870
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: N340 (VihtaVuori)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.4 gr
Starting Velocity: 754
Starting Pressure:
Max Powder: 6.1 gr
Max Velocity: 870
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: N340 (VihtaVuori)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 5.5 gr
Starting Velocity: 750
Starting Pressure:
Max Powder: 6.3 gr
Max Velocity: 876
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: N350 (VihtaVuori)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.3 gr
Starting Velocity: 821
Starting Pressure:
Max Powder: 7.1 gr
Max Velocity: 939
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: N350 (VihtaVuori)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 6.3 gr
Starting Velocity: 821
Starting Pressure:
Max Powder: 7.1 gr
Max Velocity: 939
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.200"
Starting Powder: 5.0 gr
Starting Velocity: 774
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 859
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 5.0 gr
Starting Velocity: 774
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 859
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.240"](#)
Starting Powder: 5.1 gr
Starting Velocity: 794
Starting Pressure:
Max Powder: 5.6 gr
Max Velocity: 853
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: 231 (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.260"](#)
Starting Powder: 5.6 gr
Starting Velocity: 833
Starting Pressure:
Max Powder: 6.2 gr
Max Velocity: 903
Max Pressure:
Source: [Speer](#) ▲



GR.: 230 gr
Bullet Type: LRN (Speer) Diameter: 0.452"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.240"](#)
Starting Powder: 5.6 gr
Starting Velocity: 795
Starting Pressure:
Max Powder: 7.3 gr
Max Velocity: 988
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP SB (Speer) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 6.0 gr
Starting Velocity: 828
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity: 930
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: GDHP (Speer) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.: 1.200"](#)
Starting Powder: 6.0 gr
Starting Velocity: 828
Starting Pressure:
Max Powder: 6.8 gr
Max Velocity: 930
Max Pressure:
Source: [Speer](#)



GR.: 230 gr
Bullet Type: TMJ RN (Speer) Diameter: 0.451"
Powder: AutoComp (Winchester)
Primer: [FED 150](#)
Case: FED
Trim Length:
[C.O.L.](#): 1.260"
Starting Powder: 6.0 gr
Starting Velocity: 785
Starting Pressure:
Max Powder: 7.6 gr
Max Velocity: 978
Max Pressure:
Source: [Speer](#)



+P
GR.: 120 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"
Powder: No. 5 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.232"
Starting Powder: 11.5 gr
Starting Velocity: 1,280
Starting Pressure: 21,700
Max Powder: 11.9 gr
Max Velocity: 1,342
Max Pressure: 22,600
Source: [Hodgdon](#)



+P
GR.: 120 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"
Powder: Silhouette (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.232"
Starting Powder: 10.9 gr
Starting Velocity: 1,354
Starting Pressure: 22,100
Max Powder: 11.2 gr
Max Velocity: 1,407
Max Pressure: 22,800
Source: [Hodgdon](#)



+P
GR.: 120 gr
Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"
Powder: True Blue (Ramshot)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.232"
Starting Powder: 10.2 gr
Starting Velocity: 1,257
Starting Pressure: 21,800
Max Powder: 10.6 gr
Max Velocity: 1,297
Max Pressure: 22,500
Source: [Hodgdon](#)



+P
GR.: 155 gr
Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"
Powder: No. 2 (Accurate)
Primer: [FED 150](#)
Case: REM
Trim Length: 0.893"
[C.O.L.](#): 1.225"
Starting Powder: 6.8 gr
Starting Velocity: 1,136
Starting Pressure: 21,400
Max Powder: 7.1 gr
Max Velocity: 1,174
Max Pressure: 22,300
Source: [Hodgdon](#)



+P

GR.: 155 gr

Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 9.7 gr

Starting Velocity: 1,184

Starting Pressure: 21,600

Max Powder: 10.3 gr

Max Velocity: 1,248

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 155 gr

Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 8.9 gr

Starting Velocity: 1,231

Starting Pressure: 22,000

Max Powder: 9.3 gr

Max Velocity: 1,279

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 155 gr

Bullet Type: LSWC (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 8.9 gr

Starting Velocity: 1,171

Starting Pressure: 21,600

Max Powder: 9.5 gr

Max Velocity: 1,235

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 160 gr

Bullet Type: TAC-XP (Barnes) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.256"

Starting Powder: 5.5 gr

Starting Velocity: 1,010

Starting Pressure: 21,200

Max Powder: 5.9 gr

Max Velocity: 1,056

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 160 gr

Bullet Type: TAC-XP (Barnes) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.256"

Starting Powder: 8.5 gr

Starting Velocity: 1,084

Starting Pressure: 21,400

Max Powder: 9.1 gr

Max Velocity: 1,144

Max Pressure: 22,800

Source: [Hodgdon](#)



+P

GR.: 160 gr

Bullet Type: TAC-XP (Barnes) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.256"

Starting Powder: 10.4 gr

Starting Velocity: 1,080

Starting Pressure: 21,500

Max Powder: 10.8 gr

Max Velocity: 1,122

Max Pressure: 22,400

Source: [Hodgdon](#) 

+P

GR.: 160 gr

Bullet Type: TAC-XP (Barnes) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.256"

Starting Powder: 7.9 gr

Starting Velocity: 1,123

Starting Pressure: 21,200

Max Powder: 8.3 gr

Max Velocity: 1,181

Max Pressure: 22,300

Source: [Hodgdon](#) 

+P

GR.: 160 gr

Bullet Type: TAC-XP (Barnes) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.256"

Starting Powder: 7.9 gr

Starting Velocity: 1,078

Starting Pressure: 21,600

Max Powder: 8.4 gr

Max Velocity: 1,135

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 170 gr

Bullet Type: CF (Lehigh Defense, LLC) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.235"

Starting Powder: 8.3 gr

Starting Velocity: 982

Starting Pressure: 21,600

Max Powder: 8.7 gr

Max Velocity: 1,033

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 170 gr

Bullet Type: CF (Lehigh Defense, LLC) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.235"

Starting Powder: 7.7 gr

Starting Velocity: 1,038

Starting Pressure: 21,800

Max Powder: 8.1 gr

Max Velocity: 1,102

Max Pressure: 23,000

Source: [Hodgdon](#)



+P

GR.: 170 gr

Bullet Type: CF (Lehigh Defense, LLC) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.235"

Starting Powder: 7.4 gr

Starting Velocity: 956

Starting Pressure: 21,400

Max Powder: 7.8 gr

Max Velocity: 1,007

Max Pressure: 22,500

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Lead SWC Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.235"

Starting Powder: 5.9 gr

Starting Velocity:

Starting Pressure:

Max Powder: 6.6 gr

Max Velocity: 1,110

Max Pressure:

Source: [Alliant Powder](#) 

+P

GR.: 185 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.198"

Starting Powder: 4.6 gr

Starting Velocity: 936

Starting Pressure: 21,400

Max Powder: 4.9 gr

Max Velocity: 967

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.197"

Starting Powder: 5.0 gr

Starting Velocity: 974

Starting Pressure: 21,300

Max Powder: 5.4 gr

Max Velocity: 1,018

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.270"

Starting Powder: 5.3 gr

Starting Velocity: 968

Starting Pressure: 21,300

Max Powder: 5.7 gr

Max Velocity: 1,018

Max Pressure: 22,900

Source: [Hodgdon](#)



+P

GR.: 185 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.195"

Starting Powder: 6.3 gr

Starting Velocity: 1,009

Starting Pressure: 21,600

Max Powder: 6.7 gr

Max Velocity: 1,060

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.195"

Starting Powder: 6.4 gr

Starting Velocity: 1,024

Starting Pressure: 21,700

Max Powder: 6.7 gr

Max Velocity: 1,062

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.270"

Starting Powder: 7.0 gr

Starting Velocity: 1,013

Starting Pressure: 21,200

Max Powder: 7.5 gr

Max Velocity: 1,081

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.220"

Starting Powder: 6.6 gr

Starting Velocity: 1,014

Starting Pressure: 21,400

Max Powder: 7.0 gr

Max Velocity: 1,068

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.195"

Starting Powder: 9.4 gr

Starting Velocity: 1,074

Starting Pressure: 21,500

Max Powder: 10.0 gr

Max Velocity: 1,139

Max Pressure: 22,900

Source: [Hodgdon](#)



+P

GR.: 185 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.195"

Starting Powder: 9.7 gr

Starting Velocity: 1,082

Starting Pressure: 21,200

Max Powder: 10.3 gr

Max Velocity: 1,149

Max Pressure: 22,500

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.270"

Starting Powder: 10.3 gr

Starting Velocity: 1,089

Starting Pressure: 21,300

Max Powder: 11.0 gr

Max Velocity: 1,163

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.220"

Starting Powder: 9.5 gr

Starting Velocity: 1,080

Starting Pressure: 21,300

Max Powder: 10.1 gr

Max Velocity: 1,140

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.195"

Starting Powder: 11.4 gr

Starting Velocity: 1,072

Starting Pressure: 21,800

Max Powder: 12.0 gr

Max Velocity: 1,131

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.195"

Starting Powder: 11.9 gr

Starting Velocity: 1,097

Starting Pressure: 21,400

Max Powder: 12.6 gr

Max Velocity: 1,170

Max Pressure: 22,600

Source: [Hodgdon](#)



+P

GR.: 185 gr

Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.270"

Starting Powder: 12.7 gr

Starting Velocity: 1,110

Starting Pressure: 21,600

Max Powder: 13.2 gr

Max Velocity: 1,164

Max Pressure: 22,500

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.220"

Starting Powder: 11.7 gr

Starting Velocity: 1,089

Starting Pressure: 21,700

Max Powder: 12.4 gr

Max Velocity: 1,158

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.198"

Starting Powder: 5.9 gr

Starting Velocity: 986

Starting Pressure: 20,800

Max Powder: 6.3 gr

Max Velocity: 1,054

Max Pressure: 22,300

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.197"

Starting Powder: 6.0 gr

Starting Velocity: 1,015

Starting Pressure: 21,400

Max Powder: 6.4 gr

Max Velocity: 1,059

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.270"

Starting Powder: 6.5 gr

Starting Velocity: 1,024

Starting Pressure: 21,700

Max Powder: 6.8 gr

Max Velocity: 1,066

Max Pressure: 22,800

Source: [Hodgdon](#)



+P

GR.: 185 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.198"

Starting Powder: 4.9 gr

Starting Velocity: 954

Starting Pressure: 21,500

Max Powder: 5.2 gr

Max Velocity: 999

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.197"

Starting Powder: 5.2 gr

Starting Velocity: 980

Starting Pressure: 21,700

Max Powder: 5.5 gr

Max Velocity: 1,027

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.270"

Starting Powder: 5.4 gr

Starting Velocity: 977

Starting Pressure: 21,100

Max Powder: 5.9 gr

Max Velocity: 1,038

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.195"

Starting Powder: 8.9 gr

Starting Velocity: 1,122

Starting Pressure: 22,000

Max Powder: 9.3 gr

Max Velocity: 1,169

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.195"

Starting Powder: 9.1 gr

Starting Velocity: 1,099

Starting Pressure: 21,500

Max Powder: 9.7 gr

Max Velocity: 1,171

Max Pressure: 22,900

Source: [Hodgdon](#)



+P

GR.: 185 gr

Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.270"

Starting Powder: 9.7 gr

Starting Velocity: 1,123

Starting Pressure: 21,700

Max Powder: 10.2 gr

Max Velocity: 1,193

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.220"

Starting Powder: 9.1 gr

Starting Velocity: 1,089

Starting Pressure: 21,300

Max Powder: 9.7 gr

Max Velocity: 1,161

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.195"

Starting Powder: 8.8 gr

Starting Velocity: 1,091

Starting Pressure: 22,000

Max Powder: 9.2 gr

Max Velocity: 1,132

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.195"

Starting Powder: 9.1 gr

Starting Velocity: 1,087

Starting Pressure: 21,400

Max Powder: 9.7 gr

Max Velocity: 1,165

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.270"

Starting Powder: 9.6 gr

Starting Velocity: 1,098

Starting Pressure: 21,500

Max Powder: 10.2 gr

Max Velocity: 1,157

Max Pressure: 22,800

Source: [Hodgdon](#)



+P

GR.: 185 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.220"

Starting Powder: 9.0 gr

Starting Velocity: 1,063

Starting Pressure: 20,800

Max Powder: 9.7 gr

Max Velocity: 1,147

Max Pressure: 22,600

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.198"

Starting Powder: 6.8 gr

Starting Velocity: 1,041

Starting Pressure: 21,000

Max Powder: 7.2 gr

Max Velocity: 1,105

Max Pressure: 22,200

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.197"

Starting Powder: 7.1 gr

Starting Velocity: 1,067

Starting Pressure: 21,200

Max Powder: 7.5 gr

Max Velocity: 1,129

Max Pressure: 22,600

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: Plated HBRN (Berry's Bullets) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.270"

Starting Powder: 7.6 gr

Starting Velocity: 1,086

Starting Pressure: 21,100

Max Powder: 8.2 gr

Max Velocity: 1,158

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: GSBR (REM) Diameter: 0.451"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 4.9 gr

Starting Velocity: 928

Starting Pressure: 21,000

Max Powder: 5.2 gr

Max Velocity: 968

Max Pressure: 22,300

Source: [Hodgdon](#)



+P

GR.: 185 gr

Bullet Type: TAC-XP (Barnes) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.256"

Starting Powder: 5.1 gr

Starting Velocity: 926

Starting Pressure: 21,000

Max Powder: 5.5 gr

Max Velocity: 973

Max Pressure: 22,600

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 6.4 gr

Starting Velocity: 1,014

Starting Pressure: 21,400

Max Powder: 6.7 gr

Max Velocity: 1,066

Max Pressure: 22,500

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: TAC-XP (Barnes) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.256"

Starting Powder: 7.5 gr

Starting Velocity: 959

Starting Pressure: 21,400

Max Powder: 7.9 gr

Max Velocity: 1,016

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: JHP (NOS) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.200"

Starting Powder: 9.7 gr

Starting Velocity: 1,078

Starting Pressure: 21,900

Max Powder: 10.0 gr

Max Velocity: 1,108

Max Pressure: 22,600

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 9.5 gr

Starting Velocity: 1,084

Starting Pressure: 21,300

Max Powder: 10.1 gr

Max Velocity: 1,152

Max Pressure: 22,700

Source: [Hodgdon](#)



+P

GR.: 185 gr

Bullet Type: TAC-XP (Barnes) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.256"

Starting Powder: 9.1 gr

Starting Velocity: 960

Starting Pressure: 21,500

Max Powder: 9.5 gr

Max Velocity: 1,004

Max Pressure: 22,600

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 11.9 gr

Starting Velocity: 1,101

Starting Pressure: 22,000

Max Powder: 12.4 gr

Max Velocity: 1,148

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 6.1 gr

Starting Velocity: 1,018

Starting Pressure: 21,800

Max Powder: 6.5 gr

Max Velocity: 1,064

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: JHP (NOS) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.200"

Starting Powder: 5.1 gr

Starting Velocity: 961

Starting Pressure: 21,700

Max Powder: 5.4 gr

Max Velocity: 1,000

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 5.1 gr

Starting Velocity: 968

Starting Pressure: 21,200

Max Powder: 5.5 gr

Max Velocity: 1,014

Max Pressure: 22,800

Source: [Hodgdon](#)



+P

GR.: 185 gr

Bullet Type: TAC-XP (Barnes) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.256"

Starting Powder: 7.3 gr

Starting Velocity: 1,015

Starting Pressure: 21,600

Max Powder: 7.7 gr

Max Velocity: 1,079

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 8.9 gr

Starting Velocity: 1,110

Starting Pressure: 21,500

Max Powder: 9.3 gr

Max Velocity: 1,161

Max Pressure: 22,600

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: TAC-XP (Barnes) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.256"

Starting Powder: 7.0 gr

Starting Velocity: 971

Starting Pressure: 21,300

Max Powder: 7.6 gr

Max Velocity: 1,026

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 9.0 gr

Starting Velocity: 1,093

Starting Pressure: 21,700

Max Powder: 9.4 gr

Max Velocity: 1,132

Max Pressure: 22,600

Source: [Hodgdon](#) 

+P

GR.: 185 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 7.3 gr

Starting Velocity: 1,081

Starting Pressure: 21,600

Max Powder: 7.6 gr

Max Velocity: 1,119

Max Pressure: 22,500

Source: [Hodgdon](#)



+P

GR.: 185 gr

Bullet Type: FMJ SWC Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.165"

Starting Powder: 6.0 gr

Starting Velocity:

Starting Pressure:

Max Powder: 6.7 gr

Max Velocity: 1,074

Max Pressure:

Source: [Alliant Powder](#) ⓘ

+P

GR.: 185 gr

Bullet Type: JHP Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.190"

Starting Powder: 6.3 gr

Starting Velocity:

Starting Pressure:

Max Powder: 7.0 gr

Max Velocity: 1,111

Max Pressure:

Source: [Alliant Powder](#) ⓘ

+P

GR.: 200 gr

Bullet Type: Coated SWC-NLG (ACME) Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.235"

Starting Powder: 5.7 gr

Starting Velocity:

Starting Pressure:

Max Powder: 6.3 gr

Max Velocity: 1,055

Max Pressure:

Source: [Alliant Powder](#) ⓘ

+P

GR.: 200 gr

Bullet Type: Lead SWC Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.235"

Starting Powder: 5.5 gr

Starting Velocity:

Starting Pressure:

Max Powder: 6.1 gr

Max Velocity: 1,052

Max Pressure:

Source: [Alliant Powder](#) ⓘ

+P

GR.: 200 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 4.4 gr

Starting Velocity: 898

Starting Pressure: 21,200

Max Powder: 4.6 gr

Max Velocity: 922

Max Pressure: 22,300

Source: [Hodgdon](#) ⓘ



+P

GR.: 200 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 4.5 gr

Starting Velocity: 901

Starting Pressure: 21,200

Max Powder: 4.9 gr

Max Velocity: 945

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 4.5 gr

Starting Velocity: 887

Starting Pressure: 21,100

Max Powder: 4.8 gr

Max Velocity: 939

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated FP (Rainier) Diameter: 0.451"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.245"

Starting Powder: 4.4 gr

Starting Velocity: 900

Starting Pressure: 21,400

Max Powder: 4.7 gr

Max Velocity: 929

Max Pressure: 22,600

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.212"

Starting Powder: 6.0 gr

Starting Velocity: 956

Starting Pressure: 21,700

Max Powder: 6.3 gr

Max Velocity: 995

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 6.3 gr

Starting Velocity: 955

Starting Pressure: 20,600

Max Powder: 6.9 gr

Max Velocity: 1,023

Max Pressure: 22,400

Source: [Hodgdon](#)



+P

GR.: 200 gr

Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 6.3 gr

Starting Velocity: 968

Starting Pressure: 21,600

Max Powder: 6.7 gr

Max Velocity: 1,016

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.212"

Starting Powder: 8.8 gr

Starting Velocity: 1,009

Starting Pressure: 21,000

Max Powder: 9.5 gr

Max Velocity: 1,081

Max Pressure: 22,600

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 9.1 gr

Starting Velocity: 1,023

Starting Pressure: 21,100

Max Powder: 9.8 gr

Max Velocity: 1,089

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 9.3 gr

Starting Velocity: 1,022

Starting Pressure: 21,100

Max Powder: 10.0 gr

Max Velocity: 1,101

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated RN (Rainier) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.269"

Starting Powder: 9.6 gr

Starting Velocity: 1,047

Starting Pressure: 21,600

Max Powder: 10.2 gr

Max Velocity: 1,108

Max Pressure: 22,900

Source: [Hodgdon](#)



+P

GR.: 200 gr

Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 11.0 gr

Starting Velocity: 1,033

Starting Pressure: 21,900

Max Powder: 11.5 gr

Max Velocity: 1,079

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 11.6 gr

Starting Velocity: 1,052

Starting Pressure: 21,700

Max Powder: 12.2 gr

Max Velocity: 1,112

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated RN (Rainier) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.269"

Starting Powder: 11.6 gr

Starting Velocity: 1,040

Starting Pressure: 21,400

Max Powder: 12.4 gr

Max Velocity: 1,121

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 5.6 gr

Starting Velocity: 943

Starting Pressure: 20,800

Max Powder: 6.1 gr

Max Velocity: 1,017

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 5.7 gr

Starting Velocity: 946

Starting Pressure: 21,100

Max Powder: 6.2 gr

Max Velocity: 1,003

Max Pressure: 22,700

Source: [Hodgdon](#)



+P

GR.: 200 gr

Bullet Type: Plated FP (Rainier) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.245"

Starting Powder: 5.7 gr

Starting Velocity: 963

Starting Pressure: 21,400

Max Powder: 6.1 gr

Max Velocity: 1,002

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated RN (Rainier) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.269"

Starting Powder: 6.2 gr

Starting Velocity: 975

Starting Pressure: 21,000

Max Powder: 6.6 gr

Max Velocity: 1,015

Max Pressure: 22,100

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 4.7 gr

Starting Velocity: 900

Starting Pressure: 21,400

Max Powder: 5.0 gr

Max Velocity: 939

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 4.7 gr

Starting Velocity: 920

Starting Pressure: 21,400

Max Powder: 5.0 gr

Max Velocity: 956

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 4.9 gr

Starting Velocity: 918

Starting Pressure: 21,500

Max Powder: 5.2 gr

Max Velocity: 962

Max Pressure: 22,900

Source: [Hodgdon](#)



+P

GR.: 200 gr

Bullet Type: Plated FP (Rainier) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.245"

Starting Powder: 4.7 gr

Starting Velocity: 905

Starting Pressure: 21,300

Max Powder: 4.9 gr

Max Velocity: 940

Max Pressure: 22,400

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.212"

Starting Powder: 8.2 gr

Starting Velocity: 1,034

Starting Pressure: 20,800

Max Powder: 8.8 gr

Max Velocity: 1,109

Max Pressure: 22,400

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 8.7 gr

Starting Velocity: 1,038

Starting Pressure: 21,400

Max Powder: 9.2 gr

Max Velocity: 1,093

Max Pressure: 22,500

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated RN (Rainier) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.269"

Starting Powder: 8.8 gr

Starting Velocity: 1,046

Starting Pressure: 21,200

Max Powder: 9.5 gr

Max Velocity: 1,124

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.212"

Starting Powder: 8.2 gr

Starting Velocity: 1,008

Starting Pressure: 21,100

Max Powder: 8.9 gr

Max Velocity: 1,082

Max Pressure: 23,000

Source: [Hodgdon](#)



+P

GR.: 200 gr

Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 8.7 gr

Starting Velocity: 1,043

Starting Pressure: 22,000

Max Powder: 9.1 gr

Max Velocity: 1,084

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 9.1 gr

Starting Velocity: 1,066

Starting Pressure: 22,000

Max Powder: 9.5 gr

Max Velocity: 1,111

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated RN (Rainier) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.269"

Starting Powder: 8.9 gr

Starting Velocity: 1,036

Starting Pressure: 21,200

Max Powder: 9.6 gr

Max Velocity: 1,109

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated SWC (Berry's Bullets) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 6.5 gr

Starting Velocity: 1,012

Starting Pressure: 21,600

Max Powder: 6.9 gr

Max Velocity: 1,057

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated HP (Berry's Bullets) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 6.7 gr

Starting Velocity: 1,003

Starting Pressure: 21,200

Max Powder: 7.1 gr

Max Velocity: 1,067

Max Pressure: 22,500

Source: [Hodgdon](#)



+P

GR.: 200 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.205"

Starting Powder: 7.1 gr

Starting Velocity: 1,040

Starting Pressure: 22,100

Max Powder: 7.4 gr

Max Velocity: 1,078

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated FP (Rainier) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.245"

Starting Powder: 6.5 gr

Starting Velocity: 1,007

Starting Pressure: 21,400

Max Powder: 6.7 gr

Max Velocity: 1,048

Max Pressure: 22,300

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: Plated RN (Rainier) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.269"

Starting Powder: 7.1 gr

Starting Velocity: 1,037

Starting Pressure: 21,600

Max Powder: 7.5 gr

Max Velocity: 1,082

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: FPI (Sierra) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.155"

Starting Powder: 8.9 gr

Starting Velocity: 997

Starting Pressure: 21,600

Max Powder: 9.3 gr

Max Velocity: 1,036

Max Pressure: 22,500

Source: [Hodgdon](#) 

+P

GR.: 200 gr

Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.235"

Starting Powder: 7.8 gr

Starting Velocity: 868

Starting Pressure: 21,600

Max Powder: 8.2 gr

Max Velocity: 921

Max Pressure: 22,800

Source: [Hodgdon](#)



+P

GR.: 200 gr

Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.235"

Starting Powder: 7.2 gr

Starting Velocity: 907

Starting Pressure: 21,800

Max Powder: 7.5 gr

Max Velocity: 953

Max Pressure: 22,800

Source: [Hodgdon](#) ⓘ

+P

GR.: 200 gr

Bullet Type: XP (Lehigh Defense, LLC) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.235"

Starting Powder: 7.0 gr

Starting Velocity: 851

Starting Pressure: 21,600

Max Powder: 7.4 gr

Max Velocity: 896

Max Pressure: 22,700

Source: [Hodgdon](#) ⓘ

+P

GR.: 200 gr

Bullet Type: LRN Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.175"

Starting Powder: 6.0 gr

Starting Velocity:

Starting Pressure:

Max Powder: 6.7 gr

Max Velocity: 1,086

Max Pressure:

Source: [Alliant Powder](#) ⓘ

+P

GR.: 200 gr

Bullet Type: LSWC (Speer) Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.190"

Starting Powder: 5.4 gr

Starting Velocity:

Starting Pressure:

Max Powder: 6.0 gr

Max Velocity: 1,021

Max Pressure:

Source: [Alliant Powder](#) ⓘ

+P

GR.: 200 gr

Bullet Type: GDHP (Speer) Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.200"

Starting Powder: 5.9 gr

Starting Velocity:

Starting Pressure:

Max Powder: 6.6 gr

Max Velocity: 1,039

Max Pressure:

Source: [Alliant Powder](#) ⓘ



+P

GR.: 230 gr

Bullet Type: Coated RN-NLG (ACME) Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.265"

Starting Powder: 5.1 gr

Starting Velocity:

Starting Pressure:

Max Powder: 5.7 gr

Max Velocity: 947

Max Pressure:

Source: [Alliant Powder](#) 

+P

GR.: 230 gr

Bullet Type: Lead LRN (CPB) Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.200"

Starting Powder: 4.8 gr

Starting Velocity:

Starting Pressure:

Max Powder: 5.3 gr

Max Velocity: 934

Max Pressure:

Source: [Alliant Powder](#) 

+P

GR.: 230 gr

Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 4.4 gr

Starting Velocity: 832

Starting Pressure: 21,800

Max Powder: 4.6 gr

Max Velocity: 859

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 4.1 gr

Starting Velocity: 730

Starting Pressure: 21,600

Max Powder: 4.3 gr

Max Velocity: 781

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 5.4 gr

Starting Velocity: 835

Starting Pressure: 21,300

Max Powder: 5.8 gr

Max Velocity: 891

Max Pressure: 22,900

Source: [Hodgdon](#)



+P

GR.: 230 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.: 1.237"](#)

Starting Powder: 5.4 gr

Starting Velocity: 829

Starting Pressure: 21,700

Max Powder: 5.7 gr

Max Velocity: 868

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.: 1.237"](#)

Starting Powder: 8.0 gr

Starting Velocity: 888

Starting Pressure: 20,300

Max Powder: 9.0 gr

Max Velocity: 1,003

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.: 1.237"](#)

Starting Powder: 8.2 gr

Starting Velocity: 933

Starting Pressure: 21,600

Max Powder: 8.7 gr

Max Velocity: 987

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.: 1.237"](#)

Starting Powder: 10.1 gr

Starting Velocity: 945

Starting Pressure: 21,900

Max Powder: 10.5 gr

Max Velocity: 986

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.: 1.237"](#)

Starting Powder: 9.8 gr

Starting Velocity: 924

Starting Pressure: 21,600

Max Powder: 10.4 gr

Max Velocity: 990

Max Pressure: 22,900

Source: [Hodgdon](#)



+P

GR.: 230 gr

Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 5.1 gr

Starting Velocity: 842

Starting Pressure: 21,300

Max Powder: 5.4 gr

Max Velocity: 879

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 5.1 gr

Starting Velocity: 800

Starting Pressure: 21,300

Max Powder: 5.5 gr

Max Velocity: 848

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 4.4 gr

Starting Velocity: 750

Starting Pressure: 21,500

Max Powder: 4.6 gr

Max Velocity: 788

Max Pressure: 22,600

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 7.8 gr

Starting Velocity: 957

Starting Pressure: 21,700

Max Powder: 8.2 gr

Max Velocity: 1,009

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 7.5 gr

Starting Velocity: 951

Starting Pressure: 21,700

Max Powder: 7.9 gr

Max Velocity: 999

Max Pressure: 22,800

Source: [Hodgdon](#)



+P

GR.: 230 gr

Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 7.8 gr

Starting Velocity: 931

Starting Pressure: 21,000

Max Powder: 8.4 gr

Max Velocity: 988

Max Pressure: 22,600

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 7.6 gr

Starting Velocity: 933

Starting Pressure: 21,800

Max Powder: 8.0 gr

Max Velocity: 975

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated RN (Berry's Bullets) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 6.0 gr

Starting Velocity: 893

Starting Pressure: 21,600

Max Powder: 6.3 gr

Max Velocity: 936

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: Plated HP (Rainier) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.237"

Starting Powder: 5.9 gr

Starting Velocity: 867

Starting Pressure: 21,500

Max Powder: 6.2 gr

Max Velocity: 907

Max Pressure: 22,700

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: XTP (HDY) Diameter: 0.451"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.210"

Starting Powder: 3.8 gr

Starting Velocity: 739

Starting Pressure: 21,100

Max Powder: 4.1 gr

Max Velocity: 783

Max Pressure: 23,000

Source: [Hodgdon](#)



+P

GR.: 230 gr

Bullet Type: LRN (Laser Cast, Oregon Trail Bullet Company) Diameter: 0.452"

Powder: Nitro 100 NF (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.230"

Starting Powder: 4.0 gr

Starting Velocity: 823

Starting Pressure: 21,900

Max Powder: 4.2 gr

Max Velocity: 848

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: XTP (HDV) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.210"

Starting Powder: 5.1 gr

Starting Velocity: 797

Starting Pressure: 21,600

Max Powder: 5.3 gr

Max Velocity: 833

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 5.3 gr

Starting Velocity: 851

Starting Pressure: 21,500

Max Powder: 5.7 gr

Max Velocity: 899

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: XTP (HDV) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.210"

Starting Powder: 7.7 gr

Starting Velocity: 868

Starting Pressure: 21,700

Max Powder: 8.1 gr

Max Velocity: 909

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 8.2 gr

Starting Velocity: 927

Starting Pressure: 21,300

Max Powder: 8.6 gr

Max Velocity: 971

Max Pressure: 22,400

Source: [Hodgdon](#)



+P

GR.: 230 gr

Bullet Type: FMJ (Sierra) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.270"

Starting Powder: 8.7 gr

Starting Velocity: 940

Starting Pressure: 21,800

Max Powder: 9.1 gr

Max Velocity: 984

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: XTP (HDY) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.210"

Starting Powder: 9.2 gr

Starting Velocity: 897

Starting Pressure: 21,900

Max Powder: 9.6 gr

Max Velocity: 940

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 10.0 gr

Starting Velocity: 950

Starting Pressure: 21,800

Max Powder: 10.3 gr

Max Velocity: 975

Max Pressure: 22,500

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: XTP (HDY) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.210"

Starting Powder: 4.7 gr

Starting Velocity: 787

Starting Pressure: 21,400

Max Powder: 5.0 gr

Max Velocity: 827

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: Solo 1000 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 5.0 gr

Starting Velocity: 834

Starting Pressure: 21,600

Max Powder: 5.4 gr

Max Velocity: 868

Max Pressure: 22,900

Source: [Hodgdon](#)



+P

GR.: 230 gr

Bullet Type: XTP (HDY) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.210"

Starting Powder: 3.9 gr

Starting Velocity: 749

Starting Pressure: 21,500

Max Powder: 4.2 gr

Max Velocity: 781

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: Competition (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 4.2 gr

Starting Velocity: 795

Starting Pressure: 21,800

Max Powder: 4.4 gr

Max Velocity: 822

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: XTP (HDY) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.210"

Starting Powder: 7.3 gr

Starting Velocity: 917

Starting Pressure: 21,800

Max Powder: 7.7 gr

Max Velocity: 963

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 7.6 gr

Starting Velocity: 960

Starting Pressure: 21,400

Max Powder: 8.1 gr

Max Velocity: 1,014

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: XTP (HDY) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.210"

Starting Powder: 6.8 gr

Starting Velocity: 847

Starting Pressure: 21,700

Max Powder: 7.1 gr

Max Velocity: 883

Max Pressure: 22,600

Source: [Hodgdon](#)



+P

GR.: 230 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 7.3 gr

Starting Velocity: 910

Starting Pressure: 20,900

Max Powder: 7.8 gr

Max Velocity: 952

Max Pressure: 22,300

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: XTP (HDV) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.210"

Starting Powder: 5.3 gr

Starting Velocity: 814

Starting Pressure: 21,400

Max Powder: 5.7 gr

Max Velocity: 862

Max Pressure: 22,800

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: GSB (REM) Diameter: 0.451"

Powder: Zip (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.225"

Starting Powder: 5.7 gr

Starting Velocity: 876

Starting Pressure: 21,800

Max Powder: 6.0 gr

Max Velocity: 912

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 230 gr

Bullet Type: JHP Diameter:

Powder: BE-86 (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.210"

Starting Powder: 6.2 gr

Starting Velocity:

Starting Pressure:

Max Powder: 6.9 gr

Max Velocity: 935

Max Pressure:

Source: [Alliant Powder](#) 

+P

GR.: 230 gr

Bullet Type: FMJ Diameter:

Powder: BE-86 (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.265"

Starting Powder: 6.7 gr

Starting Velocity:

Starting Pressure:

Max Powder: 7.4 gr

Max Velocity: 977

Max Pressure:

Source: [Alliant Powder](#)



+P

GR.: 230 gr

Bullet Type: JHP Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED150](#)

Case:

Trim Length:

[C.O.L.](#): 1.210"

Starting Powder: 5.0 gr

Starting Velocity:

Starting Pressure:

Max Powder: 5.6 gr

Max Velocity: 910

Max Pressure:

Source: [Alliant Powder](#) ⓘ

+P

GR.: 230 gr

Bullet Type: FMJ Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED150](#)

Case:

Trim Length:

[C.O.L.](#): 1.265"

Starting Powder: 5.6 gr

Starting Velocity:

Starting Pressure:

Max Powder: 6.2 gr

Max Velocity: 958

Max Pressure:

Source: [Alliant Powder](#) ⓘ

+P

GR.: 230 gr

Bullet Type: GDHP (Speer) Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED150](#)

Case:

Trim Length:

[C.O.L.](#): 1.200"

Starting Powder: 4.8 gr

Starting Velocity:

Starting Pressure:

Max Powder: 5.3 gr

Max Velocity: 872

Max Pressure:

Source: [Alliant Powder](#) ⓘ

+P

GR.: 230 gr

Bullet Type: LRN (Speer) Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED150](#)

Case:

Trim Length:

[C.O.L.](#): 1.260"

Starting Powder: 5.3 gr

Starting Velocity:

Starting Pressure:

Max Powder: 5.9 gr

Max Velocity: 954

Max Pressure:

Source: [Alliant Powder](#) ⓘ

+P

GR.: 230 gr

Bullet Type: TMJ RN (Speer) Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED150](#)

Case:

Trim Length:

[C.O.L.](#): 1.260"

Starting Powder: 5.6 gr

Starting Velocity:

Starting Pressure:

Max Powder: 6.2 gr

Max Velocity: 938

Max Pressure:

Source: [Alliant Powder](#) ⓘ



+P

GR.: 230 gr

Bullet Type: CPRN (Speer) Diameter:

Powder: Sport Pistol (Alliant Powder)

Primer: [FED 150](#)

Case:

Trim Length:

[C.O.L.](#): 1.265"

Starting Powder: 5.8 gr

Starting Velocity:

Starting Pressure:

Max Powder: 6.4 gr

Max Velocity: 964

Max Pressure:

Source: [Alliant Powder](#) 

+P

GR.: 250 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.200"

Starting Powder: 4.6 gr

Starting Velocity: 752

Starting Pressure: 21,300

Max Powder: 4.9 gr

Max Velocity: 805

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 250 gr

Bullet Type: Plated FP (Rainier) Diameter: 0.451"

Powder: No. 2 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.200"

Starting Powder: 4.8 gr

Starting Velocity: 777

Starting Pressure: 21,500

Max Powder: 5.1 gr

Max Velocity: 819

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 250 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.200"

Starting Powder: 7.1 gr

Starting Velocity: 833

Starting Pressure: 21,600

Max Powder: 7.5 gr

Max Velocity: 884

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 250 gr

Bullet Type: Plated FP (Rainier) Diameter: 0.451"

Powder: No. 5 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.212"

Starting Powder: 7.3 gr

Starting Velocity: 858

Starting Pressure: 21,400

Max Powder: 7.6 gr

Max Velocity: 894

Max Pressure: 22,300

Source: [Hodgdon](#)



+P

GR.: 250 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.200"

Starting Powder: 8.6 gr

Starting Velocity: 845

Starting Pressure: 21,500

Max Powder: 9.1 gr

Max Velocity: 889

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 250 gr

Bullet Type: Plated FP (Rainier) Diameter: 0.451"

Powder: No. 7 (Accurate)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.212"

Starting Powder: 8.8 gr

Starting Velocity: 866

Starting Pressure: 21,400

Max Powder: 9.3 gr

Max Velocity: 913

Max Pressure: 22,500

Source: [Hodgdon](#) 

+P

GR.: 250 gr

Bullet Type: Plated FP (Berry's Bullets) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.200"

Starting Powder: 6.6 gr

Starting Velocity: 873

Starting Pressure: 21,800

Max Powder: 7.0 gr

Max Velocity: 918

Max Pressure: 23,000

Source: [Hodgdon](#) 

+P

GR.: 250 gr

Bullet Type: Plated FP (Rainier) Diameter: 0.451"

Powder: Silhouette (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.200"

Starting Powder: 6.8 gr

Starting Velocity: 894

Starting Pressure: 22,000

Max Powder: 7.1 gr

Max Velocity: 929

Max Pressure: 22,900

Source: [Hodgdon](#) 

+P

GR.: 250 gr

Bullet Type: Plated FP (Rainier) Diameter: 0.451"

Powder: True Blue (Ramshot)

Primer: [FED 150](#)

Case: REM

Trim Length: 0.893"

[C.O.L.](#): 1.212"

Starting Powder: 6.8 gr

Starting Velocity: 859

Starting Pressure: 21,800

Max Powder: 7.2 gr

Max Velocity: 900

Max Pressure: 23,000

Source: [Hodgdon](#)