

| Bullet Weight<br>(Grains) | Bullet Make | Bullet Type | Start Load<br>(Grains) | Start Velocity<br>(FPS) | Max Load<br>(Grains) | Max Velocity<br>(FPS) | Max Pressure<br>(PSI) | COL<br>(Inches) | Comp. Load |
|---------------------------|-------------|-------------|------------------------|-------------------------|----------------------|-----------------------|-----------------------|-----------------|------------|
|---------------------------|-------------|-------------|------------------------|-------------------------|----------------------|-----------------------|-----------------------|-----------------|------------|

## 30-06 SPRINGFIELD

Barrel: 24" | Twist: 1-10" | Primer: WIN WLR | Bullet Diameter: 0.308"

Case: REM | Max Case Length: 2.494" | Trim Length: 2.484"

### RAMSHOT TAC

|     |        |         |      |       |      |       |        |       |
|-----|--------|---------|------|-------|------|-------|--------|-------|
| 110 | BERGER | FBT     | 51.1 | 3,214 | 56.8 | 3,454 | 59,223 | 3.210 |
| 110 | HDY    | V-MAX   | 49.8 | 3,185 | 55.3 | 3,404 | 59,600 | 3.170 |
| 110 | BARNES | TTSX    | 52.4 | 3,211 | 58.2 | 3,507 | 59,565 | 3.218 |
| 115 | BERGER | FBT     | 48.6 | 3,103 | 54.0 | 3,336 | 59,619 | 3.200 |
| 125 | NOSLER | B-TIP   | 49.9 | 3,016 | 55.4 | 3,292 | 59,366 | 3.250 |
| 125 | SIERRA | SPT PH  | 49.0 | 2,982 | 54.4 | 3,222 | 59,062 | 3.150 |
| 130 | BARNES | TSX-BT  | 48.9 | 2,942 | 54.3 | 3,204 | 59,227 | 3.218 |
| 140 | BARNES | MPG     | 43.8 | 2,682 | 48.6 | 2,947 | 59,286 | 3.270 |
| 150 | HDY    | BT-FMJ  | 44.6 | 2,735 | 49.5 | 2,967 | 59,423 | 3.185 |
| 150 | HDY    | SST     | 44.4 | 2,695 | 49.3 | 2,939 | 59,630 | 3.210 |
| 150 | SIERRA | SPT PH  | 45.7 | 2,735 | 50.8 | 2,963 | 59,193 | 3.225 |
| 155 | BERGER | VLD     | 43.5 | 2,634 | 48.3 | 2,866 | 59,146 | 3.320 |
| 155 | HDY    | A-MAX   | 42.5 | 2,589 | 47.3 | 2,834 | 59,146 | 3.210 |
| 155 | SIERRA | HPBT MK | 43.5 | 2,666 | 48.3 | 2,892 | 59,553 | 3.250 |
| 168 | SIERRA | HPBT MK | 40.2 | 2,484 | 44.7 | 2,680 | 59,068 | 3.285 |
| 175 | SIERRA | HPBT MK | 40.1 | 2,457 | 44.6 | 2,634 | 59,426 | 3.290 |

### ACCURATE 2520

|     |        |         |      |       |      |       |        |       |
|-----|--------|---------|------|-------|------|-------|--------|-------|
| 110 | BERGER | FBT     | 50.0 | 3,197 | 55.6 | 3,444 | 59,916 | 3.210 |
| 110 | HDY    | V-MAX   | 49.1 | 3,150 | 54.6 | 3,387 | 59,495 | 3.170 |
| 110 | BARNES | TTSX    | 51.6 | 3,195 | 57.3 | 3,484 | 59,193 | 3.218 |
| 115 | BERGER | FBT     | 49.4 | 3,141 | 54.9 | 3,365 | 59,313 | 3.200 |
| 125 | NOSLER | B-TIP   | 49.8 | 3,021 | 55.4 | 3,292 | 59,324 | 3.250 |
| 125 | SIERRA | SPT PH  | 47.5 | 2,972 | 52.8 | 3,188 | 59,400 | 3.150 |
| 125 | SF     | NTP     | 48.9 | 2,988 | 54.3 | 3,246 | 59,404 | 3.275 |
| 130 | BARNES | TSX-BT  | 48.7 | 2,934 | 54.2 | 3,196 | 59,499 | 3.218 |
| 140 | BARNES | MPG     | 44.8 | 2,689 | 49.7 | 2,975 | 59,647 | 3.270 |
| 150 | HDY    | BT-FMJ  | 45.2 | 2,757 | 50.2 | 2,978 | 59,324 | 3.185 |
| 150 | HDY    | SST     | 45.2 | 2,697 | 50.3 | 2,949 | 59,403 | 3.210 |
| 150 | SIERRA | SPT PH  | 46.3 | 2,758 | 51.5 | 2,985 | 59,363 | 3.225 |
| 155 | BERGER | VLD     | 43.9 | 2,647 | 48.7 | 2,874 | 59,409 | 3.320 |
| 155 | HDY    | A-MAX   | 43.8 | 2,615 | 48.7 | 2,883 | 59,001 | 3.210 |
| 155 | SIERRA | HPBT MK | 44.8 | 2,702 | 49.7 | 2,915 | 59,651 | 3.250 |
| 165 | NOSLER | PART    | 41.9 | 2,577 | 46.6 | 2,741 | 59,664 | 3.305 |
| 168 | SIERRA | HPBT MK | 40.2 | 2,491 | 44.6 | 2,681 | 59,480 | 3.285 |
| 175 | SIERRA | HPBT MK | 39.9 | 2,440 | 44.3 | 2,639 | 59,782 | 3.290 |

| Bullet Weight<br>(Grains) | Bullet Make | Bullet Type | Start Load<br>(Grains) | Start Velocity<br>(FPS) | Max Load<br>(Grains) | Max Velocity<br>(FPS) | Max Pressure<br>(PSI) | COL<br>(Inches) | Comp. Load |
|---------------------------|-------------|-------------|------------------------|-------------------------|----------------------|-----------------------|-----------------------|-----------------|------------|
| <b>ACCURATE 4064</b>      |             |             |                        |                         |                      |                       |                       |                 |            |
| 110                       | BERGER      | FBT         | 54.8                   | 3,138                   | 60.9                 | 3,472                 | 59,286                | 3.210           | C          |
| 110                       | HDY         | V-MAX       | 53.9                   | 3,080                   | 59.9                 | 3,431                 | 59,446                | 3.170           | C          |
| 110                       | BARNES      | TTSX        | 54.5                   | 3,140                   | 60.6                 | 3,466                 | 58,068                | 3.218           | C          |
| 115                       | BERGER      | FBT         | 54.0                   | 3,076                   | 59.9                 | 3,399                 | 59,089                | 3.200           | C          |
| 125                       | NOSLER      | B-TIP       | 52.5                   | 2,979                   | 58.4                 | 3,294                 | 59,223                | 3.250           | C          |
| 125                       | SIERRA      | SPT PH      | 52.7                   | 2,949                   | 58.6                 | 3,273                 | 59,619                | 3.150           |            |
| 125                       | SF          | NTP         | 49.9                   | 2,937                   | 55.5                 | 3,222                 | 59,508                | 3.275           |            |
| 130                       | BARNES      | TSX-BT      | 51.7                   | 2,918                   | 57.4                 | 3,215                 | 58,964                | 3.218           | C          |
| 135                       | BERGER      | FBT         | 49.6                   | 2,839                   | 55.1                 | 3,117                 | 59,634                | 3.300           |            |
| 140                       | BARNES      | MPG         | 46.8                   | 2,709                   | 52.0                 | 2,995                 | 59,455                | 3.270           |            |
| 150                       | HDY         | BT-FMJ      | 49.8                   | 2,804                   | 55.3                 | 3,062                 | 59,703                | 3.185           |            |
| 150                       | HDY         | SST         | 48.0                   | 2,712                   | 53.4                 | 2,994                 | 59,711                | 3.210           |            |
| 150                       | NOSLER      | A-BOND      | 46.8                   | 2,694                   | 52.0                 | 2,955                 | 59,533                | 3.325           |            |
| 150                       | SIERRA      | SPT PH      | 48.5                   | 2,744                   | 53.9                 | 3,017                 | 59,467                | 3.225           |            |
| 150                       | BARNES      | MRX-BT      | 48.4                   | 2,710                   | 53.8                 | 3,000                 | 59,753                | 3.205           |            |
| 150                       | NOSLER      | E-TIP       | 45.2                   | 2,630                   | 50.3                 | 2,897                 | 59,335                | 3.300           |            |
| 155                       | BERGER      | VLD         | 48.1                   | 2,703                   | 53.5                 | 2,975                 | 59,664                | 3.320           |            |
| 155                       | HDY         | A-MAX       | 47.9                   | 2,699                   | 53.3                 | 2,963                 | 59,654                | 3.210           |            |
| 155                       | SIERRA      | HPBT MK     | 49.1                   | 2,748                   | 54.6                 | 2,998                 | 59,459                | 3.250           |            |
| 165                       | NOSLER      | PART        | 45.8                   | 2,577                   | 50.8                 | 2,836                 | 59,357                | 3.305           |            |
| 165                       | BARNES      | MRX-BT      | 47.1                   | 2,578                   | 52.3                 | 2,855                 | 59,441                | 3.205           |            |
| 168                       | BERGER      | VLD         | 46.4                   | 2,610                   | 51.5                 | 2,840                 | 59,116                | 3.330           |            |
| 168                       | HDY         | A-MAX       | 46.1                   | 2,576                   | 51.2                 | 2,816                 | 59,403                | 3.330           |            |
| 168                       | NOSLER      | HPBT-CC     | 47.4                   | 2,627                   | 52.7                 | 2,863                 | 59,461                | 3.330           |            |
| 168                       | SIERRA      | HPBT MK     | 46.4                   | 2,617                   | 51.6                 | 2,840                 | 59,688                | 3.285           |            |
| 168                       | BARNES      | TTSX        | 45.9                   | 2,523                   | 51.0                 | 2,790                 | 59,950                | 3.300           |            |
| 168                       | NOSLER      | E-TIP       | 45.2                   | 2,517                   | 50.2                 | 2,763                 | 59,462                | 3.330           |            |
| 175                       | NOSLER      | HPBT-CC     | 46.4                   | 2,566                   | 51.5                 | 2,794                 | 59,361                | 3.290           |            |
| 175                       | SIERRA      | HPBT MK     | 45.8                   | 2,572                   | 50.9                 | 2,790                 | 59,462                | 3.290           |            |
| 180                       | HDY         | SST         | 45.2                   | 2,491                   | 50.3                 | 2,723                 | 59,441                | 3.220           |            |
| 180                       | SIERRA      | HPBT MK     | 44.0                   | 2,476                   | 48.9                 | 2,688                 | 59,336                | 3.305           |            |
| 180                       | SIERRA      | SPT PH      | 45.6                   | 2,489                   | 50.7                 | 2,701                 | 59,587                | 3.300           |            |
| 180                       | BARNES      | TSX-BT      | 45.6                   | 2,510                   | 50.7                 | 2,743                 | 59,269                | 3.218           |            |
| 180                       | NOSLER      | E-TIP       | 44.9                   | 2,453                   | 49.9                 | 2,697                 | 59,631                | 3.340           |            |
| 185                       | BERGER      | BTTLR       | 44.5                   | 2,464                   | 49.4                 | 2,683                 | 59,459                | 3.340           |            |
| 190                       | HDY         | BTSP        | 44.5                   | 2,427                   | 49.5                 | 2,649                 | 59,478                | 3.230           |            |
| 190                       | NOSLER      | HPBT-CC     | 44.9                   | 2,460                   | 49.9                 | 2,673                 | 59,702                | 3.340           |            |
| 200                       | SIERRA      | HPBT MK     | 42.6                   | 2,334                   | 47.3                 | 2,544                 | 59,700                | 3.314           |            |
| 200                       | BARNES      | TSX-FB      | 43.4                   | 2,341                   | 48.2                 | 2,536                 | 59,364                | 3.218           |            |
| 208                       | HDY         | BTHP        | 43.1                   | 2,261                   | 47.9                 | 2,494                 | 59,769                | 3.340           |            |
| 210                       | BERGER      | VLD         | 41.7                   | 2,259                   | 46.4                 | 2,458                 | 59,565                | 3.340           |            |
| 225                       | HDY         | BTHP        | 41.7                   | 2,156                   | 46.3                 | 2,371                 | 59,444                | 3.340           |            |

| Bullet Weight<br>(Grains)      | Bullet Make | Bullet Type | Start Load<br>(Grains) | Start Velocity<br>(FPS) | Max Load<br>(Grains) | Max Velocity<br>(FPS) | Max Pressure<br>(PSI) | COL<br>(Inches) | Comp. Load |
|--------------------------------|-------------|-------------|------------------------|-------------------------|----------------------|-----------------------|-----------------------|-----------------|------------|
| <b><u>RAMSHOT BIG GAME</u></b> |             |             |                        |                         |                      |                       |                       |                 |            |
| 110                            | BERGER      | FBT         | 60.1                   | 3,279                   | 66.8                 | 3,567                 | 59,001                | 3.210           | C          |
| 110                            | HDY         | V-MAX       | 59.0                   | 3,236                   | 65.5                 | 3,522                 | 59,782                | 3.170           | C          |
| 110                            | BARNES      | TTSX        | 58.4                   | 3,173                   | 64.9                 | 3,409                 | 51,126                | 3.218           | C          |
| 115                            | BERGER      | FBT         | 59.4                   | 3,228                   | 66.0                 | 3,506                 | 59,893                | 3.200           | C          |
| 125                            | NOSLER      | B-TIP       | 58.3                   | 3,118                   | 64.8                 | 3,392                 | 59,554                | 3.250           | C          |
| 125                            | SIERRA      | SPT PH      | 57.2                   | 3,059                   | 63.5                 | 3,331                 | 59,931                | 3.150           |            |
| 125                            | SF          | NTP         | 57.4                   | 3,077                   | 63.7                 | 3,334                 | 59,364                | 3.275           | C          |
| 130                            | BARNES      | TSX-BT      | 58.1                   | 3,054                   | 64.5                 | 3,324                 | 59,655                | 3.218           | C          |
| 135                            | BERGER      | FBT         | 53.4                   | 2,924                   | 59.3                 | 3,148                 | 59,277                | 3.300           |            |
| 140                            | BARNES      | MPG         | 53.6                   | 2,875                   | 59.5                 | 3,113                 | 59,700                | 3.270           | C          |
| 150                            | HDY         | BT-FMJ      | 53.9                   | 2,884                   | 59.9                 | 3,115                 | 59,882                | 3.185           |            |
| 150                            | HDY         | SST         | 53.0                   | 2,851                   | 58.9                 | 3,063                 | 59,636                | 3.210           |            |
| 150                            | NOSLER      | A-BOND      | 51.8                   | 2,785                   | 57.5                 | 3,033                 | 59,784                | 3.325           |            |
| 150                            | SIERRA      | SPT PH      | 53.5                   | 2,822                   | 59.4                 | 3,080                 | 59,740                | 3.225           |            |
| 150                            | BARNES      | MRX-BT      | 53.3                   | 2,818                   | 59.2                 | 3,056                 | 59,444                | 3.205           |            |
| 150                            | NOSLER      | E-TIP       | 50.9                   | 2,747                   | 56.6                 | 2,995                 | 59,836                | 3.300           |            |
| 155                            | BERGER      | VLD         | 51.8                   | 2,782                   | 57.6                 | 3,007                 | 59,488                | 3.320           |            |
| 155                            | HDY         | A-MAX       | 51.9                   | 2,777                   | 57.6                 | 3,012                 | 59,371                | 3.210           |            |
| 155                            | SIERRA      | HPBT MK     | 52.8                   | 2,820                   | 58.7                 | 3,038                 | 59,703                | 3.250           |            |
| 165                            | NOSLER      | PART        | 50.0                   | 2,660                   | 55.5                 | 2,900                 | 59,819                | 3.305           |            |
| 165                            | BARNES      | MRX-BT      | 50.7                   | 2,669                   | 56.4                 | 2,910                 | 59,731                | 3.205           |            |
| 168                            | BERGER      | VLD         | 49.7                   | 2,666                   | 55.3                 | 2,881                 | 59,868                | 3.330           |            |
| 168                            | HDY         | A-MAX       | 49.0                   | 2,629                   | 54.4                 | 2,845                 | 59,365                | 3.330           |            |
| 168                            | NOSLER      | HPBT-CC     | 49.0                   | 2,637                   | 54.4                 | 2,844                 | 59,823                | 3.330           |            |
| 168                            | SIERRA      | HPBT MK     | 49.1                   | 2,644                   | 54.6                 | 2,858                 | 59,465                | 3.285           |            |
| 168                            | BARNES      | TTSX        | 50.6                   | 2,648                   | 56.2                 | 2,870                 | 59,664                | 3.300           |            |
| 168                            | NOSLER      | E-TIP       | 49.5                   | 2,606                   | 55.0                 | 2,844                 | 59,777                | 3.330           |            |
| 175                            | NOSLER      | HPBT-CC     | 48.5                   | 2,598                   | 53.9                 | 2,801                 | 59,885                | 3.290           |            |
| 175                            | SIERRA      | HPBT MK     | 48.7                   | 2,607                   | 54.1                 | 2,806                 | 59,335                | 3.290           |            |
| 180                            | HDY         | SST         | 48.8                   | 2,557                   | 54.2                 | 2,768                 | 59,606                | 3.220           |            |
| 180                            | SIERRA      | HPBT MK     | 47.7                   | 2,533                   | 53.0                 | 2,736                 | 59,804                | 3.305           |            |
| 180                            | SIERRA      | SPT PH      | 49.0                   | 2,507                   | 54.4                 | 2,732                 | 59,423                | 3.300           |            |
| 180                            | BARNES      | TSX-BT      | 51.2                   | 2,634                   | 56.9                 | 2,842                 | 59,456                | 3.218           | C          |
| 180                            | NOSLER      | E-TIP       | 47.1                   | 2,464                   | 52.3                 | 2,701                 | 59,224                | 3.340           |            |
| 185                            | BERGER      | BTTLR       | 47.4                   | 2,499                   | 52.7                 | 2,710                 | 59,364                | 3.340           |            |
| 190                            | HDY         | BTSP        | 47.5                   | 2,463                   | 52.8                 | 2,689                 | 59,556                | 3.230           |            |
| 190                            | NOSLER      | HPBT-CC     | 47.7                   | 2,500                   | 53.1                 | 2,703                 | 59,292                | 3.340           |            |
| 200                            | SIERRA      | HPBT MK     | 45.1                   | 2,362                   | 50.1                 | 2,563                 | 59,294                | 3.314           |            |
| 200                            | BARNES      | TSX-FB      | 48.1                   | 2,418                   | 53.5                 | 2,626                 | 59,322                | 3.218           |            |
| 208                            | HDY         | BTHP-M      | 44.4                   | 2,284                   | 49.4                 | 2,500                 | 60,000                | 3.340           |            |
| 210                            | BERGER      | VLD         | 44.3                   | 2,292                   | 49.3                 | 2,491                 | 59,624                | 3.340           |            |
| 225                            | HDY         | BTHP-M      | 42.8                   | 2,142                   | 47.6                 | 2,357                 | 59,238                | 3.340           |            |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) | Comp. Load |
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|------------|
| <b>ACCURATE 2700</b>   |             |             |                     |                      |                   |                    |                    |              |            |
| 110                    | BERGER      | FBT         | 58.2                | 3,052                | 64.7              | 3,348              | 50,111             | 3.210        | C          |
| 110                    | HDY         | V-MAX       | 57.7                | 3,038                | 64.1              | 3,349              | 52,991             | 3.170        | C          |
| 110                    | BARNES      | TTSX        | 56.5                | 2,916                | 62.8              | 3,210              | 44,857             | 3.218        | C          |
| 115                    | BERGER      | FBT         | 57.8                | 3,023                | 64.2              | 3,318              | 52,167             | 3.200        | C          |
| 125                    | SIERRA      | SPT PH      | 58.8                | 3,018                | 65.3              | 3,319              | 59,229             | 3.150        | C          |
| 130                    | BARNES      | TSX         | 56.4                | 2,901                | 62.6              | 3,133              | 50,143             | 3.218        | C          |
| 135                    | BERGER      | FBT         | 53.1                | 2,815                | 59.0              | 3,116              | 59,553             | 3.300        |            |
| 140                    | BARNES      | MPG         | 51.6                | 2,782                | 57.3              | 3,043              | 59,008             | 3.270        | C          |
| 150                    | HDY         | BT-FMJ      | 53.7                | 2,797                | 59.6              | 3,070              | 59,620             | 3.185        | C          |
| 150                    | HDY         | SST         | 53.8                | 2,767                | 59.8              | 3,049              | 59,064             | 3.210        | C          |
| 150                    | NOSLER      | A-BOND      | 53.1                | 2,799                | 59.0              | 3,041              | 59,348             | 3.325        | C          |
| 150                    | SIERRA      | SPT PH      | 54.4                | 2,836                | 60.5              | 3,076              | 59,247             | 3.225        |            |
| 150                    | BARNES      | MRX-BT      | 54.2                | 2,774                | 60.2              | 3,066              | 58,390             | 3.205        | C          |
| 150                    | NOSLER      | E-TIP       | 50.9                | 2,749                | 56.6              | 2,988              | 59,706             | 3.300        |            |
| 155                    | BERGER      | VLD         | 51.3                | 2,699                | 57.0              | 2,963              | 59,289             | 3.320        |            |
| 155                    | HDY         | A-MAX       | 52.1                | 2,710                | 57.9              | 2,992              | 59,703             | 3.210        | C          |
| 155                    | SIERRA      | HPBT MK     | 55.0                | 2,804                | 61.1              | 3,062              | 59,469             | 3.250        | C          |
| 165                    | NOSLER      | PART        | 50.4                | 2,662                | 56.0              | 2,890              | 59,338             | 3.305        |            |
| 165                    | BARNES      | MRX-BT      | 51.3                | 2,638                | 57.0              | 2,913              | 59,612             | 3.205        | C          |
| 168                    | BERGER      | VLD         | 50.9                | 2,642                | 56.6              | 2,885              | 59,003             | 3.330        |            |
| 168                    | HDY         | A-MAX       | 50.0                | 2,575                | 55.5              | 2,835              | 59,830             | 3.330        |            |
| 168                    | NOSLER      | HPBT-CC     | 51.6                | 2,630                | 57.3              | 2,873              | 59,337             | 3.330        |            |
| 168                    | SIERRA      | HPBT MK     | 50.1                | 2,623                | 55.6              | 2,855              | 59,367             | 3.285        |            |
| 168                    | BARNES      | TTSX        | 48.5                | 2,557                | 53.9              | 2,817              | 59,505             | 3.300        |            |
| 168                    | NOSLER      | E-TIP       | 49.7                | 2,581                | 55.2              | 2,815              | 59,307             | 3.330        |            |
| 175                    | NOSLER      | HPBT-CC     | 49.3                | 2,544                | 54.8              | 2,800              | 59,258             | 3.290        |            |
| 175                    | SIERRA      | HPBT MK     | 49.6                | 2,596                | 55.1              | 2,818              | 59,600             | 3.290        |            |
| 180                    | HDY         | SST         | 48.4                | 2,520                | 53.8              | 2,761              | 59,333             | 3.220        |            |
| 180                    | SIERRA      | HPBT MK     | 48.3                | 2,517                | 53.7              | 2,740              | 59,387             | 3.305        |            |
| 180                    | SIERRA      | SPT PH      | 49.7                | 2,505                | 55.2              | 2,721              | 59,169             | 3.300        |            |
| 180                    | SPEER       | GSLAM       | 49.1                | 2,501                | 54.6              | 2,730              | 58,925             | 3.170        |            |
| 180                    | BARNES      | TSX-BT      | 48.3                | 2,519                | 53.7              | 2,768              | 59,017             | 3.218        |            |
| 180                    | NOSLER      | E-TIP       | 47.5                | 2,467                | 52.7              | 2,710              | 59,393             | 3.340        |            |
| 185                    | BERGER      | BTTLR       | 48.4                | 2,498                | 53.7              | 2,727              | 59,238             | 3.340        |            |
| 190                    | HDY         | BTSP        | 47.6                | 2,431                | 52.9              | 2,673              | 59,116             | 3.230        |            |
| 190                    | NOSLER      | HPBT-CC     | 48.6                | 2,476                | 54.0              | 2,713              | 59,673             | 3.340        |            |
| 200                    | SIERRA      | HPBT MK     | 46.3                | 2,388                | 51.4              | 2,597              | 59,901             | 3.314        |            |
| 200                    | BARNES      | TSX-FB      | 46.6                | 2,374                | 51.7              | 2,589              | 59,557             | 3.218        | C          |
| 208                    | HDY         | BTHP-M      | 44.9                | 2,246                | 49.8              | 2,506              | 59,766             | 3.340        |            |
| 210                    | BERGER      | VLD         | 44.5                | 2,293                | 49.5              | 2,496              | 59,366             | 3.340        |            |
| 225                    | HDY         | BTHP-M      | 43.9                | 2,146                | 48.8              | 2,399              | 60,000             | 3.340        |            |

| Bullet<br>Weight<br>(Grains) | Bullet<br>Make | Bullet<br>Type | Start<br>Load<br>(Grains) | Start<br>Velocity<br>(FPS) | Max<br>Load<br>(Grains) | Max<br>Velocity<br>(FPS) | Max<br>Pressure<br>(PSI) | COL<br>(Inches) | Comp.<br>Load |
|------------------------------|----------------|----------------|---------------------------|----------------------------|-------------------------|--------------------------|--------------------------|-----------------|---------------|
|------------------------------|----------------|----------------|---------------------------|----------------------------|-------------------------|--------------------------|--------------------------|-----------------|---------------|

### **ACCURATE 4350**

|     |        |         |      |       |      |       |        |       |   |
|-----|--------|---------|------|-------|------|-------|--------|-------|---|
| 150 | HDY    | BT-FMJ  | 53.7 | 2,594 | 59.6 | 2,886 | 46,598 | 3.185 | C |
| 155 | HDY    | A-MAX   | 52.6 | 2,512 | 58.5 | 2,831 | 48,762 | 3.210 | C |
| 155 | SIERRA | HPBT MK | 54.2 | 2,592 | 60.2 | 2,877 | 48,258 | 3.250 | C |
| 165 | NOSLER | PART    | 53.3 | 2,626 | 59.3 | 2,908 | 59,309 | 3.305 | C |
| 165 | BARNES | MRX-BT  | 51.1 | 2,404 | 56.8 | 2,709 | 48,173 | 3.205 | C |
| 168 | BERGER | VLD     | 53.6 | 2,589 | 59.5 | 2,874 | 55,480 | 3.330 | C |
| 168 | HDY    | A-MAX   | 53.4 | 2,562 | 59.3 | 2,855 | 55,219 | 3.330 | C |
| 168 | NOSLER | HPBT-CC | 54.5 | 2,603 | 60.5 | 2,875 | 55,428 | 3.330 | C |
| 168 | SIERRA | HPBT MK | 53.1 | 2,596 | 59.0 | 2,866 | 55,789 | 3.285 | C |
| 168 | BARNES | TTSX    | 49.6 | 2,407 | 55.1 | 2,697 | 52,267 | 3.300 | C |
| 168 | NOSLER | E-TIP   | 51.8 | 2,546 | 57.6 | 2,834 | 57,252 | 3.330 | C |
| 175 | NOSLER | HPBT-CC | 53.6 | 2,573 | 59.5 | 2,871 | 58,594 | 3.290 | C |
| 175 | SIERRA | HPBT MK | 52.7 | 2,573 | 58.5 | 2,828 | 56,297 | 3.290 | C |
| 180 | HDY    | SST     | 50.3 | 2,407 | 55.9 | 2,678 | 51,663 | 3.220 | C |
| 180 | SIERRA | HPBT MK | 51.8 | 2,533 | 57.6 | 2,796 | 59,617 | 3.305 | C |
| 180 | SIERRA | SPT PH  | 54.3 | 2,559 | 60.3 | 2,797 | 58,023 | 3.300 | C |
| 180 | SPEER  | GSLAM   | 52.7 | 2,515 | 58.5 | 2,753 | 55,842 | 3.170 | C |
| 180 | BARNES | TSX-BT  | 50.1 | 2,446 | 55.7 | 2,685 | 51,129 | 3.218 | C |
| 180 | NOSLER | E-TIP   | 49.9 | 2,425 | 55.5 | 2,643 | 52,000 | 3.340 | C |
| 185 | BERGER | BTTLR   | 52.0 | 2,503 | 57.7 | 2,757 | 57,006 | 3.340 | C |
| 190 | HDY    | BTSP    | 50.2 | 2,404 | 55.7 | 2,655 | 54,891 | 3.230 | C |
| 190 | NOSLER | HPBT-CC | 52.3 | 2,497 | 58.1 | 2,754 | 57,679 | 3.340 | C |
| 200 | SIERRA | HPBT MK | 49.7 | 2,411 | 55.2 | 2,637 | 59,444 | 3.314 | C |
| 200 | BARNES | TSX-FB  | 46.3 | 2,283 | 51.4 | 2,445 | 51,597 | 3.218 | C |
| 208 | HDY    | BTHP-M  | 49.2 | 2,237 | 54.7 | 2,522 | 56,229 | 3.340 | C |
| 210 | BERGER | VLD     | 48.2 | 2,324 | 53.6 | 2,541 | 59,268 | 3.340 | C |
| 225 | HDY    | BTHP-M  | 48.2 | 2,167 | 53.6 | 2,413 | 57,015 | 3.340 | C |

### **RAMSHOT HUNTER**

|     |        |        |      |       |      |       |        |       |   |
|-----|--------|--------|------|-------|------|-------|--------|-------|---|
| 110 | BERGER | FBT    | 60.2 | 3,105 | 66.9 | 3,360 | 51,275 | 3.210 | C |
| 110 | HDY    | V-MAX  | 61.2 | 3,113 | 68.0 | 3,415 | 54,108 | 3.170 | C |
| 110 | BARNES | TTSX   | 59.6 | 3,019 | 66.2 | 3,304 | 49,006 | 3.218 | C |
| 115 | BERGER | FBT    | 61.7 | 3,126 | 68.6 | 3,406 | 54,883 | 3.200 | C |
| 125 | NOSLER | B-TIP  | 60.7 | 3,025 | 67.4 | 3,260 | 52,199 | 3.250 | C |
| 125 | SIERRA | SPT PH | 61.4 | 3,031 | 68.3 | 3,314 | 55,695 | 3.150 | C |
| 130 | BARNES | TSX-BT | 59.6 | 2,925 | 66.3 | 3,187 | 52,410 | 3.218 | C |
| 135 | BERGER | FBT    | 60.3 | 2,985 | 67.0 | 3,223 | 57,037 | 3.300 | C |
| 140 | BARNES | MPG    | 55.3 | 2,756 | 61.4 | 3,024 | 54,169 | 3.270 | C |
| 150 | HDY    | BT-FMJ | 57.6 | 2,880 | 64.0 | 3,111 | 55,855 | 3.185 | C |
| 150 | HDY    | SST    | 56.9 | 2,801 | 63.2 | 3,008 | 53,189 | 3.210 | C |
| 150 | NOSLER | A-BOND | 57.1 | 2,840 | 63.5 | 3,092 | 59,229 | 3.325 | C |
| 150 | SIERRA | SPT PH | 59.5 | 2,921 | 66.1 | 3,167 | 59,443 | 3.225 | C |
| 150 | BARNES | MRX-BT | 56.6 | 2,780 | 62.9 | 3,027 | 54,993 | 3.205 | C |
| 150 | NOSLER | E-TIP  | 57.3 | 2,826 | 63.6 | 3,082 | 59,026 | 3.300 | C |

| Bullet<br>Weight<br>(Grains) | Bullet<br>Make | Bullet<br>Type | Start<br>Load<br>(Grains) | Start<br>Velocity<br>(FPS) | Max<br>Load<br>(Grains) | Max<br>Velocity<br>(FPS) | Max<br>Pressure<br>(PSI) | COL<br>(Inches) | Comp.<br>Load |
|------------------------------|----------------|----------------|---------------------------|----------------------------|-------------------------|--------------------------|--------------------------|-----------------|---------------|
|------------------------------|----------------|----------------|---------------------------|----------------------------|-------------------------|--------------------------|--------------------------|-----------------|---------------|

## **RAMSHOT HUNTER**

|     |        |         |      |       |      |       |        |       |   |
|-----|--------|---------|------|-------|------|-------|--------|-------|---|
| 155 | BERGER | VLD     | 57.9 | 2,837 | 64.3 | 3,092 | 59,009 | 3.320 | C |
| 155 | HDY    | A-MAX   | 56.7 | 2,807 | 63.0 | 3,028 | 55,295 | 3.210 | C |
| 155 | SIERRA | HPBT MK | 58.5 | 2,904 | 65.0 | 3,135 | 59,800 | 3.250 | C |
| 165 | NOSLER | PART    | 55.7 | 2,746 | 61.9 | 2,991 | 59,840 | 3.305 | C |
| 165 | BARNES | MRX-BT  | 55.5 | 2,687 | 61.7 | 2,924 | 55,423 | 3.205 | C |
| 168 | BERGER | VLD     | 54.8 | 2,721 | 60.9 | 2,964 | 59,444 | 3.330 |   |
| 168 | HDY    | A-MAX   | 54.4 | 2,715 | 60.5 | 2,945 | 59,664 | 3.330 |   |
| 168 | NOSLER | HPBT-CC | 54.2 | 2,702 | 60.2 | 2,935 | 59,153 | 3.330 |   |
| 168 | SIERRA | HPBT MK | 53.6 | 2,695 | 59.5 | 2,931 | 59,303 | 3.285 |   |
| 168 | BARNES | TTSX    | 55.5 | 2,661 | 61.6 | 2,902 | 56,269 | 3.300 | C |
| 168 | NOSLER | E-TIP   | 54.2 | 2,680 | 60.3 | 2,924 | 59,100 | 3.330 | C |
| 175 | NOSLER | HPBT-CC | 52.6 | 2,637 | 58.5 | 2,871 | 59,399 | 3.290 |   |
| 175 | SIERRA | HPBT MK | 53.3 | 2,646 | 59.2 | 2,883 | 59,772 | 3.290 |   |
| 180 | HDY    | SST     | 54.5 | 2,650 | 60.5 | 2,869 | 59,026 | 3.220 | C |
| 180 | NOSLER | B-TIP   | 51.0 | 2,513 | 59.4 | 2,820 | 59,403 | 3.340 | C |
| 180 | SIERRA | SBT     | 51.6 | 2,527 | 60.0 | 2,852 | 59,468 | 3.335 |   |
| 180 | SIERRA | HPBT MK | 52.6 | 2,596 | 58.5 | 2,824 | 59,469 | 3.305 |   |
| 180 | SIERRA | SPT PH  | 53.9 | 2,600 | 59.9 | 2,835 | 59,725 | 3.300 |   |
| 180 | SPEER  | GSLAM   | 54.9 | 2,642 | 61.0 | 2,860 | 59,890 | 3.170 | C |
| 180 | BARNES | TSX-BT  | 54.4 | 2,615 | 60.4 | 2,838 | 55,048 | 3.218 | C |
| 180 | NOSLER | E-TIP   | 52.3 | 2,588 | 58.1 | 2,821 | 59,470 | 3.340 | C |
| 185 | BERGER | BTTLR   | 52.4 | 2,584 | 58.2 | 2,815 | 59,781 | 3.340 |   |
| 190 | HDY    | BTSP    | 52.7 | 2,557 | 58.6 | 2,782 | 59,683 | 3.230 | C |
| 190 | NOSLER | HPBT-CC | 51.4 | 2,537 | 57.1 | 2,769 | 59,741 | 3.340 |   |
| 200 | SIERRA | HPBT MK | 50.8 | 2,467 | 56.4 | 2,688 | 59,810 | 3.314 |   |
| 200 | BARNES | TSX-FB  | 50.7 | 2,389 | 56.3 | 2,585 | 51,406 | 3.218 | C |
| 208 | HDY    | BTHP-M  | 49.6 | 2,381 | 55.1 | 2,601 | 59,658 | 3.340 |   |
| 210 | BERGER | VLD     | 49.5 | 2,384 | 55.0 | 2,594 | 59,142 | 3.340 |   |
| 225 | HDY    | BTHP-M  | 47.1 | 2,232 | 52.4 | 2,461 | 59,394 | 3.340 |   |

## **REDUCED LOADS - NO OTHER LOAD RECOMMENDED**

### **ACCURATE 5744**

|         |       |         |      |       |  |  |  |       |  |
|---------|-------|---------|------|-------|--|--|--|-------|--|
| 160 (L) | LYMAN | #311672 | 27.0 | 2,085 |  |  |  | 3.035 |  |
| 173 (L) | LYMAN | #311041 | 25.0 | 1,920 |  |  |  | 3.015 |  |
| 200 (L) | LYMAN | #311299 | 22.0 | 1,625 |  |  |  | 3.250 |  |