

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
------------------------	-------------	-------------	---------------------	----------------------	-------------------	--------------------	--------------------	--------------

38 SPECIAL

Barrel: 7.75" | Twist: 1-18.75" | Primer: WIN WSP | Bullet Diameter: 0.357"
Case: STAR | Max Case Length: 1.155" | Trim Length: 1.145"

ACCURATE NITRO 100 NE

110	SIERRA	JHC	3.3	909	3.6	978	16,758	1.435
125 (P)	RAIN	HP	3.2	791	3.5	868	16,901	1.440
140 (L)	LC	FP	2.7	829	3.0	884	16,987	1.435
158 (L)	LC	SWC	2.4	737	2.7	789	16,250	1.460

RAMSHOT COMPETITION

110	HDY	XTP	3.6	949	4.0	1,054	16,400	1.450
125	SIERRA	JHC	3.5	878	3.9	975	16,410	1.447
125 (L)	LC	FN	3.2	903	3.6	1,003	16,790	1.440
140	HDY	XTP	3.2	748	3.5	831	16,650	1.438
140 (L)	LC	FN	3.1	850	3.4	944	16,830	1.445
148 (L)	LC	WCDBB	2.3	727	2.5	808	16,430	1.231
158	HDY	XTP	2.9	665	3.2	739	16,740	1.434

RAMSHOT ZIP

110	HDY	XTP	5.0	1,013	5.5	1,125	16,800	1.435
125	SIERRA	JHC	4.8	988	5.3	1,098	16,640	1.447
125 (P)	RAIN	HP	4.4	895	4.9	997	16,761	1.440
125 (L)	LC	FN	4.4	1,001	4.9	1,112	16,770	1.440
125	SF	RHFP	4.0	642	4.4	713	16,095	1.500
140	HDY	XTP	4.1	840	4.5	933	16,550	1.438
140 (L)	LC	FN	4.1	945	4.5	1,050	16,640	1.445
148 (L)	LC	WCDBB	3.2	835	3.6	928	16,500	1.231
158	HDY	XTP	3.7	756	4.1	840	16,360	1.434
158 (L)	LC	SWC	3.8	870	4.2	967	16,390	1.477

38 SPECIAL *(continued)*

ACCURATE SOLO 1000

110	SIERRA	JHC	4.3	1,013	4.8	1,083	16,990	1.435
125 (P)	RAIN	HP	4.0	879	4.4	955	16,963	1.440
148 (L)	LC	WCDBB	2.8	796	3.1	851	16,840	1.231
158 (L)	LC	SWC	3.2	813	3.6	871	16,838	1.460

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
------------------------	-------------	-------------	---------------------	----------------------	-------------------	--------------------	--------------------	--------------

ACCURATE NO. 2

110	SIERRA	JHC	4.4	1,023	4.9	1,102	16,633	1.435
125	BARNES	TAC-XP	3.6	709	4.0	814	16,905	1.455
125	HDY	HP/XTP	4.3	933	4.8	1,017	16,903	1.445
125	REM	GS	4.5	967	5.0	1,051	16,931	1.530
125 (P)	RAIN	HP	4.2	933	4.7	1,005	16,613	1.440
125	SF	RHFP	3.4	552	3.8	613	16,155	1.500
140	HDY	HP/XTP	3.9	802	4.3	897	16,246	1.445
140	SIERRA	JHP	4.2	781	4.7	888	16,700	1.445
140 (L)	LC	FP	3.8	903	4.2	979	16,793	1.435
148 (L)	LC	WCDBB	2.6	634	2.9	720	15,500	1.152
150	NOSLER	JHP	4.2	751	4.7	853	17,000	1.450
158	HDY	XTP	3.6	665	4.0	756	16,500	1.445
158	NOSLER	HP	3.6	718	4.0	806	16,471	1.430
158 (P)	BERRY	FP	3.6	709	4.0	800	16,341	1.430
158 (L)	MCB	SWC	3.6	764	4.0	868	14,100	1.481

RAMSHOT SILHOUETTE

110	HDY	XTP	6.3	1,159	6.9	1,267	16,160	1.450
110	SIERRA	JHC	6.1	1,122	6.7	1,221	16,944	1.435
125	HDY	HP/XTP	5.8	1,039	6.2	1,109	16,845	1.445
125	REM	GS	6.0	1,070	6.5	1,137	16,531	1.530
125	SIERRA	JHC	6.2	1,105	6.7	1,192	16,620	1.447
125 (P)	RAIN	HP	6.1	1,066	6.5	1,137	16,661	1.440
125 (L)	LC	FN	5.7	1,066	6.2	1,157	16,150	1.440
125	SF	RHFP	5.2	816	5.7	894	16,085	1.500
140	HDY	HP/XTP	5.3	937	5.6	1,003	16,506	1.445
140 (L)	LC	FP	5.2	1,004	5.6	1,068	16,645	1.435
148 (L)	LC	WCDBB	4.5	925	4.9	1,006	16,940	1.231
158	HDY	XTP	5.2	902	5.6	969	16,410	1.434
158	NOSLER	HP	4.8	841	5.2	913	16,610	1.430
158 (P)	BERRY	FP	4.8	817	5.3	891	16,658	1.430
158 (L)	LC	SWC	5.2	972	5.6	1,046	16,720	1.477

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
------------------------------	----------------	----------------	---------------------------	----------------------------	-------------------------	--------------------------	--------------------------	-----------------

RAMSHOT TRUE BLUE

110	HDY	XTP	5.9	1,066	6.6	1,184	16,330	1.450
110	SIERRA	JHC	6.0	1,099	6.7	1,187	16,932	1.435
125	SIERRA	JHC	5.7	990	6.3	1,100	16,320	1.447
125	BARNES	TAC-XP	4.7	775	5.3	883	16,868	1.455
125	HDY	HP/XTP	5.6	995	6.2	1,081	16,925	1.445
125	REM	GS	5.7	1,018	6.4	1,107	16,659	1.530
125 (P)	RAIN	HP	5.9	1,009	6.6	1,108	16,908	1.440
125 (L)	LC	FN	5.6	999	6.2	1,110	16,450	1.440
125	SF	RHFP	5.0	743	5.5	826	16,925	1.500
140	HDY	HP/XTP	5.1	886	5.6	974	16,812	1.445
140 (L)	LC	FP	4.9	949	5.4	1,028	16,424	1.435
148 (L)	LC	WCDBB	4.2	849	4.7	943	16,590	1.231
158	HDY	XTP	4.8	813	5.3	903	16,610	1.434
158	NOSLER	HP	4.6	797	5.1	879	16,827	1.430
158 (P)	BERRY	FP	4.6	754	5.2	837	16,867	1.430
158 (L)	LC	SWC	5.0	912	5.6	1,013	16,460	1.477

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
------------------------	-------------	-------------	---------------------	----------------------	-------------------	--------------------	--------------------	--------------

ACCURATE NO. 5

110	SIERRA	JHC	6.4	1,075	7.1	1,181	16,586	1.435
125	BARNES	TAC-XP	5.2	791	5.8	907	16,884	1.455
125	HDY	HP/XTP	6.1	981	6.8	1,081	16,708	1.445
125	REM	GS	6.4	1,051	7.1	1,134	16,811	1.530
125	SIERRA	JHC	6.1	966	6.8	1,055	16,975	1.447
125 (P)	RAIN	HP	6.4	1,007	7.2	1,112	16,776	1.440
125	SF	RHFP	5.4	785	6.0	872	16,925	1.500
140	HDY	HP/XTP	5.5	889	6.2	976	16,581	1.445

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
------------------------	-------------	-------------	---------------------	----------------------	-------------------	--------------------	--------------------	--------------

140	SIERRA	JHP	5.8	757	6.4	860	16,700	1.445
140 (L)	LC	FP	5.6	960	6.2	1,049	16,849	1.435
148 (L)	LC	WCDBB	3.6	710	4.0	807	16,200	1.152
150	NOSLER	JHP	5.9	715	6.5	813	16,600	1.450
158	HDY	XTP	5.2	740	5.8	841	16,500	1.445
158	NOSLER	HP	5.0	795	5.6	882	16,591	1.430
158 (P)	BERRY	FP	5.2	807	5.8	897	16,820	1.430
158 (P)	RAIN	RN	5.1	829	5.7	943	16,900	1.430
158 (L)	MCB	SWC	5.3	827	5.9	940	16,100	1.481

38 SPECIAL +P

Barrel: 7.75" | Twist: 1-18.75" | Primer: WIN WSP | Bullet Diameter: 0.357"
Case: REM | Max Case Length: 1.155" | Trim Length: 1.145"

ACCURATE NITRO 100 NF

110	SIERRA	JHC	3.6	976	4.0	1,053	19,961	1.435
125 (P)	RAIN	HP	3.5	868	3.9	954	19,985	1.440
140 (L)	LC	FP	3.0	875	3.4	948	19,958	1.435
148 (L)	LC	WCDBB	2.5	812	2.7	856	19,961	1.231
158 (P)	BERRY	FP	2.9	605	3.3	712	19,957	1.430
158 (L)	LC	SWC	2.7	781	3.0	851	19,289	1.460

RAMSHOT ZIP

110	BARNES	XPB	4.4	917	4.9	1,019	18,145	1.515
125 (P)	RAIN	HP	4.9	1,007	5.5	1,121	19,958	1.440
158 (P)	BERRY	FP	3.9	743	4.3	849	19,857	1.430

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
<u>ACCURATE SOLO 1000</u>								
110	SIERRA	JHC	4.8	1,091	5.2	1,153	19,957	1.435
125 (P)	RAIN	HP	4.4	950	5.0	1,054	19,989	1.440
148 (L)	LC	WCDBB	3.1	840	3.5	914	19,947	1.231
158 (P)	BERRY	FP	3.7	722	4.0	796	19,753	1.430
158 (L)	LC	SWC	3.6	870	4.0	941	19,961	1.460
<u>ACCURATE NO. 2</u>								
110	SIERRA	JHC	4.9	1,112	5.3	1,183	19,963	1.435
110	BARNES	XPB	4.1	905	4.6	1,005	18,065	1.515
125	HDY	HP/XTP	4.8	1,024	5.3	1,098	19,947	1.445
125	REM	GS	5.0	1,047	5.4	1,119	19,786	1.530
125	BARNES	TAC-XP	4.0	804	4.3	907	19,972	1.455
125 (P)	RAIN	HP	4.7	1,002	5.1	1,074	19,823	1.440
140	HDY	HP/XTP	4.3	886	4.7	979	19,569	1.445
140 (L)	LC	FP	4.2	971	4.7	1,055	19,987	1.435
158	NOSLER	HP	4.0	810	4.3	889	19,879	1.430
158 (P)	BERRY	FP	4.0	790	4.4	880	19,862	1.430

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
------------------------	-------------	-------------	---------------------	----------------------	-------------------	--------------------	--------------------	--------------

RAMSHOT SILHOUETTE

110	SIERRA	JHC	6.7	1,233	7.1	1,304	19,816	1.435
110	BARNES	XPB	5.7	1,049	6.3	1,165	18,275	1.515
125	HDY	HP/XTP	6.2	1,102	6.7	1,188	19,989	1.445
125	REM	GS	6.5	1,142	7.1	1,226	19,837	1.530
125 (P)	RAIN	HP	6.5	1,137	7.1	1,232	19,964	1.440
140	HDY	HP/XTP	5.6	992	6.2	1,095	19,981	1.445
140 (L)	LC	FP	5.6	1,070	6.1	1,150	19,834	1.435
148 (P)	BERRY	DEWC	4.2	784	4.6	883	19,934	1.140
158	NOSLER	HP	5.2	913	5.6	1,002	19,854	1.430
158 (P)	BERRY	FP	5.3	892	5.8	985	19,894	1.430

RAMSHOT TRUE BLUE

110	SIERRA	JHC	6.7	1,192	7.4	1,279	19,786	1.435
110	BARNES	XPB	5.6	973	6.2	1,081	18,075	1.515
125	HDY	HP/XTP	6.2	1,078	6.9	1,174	19,958	1.445
125	REM	GS	6.4	1,111	7.0	1,199	19,954	1.530
125	BARNES	TAC-XP	5.3	886	5.7	982	19,896	1.455
125 (P)	RAIN	HP	6.6	1,113	7.2	1,200	19,824	1.440
140	HDY	HP/XTP	5.6	972	6.3	1,071	19,948	1.445
140 (L)	LC	FP	5.4	1,028	6.0	1,116	19,867	1.435
148 (P)	BERRY	DEWC	4.0	712	4.4	818	19,947	1.140
158	NOSLER	HP	5.1	886	5.7	978	19,956	1.430
158 (P)	BERRY	FP	5.2	846	5.7	920	19,894	1.430
230 (L)	PENN	T-HEAD	3.5	645	4.0	723	19,921	1.505

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
---------------------------	-------------	-------------	------------------------	-------------------------	----------------------	-----------------------	-----------------------	-----------------

38 SPECIAL +P *(continued)*

ACCURATE NO. 5

110	SIERRA	JHC	7.1	1,172	7.9	1,302	19,964	1.435
110	BARNES	XPB	5.9	1,026	6.6	1,140	17,905	1.515
125	HDY	HP/XTP	6.8	1,074	7.5	1,184	19,836	1.445
125	REM	GS	7.1	1,137	7.8	1,219	19,968	1.530
125	BARNES	TAC-XP	5.8	899	6.3	1,014	19,989	1.455
125 (P)	RAIN	HP	7.2	1,113	7.8	1,204	19,278	1.440
125	SF	RHFP	5.7	852	6.3	947	18,295	1.500
140	HDY	HP/XTP	6.2	974	6.8	1,071	19,932	1.445
140 (L)	LC	FP	6.2	1,050	6.8	1,128	19,953	1.435
148 (P)	BERRY	DEWC	4.5	717	5.0	843	19,926	1.140
158	NOSLER	HP	5.6	886	6.2	983	19,931	1.430
158 (P)	BERRY	FP	5.8	891	6.4	980	19,921	1.430
230 (L)	BADMAN	B-PIN	4.0	672	4.4	740	19,987	1.460

ACCURATE NO. 7

110	BARNES	XPB	7.3	1,049	8.1	1,165	18,135	1.515
230 (L)	BADMAN	B-PIN	4.7	702	5.2	767	19,987	1.460

ACCURATE NO. 9

230 (L)	PENN	T-HEAD	6.2	782	6.7	855	19,961	1.505
---------	------	--------	-----	-----	-----	-----	--------	-------