

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|

9MM LUGER (9MM PARABELLUM, 9X19)

Barrel: 4" ; Twist: 1-10" ; Primer: WIN WSP ; Bullet Diameter: 0.355"
 Case: WIN ; Max Case Length: 0.754 " ; Trim Length: 0.749"

ACCURATE NITRO 100 NE

| | | | | | | | | |
|---------|--------|--------|-----|-------|-----|-------|--------|-------|
| 90 | HDY | XTP | 3.8 | 1,140 | 4.2 | 1,206 | 34,823 | 1.070 |
| 95 | BARNES | TAC-XP | 3.4 | 1,023 | 3.7 | 1,109 | 34,123 | 1.160 |
| 115 | NOSLER | JHP | 3.1 | 912 | 3.4 | 972 | 34,700 | 1.077 |
| 115 | SIERRA | FMJ | 2.9 | 926 | 3.3 | 986 | 33,912 | 1.100 |
| 115 (P) | BERRY | RNDS | 3.3 | 947 | 3.7 | 1,009 | 34,003 | 1.130 |
| 115 (P) | RAIN | HP | 2.8 | 895 | 3.4 | 985 | 34,500 | 1.100 |
| 115 (P) | RAIN | RN | 3.3 | 951 | 3.6 | 1,020 | 34,781 | 1.140 |
| 115 (L) | LC | RN | 2.9 | 980 | 3.3 | 1,032 | 34,451 | 1.070 |
| 124 | HDY | XTP | 2.6 | 839 | 2.9 | 883 | 34,835 | 1.060 |
| 124 | REM | GS | 2.9 | 841 | 3.3 | 941 | 34,221 | 1.145 |
| 124 | SPEER | GDHP | 2.9 | 761 | 3.2 | 865 | 34,968 | 1.105 |
| 124 | WIN | FMJ | 2.6 | 761 | 3.0 | 864 | 33,750 | 1.100 |
| 124 (P) | BERRY | HBFP | 2.9 | 865 | 3.2 | 918 | 34,556 | 1.060 |
| 124 (P) | BERRY | RN | 3.2 | 901 | 3.6 | 965 | 34,646 | 1.160 |
| 124 (P) | RAIN | HP | 2.9 | 852 | 3.3 | 911 | 34,000 | 1.110 |
| 124 (P) | RAIN | RN | 3.1 | 901 | 3.5 | 958 | 33,846 | 1.160 |
| 124 (L) | LC | RN | 2.6 | 896 | 2.9 | 947 | 34,995 | 1.050 |
| 125 | SIERRA | JHP | 2.6 | 827 | 2.9 | 882 | 34,004 | 1.035 |
| 147 | REM | GS | 2.8 | 781 | 3.1 | 825 | 34,013 | 1.165 |
| 147 | SPEER | TMJ-FN | 2.5 | 737 | 2.8 | 782 | 34,409 | 1.130 |
| 147 (P) | RAIN | TRN | 2.8 | 767 | 3.1 | 823 | 34,985 | 1.160 |
| 147 (L) | LC | FP | 2.5 | 806 | 2.7 | 854 | 34,238 | 1.145 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|----------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
| RAMSHOT COMPETITION | | | | | | | | |
| 90 | HDY | XTP | 3.9 | 1,145 | 4.4 | 1,209 | 34,564 | 1.070 |
| 95 | BARNES | TAC-XP | 3.7 | 1,052 | 4.1 | 1,115 | 34,595 | 1.160 |
| 115 | NOSLER | JHP | 3.2 | 919 | 3.6 | 992 | 34,774 | 1.077 |
| 115 | SIERRA | FMJ | 3.3 | 958 | 3.7 | 1,020 | 33,912 | 1.100 |
| 115 (P) | BERRY | RNDS | 3.5 | 980 | 3.9 | 1,018 | 34,312 | 1.130 |
| 115 (P) | RAIN | RN | 3.2 | 941 | 3.6 | 1,003 | 34,202 | 1.140 |
| 115 (L) | LC | RN | 3.5 | 1,038 | 3.8 | 1,084 | 34,622 | 1.070 |
| 124 | HDY | XTP | 2.7 | 846 | 3.0 | 898 | 34,722 | 1.060 |
| 124 | MIL | FMJ | 2.9 | 788 | 3.4 | 890 | 34,825 | 1.100 |
| 124 | REM | GS | 3.2 | 890 | 3.5 | 964 | 34,710 | 1.145 |
| 124 | SPEER | GDHP | 3.0 | 816 | 3.3 | 884 | 34,612 | 1.105 |
| 124 (P) | BERRY | HBFP | 3.0 | 872 | 3.3 | 945 | 33,994 | 1.060 |
| 124 (P) | BERRY | RN | 3.1 | 875 | 3.5 | 948 | 34,641 | 1.160 |
| 124 (P) | RAIN | HP | 3.0 | 849 | 3.4 | 940 | 34,097 | 1.110 |
| 124 (P) | RAIN | RN | 3.2 | 883 | 3.5 | 964 | 34,602 | 1.160 |
| 124 (L) | LC | RN | 2.6 | 894 | 2.9 | 954 | 34,713 | 1.050 |
| 125 | SIERRA | JHP | 2.8 | 836 | 3.1 | 897 | 34,158 | 1.035 |
| 147 | REM | GS | 3.1 | 804 | 3.4 | 856 | 34,449 | 1.165 |
| 147 | SPEER | TMJ-FN | 2.5 | 709 | 2.8 | 777 | 32,759 | 1.130 |
| 147 (P) | RAIN | TRN | 2.7 | 758 | 3.0 | 814 | 34,427 | 1.160 |
| 147 (L) | LC | FP | 2.6 | 835 | 2.9 | 896 | 34,964 | 1.145 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|---------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
| <u>RAMSHOT ZIP</u> | | | | | | | | |
| 90 | HDY | XTP | 4.6 | 1,172 | 5.1 | 1,280 | 34,911 | 1.070 |
| 90 | SF | RHFP | 3.9 | 1,064 | 4.3 | 1,182 | 34,030 | 1.120 |
| 95 | BARNES | TAC-XP | 4.2 | 1,070 | 4.7 | 1,172 | 34,333 | 1.160 |
| 100 | SF | RHFP | 3.6 | 993 | 4.0 | 1,103 | 34,550 | 1.120 |
| 115 | NOSLER | JHP | 4.1 | 990 | 4.5 | 1,083 | 34,616 | 1.077 |
| 115 | SIERRA | FMJ | 4.0 | 1,016 | 4.5 | 1,106 | 34,991 | 1.100 |
| 115 | BARNES | XPB | 3.3 | 876 | 3.7 | 973 | 32,540 | 1.160 |
| 115 (P) | BERRY | RNDS | 4.1 | 1,005 | 4.6 | 1,089 | 34,219 | 1.130 |
| 115 (P) | RAIN | RN | 4.3 | 1,016 | 4.8 | 1,113 | 34,669 | 1.140 |
| 115 (L) | LC | RN | 3.8 | 1,041 | 4.2 | 1,125 | 34,442 | 1.070 |
| 124 | HDY | XTP | 3.3 | 888 | 3.7 | 967 | 34,893 | 1.060 |
| 124 | MIL | FMJ | 3.8 | 879 | 4.3 | 985 | 34,750 | 1.100 |
| 124 | REM | GS | 4.1 | 970 | 4.6 | 1,055 | 34,880 | 1.145 |
| 124 | SPEER | GDHP | 3.8 | 888 | 4.2 | 979 | 34,218 | 1.105 |
| 124 (P) | BERRY | HBFP | 3.7 | 928 | 4.1 | 1,004 | 34,111 | 1.060 |
| 124 (P) | BERRY | RN | 4.1 | 938 | 4.6 | 1,033 | 34,750 | 1.160 |
| 124 (P) | RAIN | HP | 3.9 | 930 | 4.3 | 1,015 | 34,991 | 1.110 |
| 124 (P) | RAIN | RN | 4.2 | 965 | 4.6 | 1,067 | 34,862 | 1.160 |
| 124 (L) | LC | RN | 3.4 | 958 | 3.7 | 1,035 | 34,722 | 1.050 |
| 125 | SIERRA | JHP | 3.4 | 886 | 3.8 | 970 | 34,303 | 1.035 |
| 147 | REM | GS | 3.5 | 835 | 3.9 | 911 | 34,651 | 1.165 |
| 147 | SPEER | TMJ-FN | 3.2 | 784 | 3.5 | 857 | 34,533 | 1.130 |
| 147 (P) | RAIN | TRN | 3.5 | 822 | 3.9 | 904 | 34,722 | 1.160 |
| 147 (L) | LC | FP | 3.2 | 867 | 3.5 | 941 | 34,740 | 1.145 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|

ACCURATE SOLO 1000

| | | | | | | | | |
|---------|--------|--------|-----|-------|-----|-------|--------|-------|
| 90 | HDY | XTP | 4.5 | 1,176 | 5.0 | 1,249 | 34,801 | 1.070 |
| 95 | BARNES | TAC-XP | 4.1 | 1,072 | 4.6 | 1,156 | 34,210 | 1.160 |
| 115 | NOSLER | JHP | 4.0 | 999 | 4.5 | 1,053 | 34,699 | 1.077 |
| 115 | SIERRA | FMJ | 4.1 | 1,030 | 4.6 | 1,085 | 34,867 | 1.100 |
| 115 (P) | BERRY | RNDS | 4.0 | 1,004 | 4.4 | 1,057 | 34,113 | 1.130 |
| 115 (P) | RAIN | HP | 3.4 | 930 | 4.1 | 1,055 | 34,750 | 1.100 |
| 115 (P) | RAIN | RN | 4.0 | 996 | 4.4 | 1,061 | 34,927 | 1.140 |
| 115 (L) | LC | RN | 4.0 | 1,066 | 4.5 | 1,122 | 34,990 | 1.070 |
| 124 | HDY | XTP | 3.2 | 868 | 3.6 | 935 | 34,909 | 1.060 |
| 124 | REM | GS | 4.0 | 955 | 4.4 | 1,026 | 34,214 | 1.145 |
| 124 | SPEER | GDHP | 3.4 | 847 | 3.8 | 941 | 34,553 | 1.105 |
| 124 | WIN | FMJ | 3.1 | 827 | 3.6 | 945 | 34,250 | 1.100 |
| 124 (P) | BERRY | HBFP | 3.6 | 908 | 4.0 | 977 | 34,629 | 1.060 |
| 124 (P) | BERRY | RN | 3.6 | 892 | 4.0 | 978 | 34,384 | 1.160 |
| 124 (P) | RAIN | HP | 3.8 | 918 | 4.2 | 993 | 34,818 | 1.110 |
| 124 (P) | RAIN | RN | 3.8 | 941 | 4.2 | 1,011 | 34,910 | 1.160 |
| 124 (L) | LC | RN | 3.3 | 950 | 3.7 | 1,007 | 34,428 | 1.050 |
| 125 | SIERRA | JHP | 3.4 | 882 | 3.8 | 953 | 34,824 | 1.035 |
| 147 | REM | GS | 3.5 | 829 | 3.9 | 890 | 34,912 | 1.165 |
| 147 | SPEER | TMJ-FN | 3.1 | 780 | 3.5 | 843 | 34,601 | 1.130 |
| 147 (P) | RAIN | TRN | 3.3 | 816 | 3.7 | 871 | 34,173 | 1.160 |
| 147 (L) | LC | FP | 3.2 | 867 | 3.5 | 923 | 34,101 | 1.145 |

ACCURATE NO. 2

| | | | | | | | | |
|---------|--------|--------|-----|-------|-----|-------|--------|-------|
| 90 | HDY | XTP | 4.8 | 1,214 | 5.4 | 1,293 | 34,863 | 1.070 |
| 90 | SF | RHFP | 4.3 | 1,080 | 4.8 | 1,200 | 34,620 | 1.120 |
| 95 | BARNES | TAC-XP | 4.2 | 1,083 | 4.7 | 1,158 | 34,754 | 1.160 |
| 100 | SF | RHFP | 4.0 | 978 | 4.4 | 1,087 | 34,270 | 1.120 |
| 115 | NOSLER | JHP | 4.2 | 1,016 | 4.7 | 1,077 | 34,725 | 1.077 |
| 115 | SIERRA | FMJ | 3.7 | 971 | 4.6 | 1,088 | 34,202 | 1.100 |
| 115 | BARNES | XPB | 4.1 | 905 | 4.6 | 1,005 | 33,330 | 1.160 |
| 115 (P) | BERRY | RNDS | 4.2 | 1,043 | 4.7 | 1,103 | 34,853 | 1.130 |
| 115 (P) | RAIN | HP | 3.7 | 977 | 4.4 | 1,034 | 34,550 | 1.100 |
| 115 (P) | RAIN | RN | 4.2 | 1,023 | 4.7 | 1,100 | 34,695 | 1.140 |
| 115 (L) | LC | RN | 3.9 | 1,055 | 4.4 | 1,109 | 34,808 | 1.070 |
| 124 | HDY | XTP | 3.3 | 877 | 3.6 | 938 | 34,518 | 1.060 |
| 124 | REM | GS | 4.3 | 989 | 4.8 | 1,054 | 34,859 | 1.145 |
| 124 | SPEER | GDHP | 3.9 | 917 | 4.3 | 989 | 34,347 | 1.105 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|

9MM LUGER (9MM PARABELLUM, 9X19) *(continued)*

ACCURATE NO. 2 *(continued)*

| | | | | | | | | |
|---------|--------|--------|-----|-----|-----|-------|--------|-------|
| 124 | WIN | FMJ | 3.6 | 880 | 4.2 | 992 | 34,675 | 1.100 |
| 124 (P) | BERRY | HBFP | 3.7 | 940 | 4.1 | 999 | 34,231 | 1.060 |
| 124 (P) | BERRY | RN | 4.0 | 962 | 4.4 | 1,042 | 34,237 | 1.160 |
| 124 (P) | RAIN | HP | 3.9 | 960 | 4.3 | 1,017 | 34,618 | 1.110 |
| 124 (P) | RAIN | RN | 4.1 | 977 | 4.6 | 1,055 | 34,751 | 1.160 |
| 124 (L) | LC | RN | 3.4 | 953 | 3.8 | 1,012 | 34,794 | 1.050 |
| 125 | SIERRA | JHP | 3.6 | 889 | 4.0 | 961 | 34,688 | 1.035 |
| 135 | RMR | FP | 3.3 | 826 | 3.9 | 912 | 34,326 | 1.100 |
| 147 | REM | GS | 3.6 | 831 | 4.0 | 890 | 34,211 | 1.165 |
| 147 | SPEER | TMJ-FN | 3.3 | 814 | 3.6 | 869 | 34,909 | 1.130 |
| 147 (P) | RAIN | TRN | 3.4 | 835 | 3.8 | 901 | 34,683 | 1.160 |
| 147 (L) | LC | FP | 3.2 | 852 | 3.6 | 911 | 34,444 | 1.145 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|----------------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
| <u>RAMSHOT SILHOUETTE</u> | | | | | | | | |
| 65 | LHG | XD | 7.4 | 1,474 | 8.7 | 1,643 | 32,330 | 1.100 |
| 90 | HDY | XTP | 6.2 | 1,253 | 6.9 | 1,368 | 34,689 | 1.070 |
| 90 | SF | RHFP | 5.8 | 1,207 | 6.4 | 1,341 | 34,910 | 1.120 |
| 90 | LHG | XD | 6.1 | 1,189 | 6.8 | 1,300 | 34,422 | 1.125 |
| 95 | BARNES | TAC-XP | 5.7 | 1,179 | 6.3 | 1,281 | 34,876 | 1.160 |
| 100 | SF | RHFP | 5.2 | 1,108 | 5.8 | 1,231 | 34,980 | 1.120 |
| 115 | NOSLER | JHP | 5.1 | 1,060 | 5.7 | 1,136 | 34,211 | 1.077 |
| 115 | SIERRA | FMJ | 5.3 | 1,109 | 5.9 | 1,180 | 34,992 | 1.100 |
| 115 | BARNES | XPB | 4.8 | 1,003 | 5.3 | 1,114 | 34,030 | 1.160 |
| 115 (P) | BERRY | RNDS | 5.5 | 1,099 | 6.2 | 1,189 | 34,777 | 1.130 |
| 115 (P) | RAIN | RN | 5.4 | 1,070 | 6.0 | 1,178 | 34,963 | 1.140 |
| 115 (L) | LC | RN | 5.1 | 1,126 | 5.7 | 1,199 | 34,718 | 1.070 |
| 124 | HDY | XTP | 4.6 | 945 | 5.4 | 1,072 | 34,850 | 1.060 |
| 124 | MIL | FMJ | 4.7 | 962 | 5.5 | 1,085 | 34,775 | 1.100 |
| 124 | REM | GS | 5.3 | 1,034 | 5.9 | 1,124 | 34,210 | 1.145 |
| 124 | SPEER | GDHP | 5.0 | 1,002 | 5.6 | 1,090 | 34,969 | 1.105 |
| 124 (P) | BERRY | HBFP | 4.8 | 1,000 | 5.4 | 1,082 | 34,338 | 1.060 |
| 124 (P) | BERRY | RN | 5.2 | 1,023 | 5.8 | 1,133 | 34,986 | 1.160 |
| 124 (P) | RAIN | HP | 5.1 | 1,004 | 5.6 | 1,095 | 34,556 | 1.110 |
| 124 (P) | RAIN | RN | 5.2 | 1,018 | 5.8 | 1,119 | 34,354 | 1.160 |
| 124 (L) | LC | RN | 4.5 | 1,020 | 5.0 | 1,096 | 34,644 | 1.050 |
| 125 | SIERRA | JHP | 4.6 | 984 | 5.1 | 1,060 | 34,661 | 1.035 |
| 135 | RMR | FP | 4.4 | 888 | 5.2 | 1,021 | 34,724 | 1.100 |
| 147 | REM | GS | 4.6 | 911 | 5.2 | 993 | 34,106 | 1.165 |
| 147 | SPEER | TMJ-FN | 4.2 | 880 | 4.7 | 955 | 34,766 | 1.130 |
| 147 (P) | RAIN | TRN | 4.4 | 887 | 4.9 | 974 | 34,078 | 1.160 |
| 147 (L) | LC | FP | 4.1 | 906 | 4.6 | 981 | 34,001 | 1.145 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|---------------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
| <u>RAMSHOT TRUE BLUE</u> | | | | | | | | |
| 90 | SF | RHFP | 5.2 | 1,082 | 5.8 | 1,202 | 33,680 | 1.120 |
| 95 | BARNES | TAC-XP | 5.2 | 1,071 | 6.1 | 1,226 | 34,681 | 1.160 |
| 100 | SF | RHFP | 4.8 | 995 | 5.3 | 1,106 | 34,170 | 1.120 |
| 115 | NOSLER | JHP | 5.2 | 1,046 | 5.8 | 1,132 | 34,719 | 1.077 |
| 115 | SIERRA | FMJ | 5.0 | 1,006 | 5.9 | 1,147 | 34,512 | 1.100 |
| 115 | RMR | FMJ | 5.3 | 1,065 | 5.9 | 1,151 | 33,554 | 1.120 |
| 115 | BARNES | XPB | 4.4 | 902 | 4.9 | 1,002 | 32,150 | 1.160 |
| 115 (P) | BERRY | RNDS | 5.1 | 1,019 | 6.0 | 1,161 | 34,671 | 1.130 |
| 115 (P) | RAIN | RN | 4.9 | 1,070 | 5.8 | 1,187 | 34,793 | 1.140 |
| 115 (L) | LC | RN | 4.8 | 1,041 | 5.7 | 1,174 | 34,761 | 1.070 |
| 124 | HDY | XTP | 4.7 | 892 | 5.5 | 1,060 | 34,525 | 1.060 |
| 124 | RMR | JHP | 5.0 | 992 | 5.6 | 1,084 | 34,604 | 1.120 |
| 124 | MIL | FMJ | 4.9 | 895 | 5.8 | 1,065 | 34,850 | 1.100 |
| 124 | REM | GS | 5.3 | 995 | 6.2 | 1,145 | 34,632 | 1.145 |
| 124 | SPEER | GDHP | 4.9 | 929 | 5.7 | 1,075 | 34,906 | 1.105 |
| 124 (P) | BERRY | HBFP | 4.6 | 936 | 5.5 | 1,074 | 34,903 | 1.060 |
| 124 (P) | BERRY | RN | 5.1 | 970 | 6.0 | 1,133 | 34,932 | 1.160 |
| 124 (P) | RAIN | HP | 4.9 | 951 | 5.8 | 1,093 | 34,740 | 1.110 |
| 124 (P) | RAIN | RN | 5.1 | 981 | 6.0 | 1,137 | 34,984 | 1.160 |
| 124 (L) | LC | RN | 4.3 | 944 | 5.0 | 1,070 | 34,891 | 1.050 |
| 125 | SIERRA | JHP | 4.2 | 879 | 5.0 | 1,008 | 34,663 | 1.035 |
| 147 | REM | GS | 4.4 | 846 | 5.2 | 970 | 34,946 | 1.165 |
| 147 | SPEER | TMJ-FN | 4.0 | 819 | 4.7 | 932 | 34,554 | 1.130 |
| 147 (P) | RAIN | TRN | 4.4 | 849 | 5.1 | 984 | 34,965 | 1.160 |
| 147 (L) | LC | FP | 4.0 | 868 | 4.7 | 979 | 34,623 | 1.145 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|-----------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
| <u>ACCURATE NO.5</u> | | | | | | | | |
| 90 | SF | RHFP | 5.6 | 1,101 | 6.2 | 1,223 | 33,540 | 1.120 |
| 95 | BARNES | TAC-XP | 5.6 | 1,066 | 6.6 | 1,228 | 34,466 | 1.160 |
| 100 | SF | RHFP | 5.2 | 1,031 | 5.8 | 1,145 | 34,600 | 1.120 |
| 115 | RMR | FMJ | 5.6 | 1,036 | 6.2 | 1,124 | 34,067 | 1.120 |
| 115 | NOSLER | JHP | 5.3 | 987 | 6.3 | 1,137 | 34,913 | 1.077 |
| 115 | SIERRA | FMJ | 5.3 | 1,001 | 6.3 | 1,148 | 34,200 | 1.100 |
| 115 | BARNES | XPB | 5.0 | 959 | 5.5 | 1,065 | 33,880 | 1.160 |
| 115 (P) | BERRY | RNDS | 5.6 | 1,007 | 6.6 | 1,162 | 34,667 | 1.130 |
| 115 (P) | RAIN | HP | 4.8 | 1,005 | 5.7 | 1,125 | 34,850 | 1.100 |
| 115 (P) | RAIN | RN | 5.2 | 1,062 | 6.1 | 1,170 | 34,902 | 1.140 |
| 115 (L) | LC | RN | 5.2 | 1,034 | 6.1 | 1,179 | 34,420 | 1.070 |
| 124 | HDY | XTP | 4.8 | 905 | 5.7 | 1,075 | 34,500 | 1.060 |
| 124 | WIN | FMJ | 5.3 | 950 | 6.0 | 1,075 | 34,555 | 1.150 |
| 124 | RMR | JHP | 5.5 | 989 | 6.1 | 1,076 | 34,039 | 1.120 |
| 124 | REM | GS | 5.5 | 970 | 6.5 | 1,127 | 34,544 | 1.145 |
| 124 | SPEER | GDHP | 5.1 | 924 | 6.0 | 1,067 | 34,989 | 1.105 |
| 124 (P) | BERRY | HBFP | 4.9 | 929 | 5.8 | 1,069 | 34,456 | 1.060 |
| 124 (P) | BERRY | RN | 5.4 | 956 | 6.4 | 1,116 | 34,732 | 1.160 |
| 124 (P) | RAIN | HP | 5.3 | 949 | 6.2 | 1,094 | 34,909 | 1.110 |
| 124 (P) | RAIN | RN | 5.4 | 960 | 6.4 | 1,118 | 34,451 | 1.160 |
| 124 (L) | LC | RN | 4.6 | 939 | 5.4 | 1,078 | 34,557 | 1.050 |
| 125 | SIERRA | JHP | 4.6 | 899 | 5.4 | 1,027 | 34,952 | 1.035 |
| 135 | RMR | FP | 4.7 | 840 | 5.6 | 971 | 34,226 | 1.100 |
| 147 | REM | GS | 4.7 | 857 | 5.5 | 974 | 34,444 | 1.165 |
| 147 | SPEER | TMJ-FN | 4.3 | 826 | 5.1 | 938 | 34,969 | 1.130 |
| 147 (P) | RAIN | TRN | 4.6 | 828 | 5.5 | 967 | 34,884 | 1.160 |
| 147 (L) | LC | FP | 4.4 | 867 | 5.2 | 990 | 34,998 | 1.145 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|

ACCURATE NO. 7

| | | | | | | | | |
|---------|--------|--------|-----|-------|-----|-------|--------|-------|
| 95 | BARNES | TAC-XP | 6.8 | 1,071 | 8.0 | 1,242 | 34,913 | 1.160 |
| 115 | NOSLER | JHP | 6.5 | 1,000 | 7.6 | 1,139 | 34,284 | 1.077 |
| 115 | SIERRA | FMJ | 6.6 | 1,036 | 7.8 | 1,166 | 34,566 | 1.100 |
| 115 (P) | BERRY | RNDS | 7.0 | 1,037 | 8.2 | 1,185 | 34,933 | 1.130 |
| 115 (P) | RAIN | HP | 5.5 | 1,018 | 6.5 | 1,157 | 34,675 | 1.100 |
| 115 (P) | RAIN | RN | 5.7 | 1,032 | 6.7 | 1,165 | 34,399 | 1.140 |
| 115 (L) | LC | RN | 6.4 | 1,052 | 7.5 | 1,178 | 33,632 | 1.070 |
| 124 | HDY | XTP | 6.2 | 978 | 7.3 | 1,150 | 34,750 | 1.060 |
| 124 | WIN | FMJ | 6.4 | 975 | 7.5 | 1,139 | 34,925 | 1.100 |
| 124 | REM | GS | 6.7 | 981 | 7.9 | 1,140 | 34,678 | 1.145 |
| 124 | SPEER | GDHP | 6.3 | 944 | 7.4 | 1,090 | 34,724 | 1.105 |
| 124 (P) | BERRY | HBFP | 5.9 | 929 | 6.9 | 1,072 | 34,627 | 1.060 |
| 124 (P) | BERRY | RN | 6.5 | 966 | 7.6 | 1,120 | 34,312 | 1.160 |
| 124 (P) | RAIN | HP | 6.2 | 941 | 7.3 | 1,087 | 34,604 | 1.110 |
| 124 (P) | RAIN | RN | 6.5 | 961 | 7.7 | 1,124 | 34,634 | 1.160 |
| 124 (L) | LC | RN | 5.5 | 944 | 6.5 | 1,086 | 34,546 | 1.050 |
| 125 | SIERRA | JHP | 5.6 | 897 | 6.5 | 1,035 | 34,747 | 1.035 |
| 135 | RMR | FP | 5.6 | 875 | 6.6 | 1,008 | 34,202 | 1.100 |
| 147 | REM | GS | 5.7 | 854 | 6.7 | 986 | 34,976 | 1.165 |
| 147 | SPEER | TMJ-FN | 5.3 | 818 | 6.2 | 948 | 34,863 | 1.130 |
| 147 (P) | RAIN | TRN | 5.6 | 859 | 6.6 | 984 | 34,748 | 1.160 |
| 147 (L) | LC | FP | 5.4 | 881 | 6.3 | 996 | 34,748 | 1.145 |

9MM LUGER +P

Barrel: 4" ; Twist: 1-10" ; Primer: WIN WSP ; Bullet Diameter: 0.355"
Case: WIN ; Max Case Length: 0.754 " ; Trim Length: 0.749"

ACCURATE NITRO 100 NE

| | | | | | | | | |
|---------|--------|------|-----|-------|-----|-------|--------|-------|
| 90 | HDY | XTP | 4.1 | 1,198 | 4.6 | 1,271 | 38,283 | 1.070 |
| 115 | SIERRA | FMJ | 3.3 | 993 | 3.6 | 1,046 | 38,023 | 1.100 |
| 124 | HDY | XTP | 2.8 | 872 | 3.2 | 931 | 38,247 | 1.060 |
| 124 | REM | GS | 3.3 | 929 | 3.6 | 994 | 37,327 | 1.145 |
| 124 | SPEER | GDHP | 3.1 | 827 | 3.3 | 913 | 38,367 | 1.105 |
| 124 (P) | RAIN | HP | 3.3 | 913 | 3.6 | 981 | 38,427 | 1.110 |
| 124 (L) | LC | RN | 2.8 | 929 | 3.1 | 984 | 38,306 | 1.050 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|

9MM LUGER +P *(continued)*

ACCURATE NITRO 100 NE *(continued)*

| | | | | | | | | |
|---------|--------|--------|-----|-----|-----|-----|--------|-------|
| 125 | SIERRA | JHP | 2.9 | 879 | 3.2 | 941 | 38,051 | 1.035 |
| 147 | REM | GS | 3.1 | 823 | 3.6 | 897 | 38,455 | 1.165 |
| 147 | SPEER | TMJ-FN | 2.8 | 774 | 3.1 | 825 | 38,127 | 1.130 |
| 147 (P) | RAIN | TRN | 3.0 | 810 | 3.3 | 871 | 38,333 | 1.160 |
| 147 (L) | LC | FP | 2.7 | 846 | 3.0 | 899 | 38,433 | 1.145 |

RAMSHOT COMPETITION

| | | | | | | | | |
|---------|--------|--------|-----|-------|-----|-------|--------|-------|
| 115 | NOSLER | JHP | 3.6 | 982 | 3.9 | 1,046 | 37,833 | 1.077 |
| 115 (P) | BERRY | RNDS | 3.9 | 1,018 | 4.5 | 1,091 | 38,096 | 1.130 |
| 115 (P) | RAIN | RN | 3.6 | 1,004 | 4.0 | 1,074 | 38,491 | 1.140 |
| 124 | HDY | XTP | 3.0 | 898 | 3.2 | 946 | 37,511 | 1.060 |
| 124 | REM | GS | 3.5 | 955 | 3.8 | 1,019 | 38,146 | 1.145 |
| 124 | SPEER | GDHP | 3.3 | 881 | 3.6 | 940 | 38,363 | 1.105 |
| 124 (P) | BERRY | RN | 3.5 | 949 | 3.7 | 1,006 | 37,612 | 1.160 |
| 124 (P) | RAIN | RN | 3.5 | 959 | 3.7 | 1,022 | 38,031 | 1.160 |
| 124 (L) | LC | RN | 2.9 | 940 | 3.2 | 999 | 38,031 | 1.050 |
| 125 | SIERRA | JHP | 3.1 | 898 | 3.4 | 967 | 38,391 | 1.035 |
| 135 | RMR | FP | 3.9 | 911 | 4.4 | 981 | 37,672 | 1.100 |
| 147 | REM | GS | 3.4 | 860 | 3.8 | 918 | 38,400 | 1.165 |
| 147 | SPEER | TMJ-FN | 2.8 | 787 | 3.1 | 865 | 37,843 | 1.130 |
| 147 (P) | RAIN | TRN | 3.0 | 809 | 3.4 | 871 | 38,442 | 1.160 |

RAMSHOT ZIP

| | | | | | | | | |
|---------|--------|--------|-----|-------|-----|-------|--------|-------|
| 90 | HDY | XTP | 5.1 | 1,274 | 5.4 | 1,343 | 38,187 | 1.070 |
| 95 | BARNES | TAC-XP | 4.7 | 1,177 | 5.0 | 1,255 | 38,045 | 1.160 |
| 115 | SIERRA | FMJ | 4.4 | 1,102 | 4.7 | 1,161 | 38,378 | 1.100 |
| 115 (P) | BERRY | RNDS | 4.6 | 1,086 | 5.0 | 1,159 | 38,298 | 1.130 |
| 115 (P) | RAIN | RN | 4.8 | 1,115 | 5.0 | 1,167 | 37,414 | 1.140 |
| 115 (L) | LC | RN | 4.2 | 1,118 | 4.5 | 1,182 | 38,447 | 1.070 |
| 124 | HDY | XTP | 3.7 | 966 | 3.8 | 1,008 | 37,928 | 1.060 |
| 124 | REM | GS | 4.6 | 1,058 | 4.9 | 1,114 | 38,410 | 1.145 |
| 124 | SPEER | GDHP | 4.2 | 981 | 4.5 | 1,050 | 38,287 | 1.105 |
| 124 (P) | RAIN | HP | 4.3 | 1,005 | 4.6 | 1,068 | 38,421 | 1.110 |
| 124 (P) | RAIN | RN | 4.6 | 1,048 | 4.8 | 1,112 | 37,264 | 1.160 |
| 124 (L) | LC | RN | 3.7 | 1,024 | 4.0 | 1,082 | 38,474 | 1.050 |
| 125 | SIERRA | JHP | 3.8 | 972 | 4.0 | 1,026 | 38,244 | 1.035 |
| 147 | REM | GS | 3.9 | 907 | 4.1 | 955 | 38,082 | 1.165 |
| 147 | SPEER | TMJ-FN | 3.5 | 849 | 3.7 | 904 | 38,337 | 1.130 |
| 147 (P) | RAIN | TRN | 3.9 | 902 | 4.1 | 964 | 38,440 | 1.160 |
| 147 (L) | LC | FP | 3.5 | 921 | 3.8 | 984 | 38,310 | 1.145 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|

ACCURATE SOLO 1000

| | | | | | | | | |
|---------|--------|------|-----|-------|-----|-------|--------|-------|
| 115 (P) | BERRY | RNDS | 4.4 | 1,060 | 5.0 | 1,134 | 38,129 | 1.130 |
| 115 (P) | RAIN | RN | 4.3 | 1,043 | 4.7 | 1,114 | 38,035 | 1.140 |
| 115 (L) | LC | RN | 4.4 | 1,112 | 4.9 | 1,175 | 38,395 | 1.070 |
| 124 | HDY | XTP | 3.5 | 916 | 3.9 | 989 | 38,351 | 1.060 |
| 124 (P) | RAIN | RN | 4.2 | 1,011 | 4.5 | 1,065 | 38,033 | 1.160 |
| 124 (L) | LC | RN | 3.7 | 1,009 | 3.9 | 1,053 | 38,275 | 1.050 |
| 125 | SIERRA | JHP | 3.7 | 941 | 4.0 | 1,003 | 38,339 | 1.035 |
| 147 | REM | GS | 3.8 | 873 | 4.1 | 932 | 38,431 | 1.165 |
| 147 (P) | RAIN | TRN | 3.7 | 875 | 4.1 | 937 | 38,343 | 1.160 |

ACCURATE NO.2

| | | | | | | | | |
|---------|--------|--------|-----|-------|-----|-------|--------|-------|
| 90 | HDY | XTP | 5.1 | 1,261 | 5.6 | 1,328 | 36,247 | 1.070 |
| 95 | BARNES | TAC-XP | 4.7 | 1,159 | 5.1 | 1,225 | 38,390 | 1.160 |
| 115 | NOSLER | JHP | 4.7 | 1,088 | 5.2 | 1,142 | 38,450 | 1.077 |
| 115 | SIERRA | FMJ | 4.6 | 1,086 | 5.1 | 1,151 | 38,257 | 1.100 |
| 115 (P) | BERRY | RNDS | 4.7 | 1,105 | 5.1 | 1,151 | 38,292 | 1.130 |
| 115 (P) | RAIN | RN | 4.6 | 1,082 | 5.1 | 1,167 | 38,237 | 1.140 |
| 115 (L) | LC | RN | 4.4 | 1,114 | 4.8 | 1,162 | 38,446 | 1.070 |
| 124 | HDY | XTP | 3.6 | 937 | 4.0 | 1,005 | 38,497 | 1.060 |
| 124 | REM | GS | 4.7 | 1,051 | 5.1 | 1,108 | 38,089 | 1.145 |
| 124 | SPEER | GDHP | 4.3 | 981 | 4.7 | 1,062 | 38,330 | 1.105 |
| 124 (P) | BERRY | RN | 4.4 | 1,026 | 4.8 | 1,114 | 37,988 | 1.160 |
| 124 (P) | RAIN | HP | 4.2 | 1,004 | 4.8 | 1,074 | 38,313 | 1.110 |
| 124 (P) | RAIN | RN | 4.6 | 1,055 | 4.8 | 1,106 | 37,130 | 1.160 |
| 124 (L) | LC | RN | 3.8 | 1,011 | 4.1 | 1,055 | 38,221 | 1.050 |
| 125 | SIERRA | JHP | 4.0 | 962 | 4.3 | 1,026 | 38,449 | 1.035 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
| 147 | REM | GS | 4.0 | 888 | 4.3 | 939 | 38,203 | 1.165 |
| 147 | SPEER | TMJ-FN | 3.5 | 847 | 3.9 | 906 | 38,354 | 1.130 |
| 147 (P) | RAIN | TRN | 3.8 | 901 | 4.2 | 958 | 38,369 | 1.160 |
| 147 (L) | LC | FP | 3.6 | 910 | 3.9 | 962 | 38,203 | 1.145 |

RAMSHOT SILHOUETTE

| | | | | | | | | |
|---------|--------|--------|-----|-------|-----|-------|--------|-------|
| 65 | LHG | XD | 8.1 | 1,559 | 9.5 | 1,745 | 36,248 | 1.100 |
| 90 | HDY | XTP | 6.8 | 1,350 | 7.5 | 1,464 | 38,375 | 1.070 |
| 90 | LHG | XD | 6.4 | 1,234 | 7.1 | 1,351 | 36,521 | 1.125 |
| 115 | NOSLER | JHP | 5.7 | 1,142 | 6.2 | 1,209 | 38,416 | 1.077 |
| 115 | SIERRA | FMJ | 5.7 | 1,157 | 6.3 | 1,234 | 38,109 | 1.100 |
| 115 (P) | BERRY | RNDS | 6.2 | 1,191 | 6.6 | 1,260 | 38,351 | 1.130 |
| 115 (P) | RAIN | RN | 5.9 | 1,154 | 6.3 | 1,234 | 38,062 | 1.140 |
| 115 (L) | LC | RN | 5.7 | 1,207 | 6.1 | 1,254 | 38,381 | 1.070 |
| 124 | REM | GS | 5.9 | 1,131 | 6.4 | 1,212 | 38,332 | 1.145 |
| 124 | SPEER | GDHP | 5.6 | 1,092 | 6.0 | 1,159 | 38,495 | 1.105 |
| 124 (P) | BERRY | RN | 5.8 | 1,136 | 6.1 | 1,196 | 38,267 | 1.160 |
| 124 (P) | RAIN | HP | 5.6 | 1,090 | 6.0 | 1,159 | 38,320 | 1.110 |
| 124 (P) | RAIN | RN | 5.8 | 1,133 | 6.1 | 1,188 | 38,128 | 1.160 |
| 124 (L) | LC | RN | 5.0 | 1,091 | 5.3 | 1,149 | 38,330 | 1.050 |
| 125 | SIERRA | JHP | 5.0 | 1,043 | 5.5 | 1,126 | 38,458 | 1.035 |
| 135 | RMR | FP | 5.2 | 1,018 | 5.5 | 1,070 | 37,468 | 1.100 |
| 147 | REM | GS | 5.2 | 1,003 | 5.5 | 1,057 | 37,998 | 1.165 |
| 147 | SPEER | TMJ-FN | 4.6 | 941 | 5.0 | 1,006 | 38,430 | 1.130 |
| 147 (P) | RAIN | TRN | 4.9 | 977 | 5.3 | 1,043 | 38,434 | 1.160 |
| 147 (L) | LC | FP | 4.6 | 981 | 4.9 | 1,038 | 38,344 | 1.145 |

RAMSHOT TRUE BLUE

| | | | | | | | | |
|---------|--------|--------|-----|-------|-----|-------|--------|-------|
| 115 | RMR | FMJ | 5.9 | 1,154 | 6.2 | 1,199 | 38,367 | 1.120 |
| 115 | NOSLER | JHP | 5.7 | 1,116 | 6.2 | 1,190 | 38,324 | 1.077 |
| 115 | SIERRA | FMJ | 5.9 | 1,148 | 6.2 | 1,197 | 38,373 | 1.100 |
| 115 (P) | BERRY | RNDS | 6.0 | 1,157 | 6.4 | 1,217 | 38,483 | 1.130 |
| 115 (L) | LC | RN | 5.6 | 1,157 | 6.0 | 1,223 | 38,404 | 1.070 |
| 124 | RMR | JHP | 5.6 | 1,091 | 5.9 | 1,141 | 38,427 | 1.120 |
| 124 | REM | GS | 6.2 | 1,139 | 6.5 | 1,203 | 37,228 | 1.145 |
| 124 | SPEER | GDHP | 5.7 | 1,068 | 6.1 | 1,141 | 38,362 | 1.105 |
| 124 (P) | RAIN | HP | 5.7 | 1,080 | 6.1 | 1,150 | 38,263 | 1.110 |
| 124 (L) | LC | RN | 5.0 | 1,059 | 5.3 | 1,122 | 38,469 | 1.050 |
| 125 | SIERRA | JHP | 5.0 | 1,006 | 5.3 | 1,061 | 38,345 | 1.035 |
| 147 | REM | GS | 5.2 | 972 | 5.5 | 1,016 | 38,033 | 1.165 |
| 147 | SPEER | TMJ-FN | 4.7 | 922 | 5.0 | 970 | 38,142 | 1.130 |
| 147 (P) | RAIN | TRN | 5.1 | 974 | 5.4 | 1,042 | 38,142 | 1.160 |
| 147 (L) | LC | FP | 4.7 | 972 | 5.0 | 1,028 | 38,111 | 1.145 |

| Bullet Weight (Grains) | Bullet Make | Bullet Type | Start Load (Grains) | Start Velocity (FPS) | Max Load (Grains) | Max Velocity (FPS) | Max Pressure (PSI) | COL (Inches) |
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|
|------------------------|-------------|-------------|---------------------|----------------------|-------------------|--------------------|--------------------|--------------|

ACCURATE NO.5

| | | | | | | | | |
|---------|--------|--------|-----|-------|-----|-------|--------|-------|
| 115 | RMR | FMJ | 6.2 | 1,129 | 6.6 | 1,186 | 38,442 | 1.120 |
| 115 | NOSLER | JHP | 6.3 | 1,137 | 6.7 | 1,201 | 38,378 | 1.077 |
| 115 | SIERRA | FMJ | 6.3 | 1,155 | 6.7 | 1,219 | 38,425 | 1.100 |
| 115 (P) | BERRY | RNDS | 6.5 | 1,145 | 7.0 | 1,222 | 38,228 | 1.130 |
| 115 (L) | LC | RN | 6.1 | 1,174 | 6.5 | 1,236 | 38,347 | 1.070 |
| 124 | RMR | JHP | 6.1 | 1,079 | 6.5 | 1,139 | 38,393 | 1.120 |
| 124 | REM | GS | 6.5 | 1,131 | 6.9 | 1,199 | 38,125 | 1.145 |
| 124 | SPEER | GDHP | 5.9 | 1,057 | 6.3 | 1,128 | 38,369 | 1.105 |
| 124 (P) | BERRY | RN | 6.3 | 1,096 | 6.7 | 1,176 | 37,648 | 1.160 |
| 124 (P) | RAIN | HP | 6.1 | 1,083 | 6.6 | 1,156 | 38,450 | 1.110 |
| 124 (P) | RAIN | RN | 6.4 | 1,113 | 6.8 | 1,194 | 38,490 | 1.160 |
| 124 (L) | LC | RN | 5.4 | 1,076 | 5.7 | 1,135 | 38,418 | 1.050 |
| 125 | SIERRA | JHP | 5.3 | 1,020 | 5.7 | 1,075 | 38,314 | 1.035 |
| 135 | RMR | FP | 5.6 | 969 | 5.9 | 1,020 | 37,581 | 1.100 |
| 147 | REM | GS | 5.5 | 973 | 5.8 | 1,023 | 38,153 | 1.165 |
| 147 | SPEER | TMJ-FN | 5.1 | 931 | 5.4 | 978 | 38,378 | 1.130 |
| 147 (P) | RAIN | TRN | 5.5 | 973 | 5.8 | 1,024 | 38,332 | 1.160 |
| 147 (L) | LC | FP | 5.1 | 981 | 5.4 | 1,033 | 38,268 | 1.145 |

ACCURATE NO.7

| | | | | | | | | |
|---------|--------|------|-----|-------|-----|-------|--------|-------|
| 115 | NOSLER | JHP | 7.5 | 1,126 | 8.3 | 1,217 | 38,221 | 1.077 |
| 115 | SIERRA | FMJ | 7.8 | 1,166 | 8.5 | 1,242 | 38,438 | 1.100 |
| 115 (P) | BERRY | RNDS | 8.2 | 1,189 | 8.7 | 1,253 | 38,321 | 1.130 |
| 115 (L) | LC | RN | 7.5 | 1,174 | 8.3 | 1,258 | 38,054 | 1.070 |
| 124 | REM | GS | 7.9 | 1,149 | 8.3 | 1,206 | 38,006 | 1.145 |

9MM LUGER +P *(continued)*

ACCURATE NO. 7 *(continued)*

| | | | | | | | | |
|---------|--------|--------|-----|-------|-----|-------|--------|-------|
| 124 | SPEER | GDHP | 7.4 | 1,091 | 7.9 | 1,153 | 38,257 | 1.105 |
| 124 (P) | RAIN | HP | 7.2 | 1,076 | 7.8 | 1,149 | 38,023 | 1.110 |
| 124 (P) | RAIN | RN | 7.7 | 1,132 | 8.0 | 1,178 | 37,483 | 1.160 |
| 125 | SIERRA | JHP | 6.5 | 1,027 | 6.9 | 1,086 | 37,423 | 1.035 |
| 135 | RMR | FP | 6.6 | 1,008 | 7.0 | 1,071 | 37,629 | 1.100 |
| 147 | REM | GS | 6.7 | 982 | 7.1 | 1,039 | 38,467 | 1.165 |
| 147 | SPEER | TMJ-FN | 6.2 | 943 | 6.6 | 1,000 | 38,100 | 1.130 |
| 147 (P) | RAIN | TRN | 6.6 | 987 | 7.0 | 1,041 | 38,337 | 1.160 |
| 147 (L) | LC | FP | 6.3 | 991 | 6.7 | 1,049 | 38,384 | 1.145 |